

Revision date 21-Nov-2022

Z BOND 616 MATT BLACK Revision Number 2.01

evision Number 2.01 Supersedes Date: 25-May-2021

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name Z BOND 616 MATT BLACK

Product Code(s) 30608422 30608422

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Sealant

Uses advised against No information available

Details of manufacturer or importer

Supplier

Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria

Australia

Tel: 613 9279-9333 Fax: 613 9279-9342

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Carcinogenicity	Category 2 - (H351)
Reproductive toxicity	Category 1A - (H360)
Specific target organ toxicity (single exposure)	Category 2

Label elements

Health hazard

Australia - EN Page 1 / 11

Z BOND 616 MATT BLACK Revision Number 2.01

Revision date 21-Nov-2022

Supersedes Date: 25-May-2021



Signal word DANGER

Hazard statements

H351 - Suspected of causing cancer

H360 - May damage fertility or the unborn child

H371 - May cause damage to organs

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/clothing and eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF exposed or concerned: Call a POISON CENTER or doctor

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Small amounts of 2-butanone, oxime (CAS 96-29-7) are formed by hydrolysis and released upon curing.

May be harmful if swallowed.

May be harmful in contact with skin.

Causes mild skin irritation.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

<u>Mixture</u>

Chemical name	CAS No	Weight-%
2-Butanone, O,O',O"-(methylsilylidyne)trioxime	22984-54-9	< 5%
2-Butanone, oxime	96-29-7	< 2%
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	< 0.9%
Toluene	108-88-3	< 0.4%
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Australia - EN Page 2 / 11

Z BOND 616 MATT BLACK Revision Number 2.01

Poisons Information Center, Australia: 13 11 26 **Emergency telephone number**

Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

Show this safety data sheet to the doctor in attendance. If medical advice is needed, **General advice**

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Immediately flush with plenty of water. After initial flushing, remove any contact lenses Eye contact

and continue flushing for at least 15 minutes. Consult an ophthalmologist.

Revision date 21-Nov-2022

Supersedes Date: 25-May-2021

Wash off immediately with plenty of water for at least 15 minutes. If symptoms persist, Skin contact

call a physician.

Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with Ingestion

water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

None known. **Symptoms**

Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Note to physicians

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the chemical

chemical

Specific hazards arising from the Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous combustion products Nitrogen oxides (NOx).

Special protective actions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

precautions for fire-fighters

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Do not get in eyes, on skin, or on clothing. Use personal protective equipment as

required. Ensure adequate ventilation.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Australia - EN Page 3 / 11

Z BOND 616 MATT BLACK Revision Number 2.01

Revision Number 2.01 Supersedes Date: 25-May-2021

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove

Revision date 21-Nov-2022

contaminated clothing and shoes.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work. Take off contaminated clothing and wash it before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep away from food, drink and animal feeding stuffs.

Recommended storage

temperature

Keep at temperatures between 50 and 95 $^{\circ}\text{F}$ / 10 and 35 $^{\circ}\text{C}.$

Incompatible materials Strong oxidizing agents.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. Small amounts of 2-butanone, oxime (CAS 96-29-7) are formed by hydrolysis and

released upon curing.

Chemical name	Australia
Toluene	TWA: 50 ppm
108-88-3	TWA: 191 mg/m ³
	STEL: 150 ppm
	STEL: 574 mg/m ³

OEL as published by Safe Work Australia

Biological occupational exposure limits

Appropriate engineering controls

Engineering controls Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protectionWear suitable protective clothing.

Australia - EN Page 4/11

Z BOND 616 MATT BLACK

Revision Number 2.01

Revision Number 2.01

Revision Number 2.01

Revision Number 2.01

Revision date 21-Nov-2022

Supersedes Date: 25-May-2021

Hand protection Wear suitable gloves.

Respiratory protection Organic gases and vapors filter conforming to EN 14387. White. Brown.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid
Appearance Paste
Color Black
Odor Organic

Odor threshold No information available

Property Values Remarks • Method

pH not applicable. Insoluble in water.

pH (as aqueous solution)

Melting point / freezing point

Initial boiling point and boiling

No data available

No data available

range

Flash point

Evaporation rate

Flammability

No data available
No data available
Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure Not determined Relative vapor density No data available

Relative density 1.37 @ 23 °C

Water solubility
Solubility(ies)
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Insoluble in water
No data available
No data available
No data available
No data available

Dynamic viscosity 150000 - 250000 mPa s @ 23 °C

Explosive propertiesNo information available **Oxidizing properties**No information available

Other information

Solid content (%)

Liquid Density

No information available
No information available

VOC content No information available

Section 10: Stability and reactivity

Reactivity

Reactivity Product cures with moisture.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical

impact

None.

Australia - EN Page 5 / 11

Z BOND 616 MATT BLACK Revision Number 2.01

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze.

Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition

products

Stable under recommended storage conditions. May emit toxic fumes under fire conditions; Formaldehyde. Small amounts of methanol (CAS 67-56-1) are formed by

Revision date 21-Nov-2022

Supersedes Date: 25-May-2021

hydrolysis and released upon curing. 2-Butanone, oxime.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met. Specific test data for the

substance or mixture is not available. Causes mild skin irritation. May be harmful in

contact with skin.

Ingestion Based on available data, the classification criteria are not met. Classification is based on

additional test data from raw material supplier. May be harmful if swallowed.

Symptoms Prolonged contact may cause redness and irritation.

Numerical measures of toxicity - Product Information

On basis of test data

 Oral LD50
 > 2009 mg/kg (rat)

 Dermal LD50
 > 2009 mg/kg (rat)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butanone, O,O',O"-(methylsilylidyne)trioxi	LD50 = 2463 mg/Kg (Rattus) (OECD 401)	LD50 >2000 mg/Kg (Rattus) (OECD 402)	-
me	(0=0=101)	(0202 :02)	
2-Butanone, oxime	=100 mg/kg (ATE)	1000 - 1800 mg/kg	>4.83 mg/L (Rattus) 4 h
		(Oryctolagus cuniculus)	
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44
ylenediamine			mg/L air
Toluene	=5580 mg/kg (Rattus)	= 12000 mg/kg (Orvctolagus	>20 mg/L (Rattus) 4 h

Australia - EN Page 6 / 11

Z BOND 616 MATT BLACK Revision Number 2.01 Revision date 21-Nov-2022 Supersedes Date: 25-May-2021

Cuperson Number 2.01

cuniculus)

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met. Classification based on data available for ingredients. Causes mild skin irritation.

Component Information					
Toluene (108-88-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
Regulation (EC) No.	Rabbit	Dermal			Irritant
440/2008, Annex, B.4					

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Component Information				
Toluene (108-88-3)				
Method	Species	Exposure route	Results	
Regulation (EC) No. 440/2008,	Guinea pig		No sensitization responses	
Annex, B.6 (Maximization test)			were observed	

Germ cell mutagenicity No information available.

Component Information					
Toluene (108-88-3)	Toluene (108-88-3)				
Method	Species	Results			
Regulation (EC) No. 440/2008, Annex, B.13/14 (Ames test)	Salmonella typhimurium	Not mutagenic			
OECD Test No. 476: In vitro Mammalian Cell Gene Mutation Test	Mouse	Not mutagenic			

Carcinogenicity

Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
2-Butanone, oxime 96-29-7	Carc. 2	Carc. 1B	
Toluene 108-88-3			Group 3

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

2-Butanone, oxime (96-29-7)				
Species	Results			
Rat	Carcinogenic			

Reproductive toxicity

Contains a known or suspected reproductive toxin. Classification based on data available

Australia - EN Page 7 / 11

Z BOND 616 MATT BLACK Revision Number 2.01

for ingredients. May damage fertility or the unborn child.

Component Information		
Toluene (108-88-3)		
Method	Species	Results
OECD 407	in vivo	Reproductive toxicant

STOT - single exposure

Based on available data, the classification criteria are not met. Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). May cause damage to organs.

Revision date 21-Nov-2022

Supersedes Date: 25-May-2021

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Component Information					
Toluene (108-88-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
Regulation (EC) No. 440/2008, Annex, B.26	Rat, male, female	Oral		91 days	NOAEL: 625 mg/kg
OECD Test No. 453: Combined Chronic Toxicity/Carcinogenicity Studies	Rat, male, female	Inhalation, vapor			NOAEL: 1.131 mg/l

Aspiration hazard

Based on available data, the classification criteria are not met.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Butanone,	EC50 (72h) = 94 mg/L	EC50 (96h) >120 mg/L	-	EC50 (48h) > 120 mg/L
O,O',O"-(methylsilylidyn	(Pseudokirchneriella	(Oncorhynchus		(Daphnia magna) OECD
e)trioxime	subcapitata) OECD 201	mykiss)Freshwater static		202
22984-54-9		(OECD guideline 203)		
2-Butanone, oxime	EC50: =83mg/L (72h,	LC50: =760mg/L (96h,	EC50 = 281 mg/L 17 h	EC50: =750mg/L (48h,
96-29-7	Desmodesmus	Poecilia reticulata) LC50:	EC50 = 950 mg/L 5 min	Daphnia magna)
	subspicatus)	777 - 914mg/L (96h,		
		Pimephales promelas)		
		LC50: 320 - 1000mg/L		
		(96h, Leuciscus idus)		
N-(3-(trimethoxysilyl)pro	-	LC50 (96H) =597 mg/L	-	EC50 (48h) =81mg/L
pyl)ethylenediamine		(Danio rerio)Semi-static		Daphnia magna Static
1760-24-3				
Toluene	EC50 72 h = 12.5 mg/L	LC50 96 h 5.89 - 7.81	EC50 = 19.7 mg/L 30	EC50: =11.5mg/L (48h,
108-88-3	(Pseudokirchneriella	mg/L (Oncorhynchus	min	Daphnia magna) EC50:
	subcapitata)	mykiss flow-through)		5.46 - 9.83mg/L (48h,
		LC50 96 h = 5.8 mg/L		Daphnia magna)
		(Oncorhynchus mykiss		
		semi-static)		

Persistence and degradability

Persistence and degradability Not readily biodegradable.

Australia - EN Page 8 / 11

Z BOND 616 MATT BLACK Revision Number 2.01

Revision Number 2.01 Supersedes Date: 25-May-2021

Revision date 21-Nov-2022

Bioaccumulative potential

Bioaccumulation Bioaccumulation is not expected to occur.

Component Information

Chemical name	Partition coefficient
2-Butanone, O,O',O"-(methylsilylidyne)trioxime 22984-54-9	1.69
2-Butanone, oxime 96-29-7	0.65
N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3	-0.3
Toluene 108-88-3	3.93

Mobility

Mobility in soil No information available.

Mobility Insoluble in water.

Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

Section 14: Transport information

ADG Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Australia - EN Page 9 / 11

Z BOND 616 MATT BLACK Revision Number 2.01

Revision Number 2.01 Supersedes Date: 25-May-2021

Revision date 21-Nov-2022

No poisons schedule number allocated

Poison Schedule Number Not applicable

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Toluene	10 tonne/yr Threshold category 1
108-88-3	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

International Inventories

AIIC Listed
NZIoC Not Listed
ENCS Not Listed
IECSC Listed
KECL Listed
PICCS Listed

Legend:

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 21-Nov-2022

Australia - EN Page 10 / 11

Z BOND 616 MATT BLACK Revision Number 2.01

Revision date 21-Nov-2022

Supersedes Date: 25-May-2021

Revision Note

***Indicates updated data since last publication.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information

EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Australia - EN Page 11 / 11