



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

EVO-STIK TRADE DECORATORS CAULK WHITE
Supersedes Date: 02-Sep-2022

Revision date 21-May-2024
Revision Number 2.04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name EVO-STIK TRADE DECORATORS CAULK WHITE
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant
Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited
Common Rd
ST16 3EH
Stafford UK
Tel: +44 (1785) 27 26 25
Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)
NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] & 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction
EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

SAFETY DATA SHEET

EVO-STIK TRADE DECORATORS CAULK WHITE
Supercedes Date: 02-Sep-2022

Revision date 21-May-2024
Revision Number 2.04

P101 - If medical advice is needed, have product container or label at hand
P102 - Keep out of reach of children

2.3. Other hazards

Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon curing.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical name | EC No (EU Index No) | CAS No. | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | REACH registration number |
|--|-----------------------------|------------|----------------|--|--|---------------------------|
| Ethylene glycol | 203-473-3 (603-027-00-1) | 107-21-1 | 0.1- <1 | Acute Tox. 4 (H302) STOT RE 2 (H373) | - | 01-2119456816-28-XXXX |
| Titanium dioxide | 236-675-5 (022-006-00-2) | 13463-67-7 | 0.1 - <0.3 | [C] | - | 01-2119489379-17-XXXX |
| 1,2-benzisothiazol-3(2H)-one [BIT] | 220-120-9 (613-088-00-6) | 2634-33-5 | 0.0025 - <0.01 | Acute Tox. 2 (H330) Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) | Skin Sens. 1A :: C>=0.036% | 01-2120761540-60-XXXX |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | 611-341-5 | 55965-84-9 | <0.0015 | Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 | Eye Dam. 1 :: C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015% | - |

SAFETY DATA SHEET

EVO-STIK TRADE DECORATORS CAULK WHITE
Supersedes Date: 02-Sep-2022

Revision date 21-May-2024
Revision Number 2.04

| | | | | | | |
|--|--|--|--|--------|--|--|
| | | | | (H410) | | |
|--|--|--|--|--------|--|--|

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes
[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Notes

See section 16 for more information

| Chemical name | Notes |
|---|--------|
| Titanium dioxide - 13463-67-7 | V,W,10 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] - 55965-84-9 | B |

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|----------------|---|
| General advice | If medical advice is needed, have product container or label at hand. |
| Inhalation | Remove to fresh air. IF exposed or concerned: Get medical advice/attention. |
| Eye contact | Consult an ophthalmologist. |
| Skin contact | Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor. |
| Ingestion | Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|---------------------|---------------------------|
| Symptoms | No information available. |
| Effects of Exposure | No information available. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|-----------------|---------------------------|
| Note to doctors | No information available. |
|-----------------|---------------------------|

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|---|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | Full water jet. |

5.2. Special hazards arising from the substance or mixture

| | |
|--|---------------------------|
| Specific hazards arising from the chemical | No information available. |
|--|---------------------------|

SAFETY DATA SHEET

EVO-STIK TRADE DECORATORS CAULK WHITE
Supersedes Date: 02-Sep-2022

Revision date 21-May-2024
Revision Number 2.04

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO₂).

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Other information Prevent further leakage or spillage if safe to do so.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from frost. Keep away from food, drink and animal feedingstuffs. Keep from freezing.

Recommended storage temperature Keep at temperatures between 5 and 35 °C. Do not freeze. Keep at temperatures between 5 and 35 °C.

7.3. Specific end use(s)

Specific use(s)
Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

SAFETY DATA SHEET

EVO-STIK TRADE DECORATORS CAULK WHITE
Supersedes Date: 02-Sep-2022

Revision date 21-May-2024
Revision Number 2.04

Exposure Limits

This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product

| Chemical name | European Union | United Kingdom |
|--------------------------------|--|---|
| Ethylene glycol 107-21-1 | TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ * | TWA: 10 mg/m ³ TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ STEL: 30 mg/m ³ Sk* |
| Titanium dioxide 13463-67-7 | - | TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³ |

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL) Ethylene glycol (107-21-1)

| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
|--|----------------|--------------------------------|---------------|
| worker Long term Systemic health effects | Dermal | 106 mg/kg bw/d | |
| worker Long term Systemic health effects | Inhalation | 35 mg/m ³ | |

Titanium dioxide (13463-67-7)

| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
|---|----------------|--------------------------------|---------------|
| worker Long term Local health effects | Inhalation | 10 mg/m ³ | |

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)

| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
|--|----------------|--------------------------------|---------------|
| worker Long term Systemic health effects | Inhalation | 6.81 mg/m ³ | |
| worker Long term Systemic health effects | Dermal | 0.966 mg/kg bw/d | |

Derived No Effect Level (DNEL) Ethylene glycol (107-21-1)

| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
|--|----------------|--------------------------------|---------------|
| Consumer Long term Systemic health effects | Dermal | 53 mg/kg bw/d | |
| Consumer Long term Local health effects | Inhalation | 7 mg/m ³ | |

Titanium dioxide (13463-67-7)

| Type | Exposure route | Derived No Effect Level | Safety factor |
|------|----------------|-------------------------|---------------|
|------|----------------|-------------------------|---------------|

SAFETY DATA SHEET

EVO-STIK TRADE DECORATORS CAULK WHITE
Supersedes Date: 02-Sep-2022

Revision date 21-May-2024
Revision Number 2.04

| | | | |
|--|------|----------------|--|
| | | (DNEL) | |
| Consumer Long term Systemic health effects | Oral | 700 mg/kg bw/d | |

| 1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5) | | | |
|---|----------------|--------------------------------|---------------|
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| Consumer Long term Systemic health effects | Inhalation | 1.2 mg/m ³ | |
| Consumer Long term Systemic health effects | Dermal | 0.345 mg/kg bw/d | |

Predicted No Effect Concentration (PNEC)

| Predicted No Effect Concentration (PNEC) | |
|---|--|
| Ethylene glycol (107-21-1) | |
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 10 mg/l |
| Marine water | 1 mg/l |
| Freshwater sediment | 20.9 mg/kg dry weight |
| Soil | 1.53 mg/kg dry weight |
| Microorganisms in sewage treatment | 199.5 mg/l |
| Freshwater - intermittent | 10 mg/l |

| Titanium dioxide (13463-67-7) | |
|--------------------------------------|--|
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Marine water | 0.0184 mg/l |
| Freshwater sediment | 1000 mg/kg |
| Freshwater | 0.184 mg/l |
| Marine sediment | 100 mg/kg |
| Soil | 100 mg/kg |
| Microorganisms in sewage treatment | 100 mg/l |
| Freshwater - intermittent | 0.193 mg/l |

| 1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5) | |
|---|--|
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 4.03 µg/l |
| Marine water | 0.403 µg/l |
| Sewage treatment plant | 1.03 mg/l |
| Freshwater sediment | 49.9 µg/l |
| Marine sediment | 4.99 µg/l |
| Soil | 3 mg/kg dry weight |

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.

Hand protection

Wear suitable gloves. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Skin and body protection

Suitable protective clothing.

Respiratory protection

During spraying wear suitable respiratory equipment. Wear a respirator conforming to EN

SAFETY DATA SHEET

EVO-STIK TRADE DECORATORS CAULK WHITE
Supersedes Date: 02-Sep-2022

Revision date 21-May-2024
Revision Number 2.04

Recommended filter type: 140 with Type A/P2 filter or better.
Brown. White.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|----------------|-----------------|
| Physical state | Solid |
| Appearance | Paste |
| Colour | White |
| Odour | Characteristic. |

| Property | Values | Remarks • Method |
|---|----------------------------|------------------|
| Melting point / freezing point | 0 °C | |
| Initial boiling point and boiling range | 100 °C | |
| Flammability | No data available | |
| Flammability Limit in Air | | None known |
| Upper flammability or explosive limits | No data available | |
| Lower flammability or explosive limits | No data available | |
| Flash point | > 100 °C | CC (closed cup) |
| Autoignition temperature | No data available | |
| Decomposition temperature | | None known |
| pH | 7 - 9 | |
| pH (as aqueous solution) | No data available | |
| Kinematic viscosity | > 21 mm ² /s | @ 40 °C |
| Dynamic viscosity | No data available | |
| Water solubility | Miscible in water. | |
| Solubility(ies) | No data available | |
| Partition coefficient | No data available | |
| Vapour pressure | No data available | |
| Relative density | 1.65 - 1.75 | |
| Bulk Density | No data available | |
| Liquid Density | ca. 1.71 g/cm ³ | |
| Relative vapour density | No data available | |
| Particle characteristics | | |
| Particle Size | No information available | |
| Particle Size Distribution | No information available | |

9.2. Other information

| | |
|-------------------|--------------------------|
| Solid content (%) | No information available |
| VOC content | 20.2 g/L |

9.2.1. Information with regards to physical hazard classes
Not applicable

9.2.2. Other safety characteristics
No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

SAFETY DATA SHEET

EVO-STIK TRADE DECORATORS CAULK WHITE
Supercedes Date: 02-Sep-2022

Revision date 21-May-2024
Revision Number 2.04

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from frost. Do not freeze.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >2000 mg/kg

ATEmix (dermal) >2000 mg/kg

ATEmix (inhalation-gas) >20000 ppm

ATEmix (inhalation-dust/mist) >5 mg/l

ATEmix (inhalation-vapour) >20 mg/l

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-----------------|---------------|--------------------------|------------------------|
| Ethylene glycol | ATE 500 mg/kg | = 10600 mg/kg (Rattus) = | > 2.5 mg/L (Rat) 6 h |

SAFETY DATA SHEET

EVO-STIK TRADE DECORATORS CAULK WHITE
Supercedes Date: 02-Sep-2022

Revision date 21-May-2024
Revision Number 2.04

| | | | |
|--|-----------------------|--|----------------------------|
| | | 9530 µL/kg (Oryctolagus cuniculus) | |
| Titanium dioxide | >10000 mg/kg (Rattus) | LD50 > 5000 mg/Kg | = 5.09 mg/L (Rattus) 4 h |
| 1,2-benzisothiazol-3(2H)-one [BIT] | =450 mg/kg (ATE) | LD50 > 2000 mg/kg (Rattus) | - |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | = 53 mg/kg (Rat) | LD50 = 87.12 mg/kg (Oryctolagus cuniculus) | = 0.33 mg/L (Rat) 4h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

| Titanium dioxide (13463-67-7) | | | | | |
|--|---------|----------------|----------------|---------------|--------------|
| Method | Species | Exposure route | Effective dose | Exposure time | Results |
| OECD Test No. 404: Acute Dermal Irritation/Corrosion | Rabbit | Dermal | | | Non-irritant |

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

| Titanium dioxide (13463-67-7) | | | | | |
|---|---------|----------------|----------------|---------------|--------------|
| Method | Species | Exposure route | Effective dose | Exposure time | Results |
| OECD Test No. 405: Acute Eye Irritation/Corrosion | Rabbit | Eye | | | Non-irritant |

Respiratory or skin sensitisation May produce an allergic reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | European Union |
|------------------|----------------|
| Titanium dioxide | Carc. 2 |

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

SAFETY DATA SHEET

EVO-STIK TRADE DECORATORS CAULK WHITE
Supercedes Date: 02-Sep-2022

Revision date 21-May-2024
Revision Number 2.04

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea | M-Factor | M-Factor (long-term) |
|--|---|--|--|---|----------|----------------------|
| Ethylene glycol 107-21-1 | EC50: 6500 - 13000mg/L (96h, Pseudokirchneriella subcapitata) | LC50 96 h = 16000 mg/L (Poecilia reticulata static) | EC50 = 10000 mg/L 16 h EC50 = 620 mg/L 30 min EC50 = 620.0 mg/L 30 min | EC50: =46300mg/L (48h, Daphnia magna) | | |
| Titanium dioxide 13463-67-7 | LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203 | - | - | - | | |
| 1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5 | EC50 3Hr 13mg/l (activated sludge) (OECD 209) | LC50 (96hr) 2.15 mg/l Cyprinodon variegatus EPA 540/9-85-006 | - | EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202 | 1 | 1 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9 | EC50 (72h) =0.048 mg/L (Pseudokirchneriella subcapitata) (OECD 201) | EC50 (96h) = 0.22 mg/L (Oncorhynchus mykiss) (OECD 211) | - | EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202) | 100 | 100 |

12.2. Persistence and degradability

Persistence and degradability No information available.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

| Method | Exposure time | Value | Results |
|---|---------------|----------------|---------------------------|
| OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test (TG 301 B) | 28 days | biodegradation | Not readily biodegradable |

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|--|-----------------------|
| Ethylene glycol | -1.36 |
| 1,2-benzisothiazol-3(2H)-one [BIT] | 0.7 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | 0.7 |

SAFETY DATA SHEET

EVO-STIK TRADE DECORATORS CAULK WHITE
Supersedes Date: 02-Sep-2022

Revision date 21-May-2024
Revision Number 2.04

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

| Chemical name | PBT and vPvB assessment |
|--|---------------------------------|
| Ethylene glycol | The substance is not PBT / vPvB |
| Titanium dioxide | The substance is not PBT / vPvB |
| 1,2-benzisothiazol-3(2H)-one [BIT] | The substance is not PBT / vPvB |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | The substance is not PBT / vPvB |

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note: Keep from freezing.

Land transport (ADR/RID)

14.1 UN number or ID number Not regulated
14.2 UN proper shipping name -
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None

IMDG

14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Marine pollutant NP
14.6 Special precautions for user

SAFETY DATA SHEET

EVO-STIK TRADE DECORATORS CAULK WHITE
Supersedes Date: 02-Sep-2022

Revision date 21-May-2024
Revision Number 2.04

Special Provisions None
14.7 Maritime transport in bulk according to IMO instruments
Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No
Chemical Safety Assessment has been carried out for this mixture

SAFETY DATA SHEET

EVO-STIK TRADE DECORATORS CAULK WHITE
Supersedes Date: 02-Sep-2022

Revision date 21-May-2024
Revision Number 2.04

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed
H302 - Harmful if swallowed
H310 - Fatal in contact with skin
H314 - Causes severe skin burns and eye damage
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H330 - Fatal if inhaled
H373 - May cause damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'.

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Note V: If the substance is to be placed on the market as fibres (with diameter < 3 µm, length > 5 µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung

Notes relating to the classification and labelling of mixtures

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm

Legend

| | |
|---------|---|
| TWA | TWA (time-weighted average) |
| STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Ceiling Limit Value |
| Sk* | Skin designation |
| SVHC | Substance(s) of Very High Concern |
| PBT | Persistent, Bioaccumulative, and Toxic (PBT) Chemicals |
| vPvB | Very Persistent and very Bioaccumulative (vPvB) Chemicals |
| STOT RE | Specific target organ toxicity - Repeated exposure |
| STOT SE | Specific target organ toxicity - Single exposure |
| EWC | European Waste Catalogue |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| IMDG | International Maritime Dangerous Goods (IMDG) |
| IATA | International Air Transport Association (IATA) |
| RID | Regulations concerning the International Transport of Dangerous Goods by Rail |

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 21-May-2024

Indication of changes

Revision note SDS sections updated, 12.

Training Advice No information available

Further information No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

SAFETY DATA SHEET

EVO-STIK TRADE DECORATORS CAULK WHITE
Supersedes Date: 02-Sep-2022

Revision date 21-May-2024
Revision Number 2.04

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet