



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**EVO-STIK MULTI-PURPOSE SILICONE SEALANT BROWN**  
Supersedes Date: 25-Sep-2020

Revision date 20-Oct-2021  
Revision Number 2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Name** EVO-STIK MULTI-PURPOSE SILICONE SEALANT BROWN  
**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Sealant.  
**Uses advised against** None known

### 1.3. Details of the supplier of the safety data sheet

**Company Name**  
Bostik Limited  
Common Rd  
ST16 3EH  
Stafford UK  
Tel: +44 (1785) 27 26 25  
Fax: +44 (1785) 25 72 36

**E-mail address** SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

**United Kingdom** +44 (1785) 272650  
**Ireland** +353 (1) 8624900 (Monday- Friday 9am-5pm)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

|                                 |                     |
|---------------------------------|---------------------|
| <b>Chronic aquatic toxicity</b> | Category 3 - (H412) |
|---------------------------------|---------------------|

### 2.2. Label elements

**Signal word**  
None

**Hazard statements**  
H412 - Harmful to aquatic life with long lasting effects.

**EU Specific Hazard Statements**  
EUH208 - Contains 4,5-dichloro-2-octyl-2H-isothiazol-3-one [DCOIT]. May produce an allergic reaction

**Precautionary Statements - EU (§28, 1272/2008)**  
P101 - If medical advice is needed, have product container or label at hand  
P102 - Keep out of reach of children  
P273 - Avoid release to the environment  
P501 - Dispose of contents/ container to an approved waste disposal plant

### 2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of acetic acid (CAS 64-19-7) are formed by hydrolysis and released upon curing. Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon curing. Harmful to aquatic life.

# SAFETY DATA SHEET

EVO-STIK MULTI-PURPOSE SILICONE SEALANT BROWN  
Supersedes Date: 25-Sep-2020

Revision date 20-Oct-2021  
Revision Number 2

## PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

| Chemical name                                                            | EC No     | CAS No      | Weight-%     | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                                                                                                            | Specific concentration limit (SCL)                                                           | REACH registration number |
|--------------------------------------------------------------------------|-----------|-------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|---------------------------|
| Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics | 934-956-3 | RR-100252-4 | 40 - <80     | Asp. Tox. 1 (H304)                                                                                                                                                                         |                                                                                              | 01-2119827000-58-XXXX     |
| Triacetoxo(propyl)silane                                                 | 241-816-9 | 17865-07-5  | 1- <2.5      | Skin Corr. 1B (H314) (EUH071)                                                                                                                                                              |                                                                                              | 01-2119966899-07-XXXX     |
| Titanium dioxide                                                         | 236-675-5 | 13463-67-7  | 0.01 - <0.05 | Carc. 2 (H351i)                                                                                                                                                                            |                                                                                              | 01-2119489379-17-XXXX     |
| 4,5-dichloro-2-octyl-2H-isothiazol-3-one [DCOIT]                         | 264-843-8 | 64359-81-5  | 0.01 - <0.05 | Skin Corr. 1B (H314)<br>Eye Dam. 1 (H318)<br>Skin Sens. 1A (H317)<br>Acute Tox. 4 (H302)<br>Acute Tox. 2 (H330)<br>Aquatic Acute 1 (H400) M=100<br>Aquatic Chronic 1 (H410) M=100 (EUH071) | Skin Irrit. 2 :: 0.025%<=C<5%<br>Eye Irrit. 2 :: 0.025%<=C<3%<br>Skin Sens. 1A :: C>=0.0015% | -                         |

### Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General advice

Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.

#### Inhalation

Remove to fresh air. If symptoms persist, call a doctor.

# SAFETY DATA SHEET

EVO-STIK MULTI-PURPOSE SILICONE SEALANT BROWN  
Supersedes Date: 25-Sep-2020

Revision date 20-Oct-2021  
Revision Number 2

---

|                     |                                                                                                                                                                      |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye contact</b>  | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist. |
| <b>Skin contact</b> | Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.                                                                    |
| <b>Ingestion</b>    | Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.                     |

#### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** None known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors** Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

**Suitable Extinguishing Media** Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

**Unsuitable extinguishing media** Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

**Specific hazards arising from the chemical** Thermal decomposition can lead to release of irritating gases and vapours.

**Hazardous combustion products** Carbon dioxide (CO<sub>2</sub>). Silicon dioxide. Thermal decomposition can lead to release of irritating and toxic gases and vapours.

#### 5.3. Advice for firefighters

**Special protective equipment and precautions for fire-fighters** Wear self contained breathing apparatus for fire fighting if necessary.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required. Ensure adequate ventilation.

**For emergency responders** Use personal protection recommended in Section 8.

#### 6.2. Environmental precautions

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

#### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Do not scatter spilled material with high pressure water streams.

**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

# SAFETY DATA SHEET

EVO-STIK MULTI-PURPOSE SILICONE SEALANT BROWN  
Supercedes Date: 25-Sep-2020

Revision date 20-Oct-2021  
Revision Number 2

## 6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Take off all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep away from food, drink and animal feedingstuffs.

Recommended storage temperature Keep at temperatures between 10 and 35 °C.

### 7.3. Specific end use(s)

Specific use(s)  
Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Exposure Limits Small amounts of acetic acid (CAS 64-19-7) are formed by hydrolysis and released upon curing Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon curing

| Chemical name          | European Union                                                                         | United Kingdom                                                                         |
|------------------------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| Acetic acid<br>64-19-7 | TWA: 25 mg/m <sup>3</sup><br>TWA: 10 ppm<br>STEL: 50 mg/m <sup>3</sup><br>STEL: 20 ppm | TWA: 10 ppm<br>TWA: 25 mg/m <sup>3</sup><br>STEL: 20 ppm<br>STEL: 50 mg/m <sup>3</sup> |

Derived No Effect Level (DNEL) No information available

| Derived No Effect Level (DNEL)              |                |                                |               |
|---------------------------------------------|----------------|--------------------------------|---------------|
| Titanium dioxide (13463-67-7)               |                |                                |               |
| Type                                        | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker<br>Long term<br>Local health effects | Inhalation     | 10 mg/m <sup>3</sup>           |               |

| Derived No Effect Level (DNEL) |                |                                |               |
|--------------------------------|----------------|--------------------------------|---------------|
| Titanium dioxide (13463-67-7)  |                |                                |               |
| Type                           | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| Consumer                       | Oral           | 700 mg/kg bw/d                 |               |

# SAFETY DATA SHEET

EVO-STIK MULTI-PURPOSE SILICONE SEALANT BROWN  
Supersedes Date: 25-Sep-2020

Revision date 20-Oct-2021  
Revision Number 2

|                                      |  |  |  |
|--------------------------------------|--|--|--|
| Long term<br>Systemic health effects |  |  |  |
|--------------------------------------|--|--|--|

**Predicted No Effect Concentration (PNEC)** No information available.

| Predicted No Effect Concentration (PNEC) |                                          |
|------------------------------------------|------------------------------------------|
| Titanium dioxide (13463-67-7)            |                                          |
| Environmental compartment                | Predicted No Effect Concentration (PNEC) |
| Marine water                             | 0.0184 mg/l                              |
| Freshwater sediment                      | 1000 mg/kg                               |
| Freshwater                               | 0.184 mg/l                               |
| Marine sediment                          | 100 mg/kg                                |
| Soil                                     | 100 mg/kg                                |
| Microorganisms in sewage treatment       | 100 mg/l                                 |
| Freshwater - intermittent                | 0.193 mg/l                               |

## 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

#### Eye/face protection

Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.

#### Hand protection

Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be replaced regularly and if there is any sign of damage to the glove material.

#### Skin and body protection

None under normal use conditions.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation, especially in confined areas.

#### Recommended filter type:

Organic gases and vapours filter conforming to EN 14387. White. Brown.

**Environmental exposure controls** Do not allow uncontrolled discharge of product into the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                 |                          |
|-----------------|--------------------------|
| Physical state  | Liquid                   |
| Appearance      | Paste                    |
| Colour          | Brown                    |
| Odour           | No information available |
| Odour threshold | No information available |

| Property                                | Values                     | Remarks • Method                  |
|-----------------------------------------|----------------------------|-----------------------------------|
| pH                                      | No data available          | Not applicable Insoluble in water |
| pH (as aqueous solution)                | No data available          |                                   |
| Melting point / freezing point          | No data available          |                                   |
| Initial boiling point and boiling range | 301 °C                     |                                   |
| Flash point                             | > 100 °C                   |                                   |
| Evaporation rate                        | No data available          |                                   |
| Flammability                            | Not applicable for liquids |                                   |
| Flammability Limit in Air               |                            |                                   |
| Upper flammability or explosive limits  | No data available          |                                   |
| Lower flammability or explosive         | No data available          |                                   |

# SAFETY DATA SHEET

EVO-STIK MULTI-PURPOSE SILICONE SEALANT BROWN  
Supersedes Date: 25-Sep-2020

Revision date 20-Oct-2021  
Revision Number 2

---

|                           |                         |     |
|---------------------------|-------------------------|-----|
| <b>limits</b>             |                         |     |
| Vapour pressure           | <100                    | hPa |
| Relative vapour density   | No data available       |     |
| Relative density          | 0.94                    |     |
| Water solubility          | Immiscible in water     |     |
| Solubility(ies)           | No data available       |     |
| Partition coefficient     | No data available       |     |
| Autoignition temperature  | >200 °C                 |     |
| Decomposition temperature | No data available       |     |
| Kinematic viscosity       | > 50 mm <sup>2</sup> /s |     |
| Dynamic viscosity         | No data available       |     |
| Explosive properties      | No data available       |     |
| Oxidising properties      | No data available       |     |

## 9.2. Other information

|                   |                          |
|-------------------|--------------------------|
| Solid content (%) | No information available |
| VOC Content (%)   |                          |
| Density           | No data available        |

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reactivity Product cures with moisture.

### 10.2. Chemical stability

Stability Stable under normal conditions.

### Explosion data

|                                  |       |
|----------------------------------|-------|
| Sensitivity to mechanical impact | None. |
| Sensitivity to static discharge  | None. |

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

### 10.4. Conditions to avoid

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.

### 10.5. Incompatible materials

Incompatible materials Strong oxidising agents.

### 10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions. Stable under recommended storage conditions.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### Information on likely routes of exposure

# SAFETY DATA SHEET

EVO-STIK MULTI-PURPOSE SILICONE SEALANT BROWN  
Supersedes Date: 25-Sep-2020

Revision date 20-Oct-2021  
Revision Number 2

## Product Information

|                     |                                                                                                                   |
|---------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b>   | Based on available data, the classification criteria are not met.                                                 |
| <b>Eye contact</b>  | Based on available data, the classification criteria are not met.                                                 |
| <b>Skin contact</b> | Based on available data, the classification criteria are not met. May cause sensitisation in susceptible persons. |
| <b>Ingestion</b>    | Based on available data, the classification criteria are not met.                                                 |

## Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

## Numerical measures of toxicity

### Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

## Component Information

| Chemical name                                                                        | Oral LD50                           | Dermal LD50                                        | Inhalation LC50                          |
|--------------------------------------------------------------------------------------|-------------------------------------|----------------------------------------------------|------------------------------------------|
| Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics RR-100252-4 | LD50 > 5000 mg/kg (Rattus) OECD 401 | LD50 > 3160 mg/kg (Oryctolagus cuniculus) OECD 402 | LC50 Inhalation(4h) >5266 MG/M3 (Rattus) |
| Titanium dioxide 13463-67-7                                                          | >10000 mg/kg (Rattus)               | LD50 > 10000 mg/Kg                                 | >5 mg/l                                  |
| 4,5-dichloro-2-octyl-2H-isothiazol-3-one [DCOIT] 64359-81-5                          | =1636 mg/kg (Rattus)                | > 2000 mg/kg (Oryctolagus cuniculus)               | =0.26 mg/L (Rattus) 4 h                  |

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** The assessment of the result of testing was done in accordance with the guideline of the Commission 92/ 69/ EEC.

| Product Information |         |                |                |               |                                |
|---------------------|---------|----------------|----------------|---------------|--------------------------------|
| Method              | Species | Exposure route | Effective dose | Exposure time | Results                        |
|                     | Rabbit  | Dermal         |                | 6             | Product score <=1 Non-irritant |
|                     | Rabbit  | Dermal         |                | 6 days        | Product score <=1 Non-irritant |

**Serious eye damage/eye irritation** By analogy to another tested similar product: No irritation after contact to the eyes. (H319 is void). The assessment of the result of testing was done in accordance with the guideline of the Commission 92/ 69/ EEC.

| Product Information |         |                |                |               |                                |
|---------------------|---------|----------------|----------------|---------------|--------------------------------|
| Method              | Species | Exposure route | Effective dose | Exposure time | Results                        |
|                     | Rabbit  | eye            |                | 6 days        | Product score <=1 Non-irritant |

**Respiratory or skin sensitisation** No classification is proposed, based on conclusive negative data. OECD Test No. 406: Skin Sensitisation. May cause sensitisation in susceptible persons.

## Product Information

# SAFETY DATA SHEET

EVO-STIK MULTI-PURPOSE SILICONE SEALANT BROWN  
Supersedes Date: 25-Sep-2020

Revision date 20-Oct-2021  
Revision Number 2

| Method                                | Species    | Exposure route | Results                                  |
|---------------------------------------|------------|----------------|------------------------------------------|
| OECD Test No. 406: Skin Sensitisation | Guinea pig | Dermal         | No sensitisation responses were observed |

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

| Chemical name                  | European Union |
|--------------------------------|----------------|
| Titanium dioxide<br>13463-67-7 | Carc. 2        |

The table below indicates whether each agency has listed any ingredient as a carcinogen.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

### 11.2.2. Other information

**Other adverse effects** No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

| Chemical name                                                                           | Algae/aquatic plants                                        | Fish                                                      | Toxicity to microorganisms | Crustacea                              | M-Factor | M-Factor (long-term) |
|-----------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------------------------------------------------|----------------------------|----------------------------------------|----------|----------------------|
| Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics<br>RR-100252-4 | EL50 (72h) >10,000 mg/L (Skeletonema costatum)<br>ISO 10253 | LL50 (96h) > 1028 mg/L (Scophthalmus maximus)<br>OECD 203 | -                          | LL50 (48h) > 3193 mg/l (Acartia tonsa) |          |                      |
| Triacetoxyp(ropyl)silane<br>17865-07-5                                                  | EC50 (72h): approx. 24 mg/l (Pseudokirchneriella subpicata) | LC50 (96h) = 108.89 mg/L                                  | -                          | EC50 (48h) = 89.59 mg/L                |          |                      |
| Titanium dioxide<br>13463-67-7                                                          | LC50 (96h) >10000 mg/l                                      | -                                                         | -                          | -                                      |          |                      |



# SAFETY DATA SHEET

EVO-STIK MULTI-PURPOSE SILICONE SEALANT BROWN  
Supersedes Date: 25-Sep-2020

Revision date 20-Oct-2021  
Revision Number 2

|                                                                |                                                                           |                                                              |   |                                                          |     |     |
|----------------------------------------------------------------|---------------------------------------------------------------------------|--------------------------------------------------------------|---|----------------------------------------------------------|-----|-----|
|                                                                | (Cyprinodon variegatus)<br>OECD 203                                       |                                                              |   |                                                          |     |     |
| 4,5-dichloro-2-octyl-2H-isothiazol-3-one [DCOIT]<br>64359-81-5 | EC50 (72h)<br>=0.025 mg/L<br>Algae<br>(Scenedesmus subspicatus)(OECD 201) | LC50 (96h)<br>0.0078 mg/L<br>(Oncorhynchus mykiss)(OECD 203) | - | EC50 (48h)<br>0.0097 mg/L<br>Daphnia magna<br>(OECD 202) | 100 | 100 |

## 12.2. Persistence and degradability

**Persistence and degradability** No information available.

| Component Information                                                               |               |           |              |
|-------------------------------------------------------------------------------------|---------------|-----------|--------------|
| 4,5-dichloro-2-octyl-2H-isothiazol-3-one [DCOIT] (64359-81-5)                       |               |           |              |
| Method                                                                              | Exposure time | Value     | Results      |
| OECD Test No. 308: Aerobic and Anaerobic Transformation in Aquatic Sediment Systems |               | Half-life | 1.1-1.3 days |

## 12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

## Component Information

| Chemical name                                                  | Partition coefficient | Bioconcentration factor (BCF) |
|----------------------------------------------------------------|-----------------------|-------------------------------|
| Triacetoxypropylsilane<br>17865-07-5                           | 1.23                  | -                             |
| 4,5-dichloro-2-octyl-2H-isothiazol-3-one [DCOIT]<br>64359-81-5 | 4.4                   | 13                            |

## 12.4. Mobility in soil

**Mobility in soil** No information available.

## 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** The product contains substance(s) classified as PBT or vPvB.

| Chemical name                                                                           | PBT and vPvB assessment                                          |
|-----------------------------------------------------------------------------------------|------------------------------------------------------------------|
| Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics<br>RR-100252-4 | The substance is not PBT / vPvB                                  |
| Triacetoxypropylsilane<br>17865-07-5                                                    | The substance is not PBT / vPvB                                  |
| Titanium dioxide<br>13463-67-7                                                          | The substance is not PBT / vPvB<br>PBT assessment does not apply |
| 4,5-dichloro-2-octyl-2H-isothiazol-3-one [DCOIT]<br>64359-81-5                          | The substance is not PBT / vPvB                                  |

## 12.6. Other adverse effects

**Other adverse effects** No information available.

## SECTION 13: Disposal considerations

# SAFETY DATA SHEET

EVO-STIK MULTI-PURPOSE SILICONE SEALANT BROWN  
Supersedes Date: 25-Sep-2020

Revision date 20-Oct-2021  
Revision Number 2

## 13.1. Waste treatment methods

|                                            |                                                                                                                                                                                    |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Waste from residues/unused products</b> | Uncured product should be disposed of as hazardous waste. Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable. |
| <b>Contaminated packaging</b>              | Handle contaminated packages in the same way as the product itself.                                                                                                                |
| <b>European Waste Catalogue</b>            | 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances                                                                                   |
| <b>Other information</b>                   | Waste codes should be assigned by the user based on the application for which the product was used.                                                                                |

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

|                                 |                |
|---------------------------------|----------------|
| 14.1 UN number or ID number     | Not regulated  |
| 14.2 Proper Shipping Name       | Not regulated  |
| 14.3 Transport hazard class(es) | Not regulated  |
| 14.4 Packing group              | Not regulated  |
| 14.5 Environmental hazards      | Not applicable |
| 14.6 Special Provisions         | None           |

### IMDG

|                                                                         |                |
|-------------------------------------------------------------------------|----------------|
| 14.1 UN number or ID number                                             | Not regulated  |
| 14.2 Proper Shipping Name                                               | Not regulated  |
| 14.3 Transport hazard class(es)                                         | Not regulated  |
| 14.4 Packing group                                                      | Not regulated  |
| 14.5 Marine pollutant                                                   | NP             |
| 14.6 Special Provisions                                                 | None           |
| 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code | Not applicable |

### Air transport (ICAO-TI / IATA-DGR)

|                                 |                |
|---------------------------------|----------------|
| 14.1 UN number or ID number     | Not regulated  |
| 14.2 Proper Shipping Name       | Not regulated  |
| 14.3 Transport hazard class(es) | Not regulated  |
| 14.4 Packing group              | Not regulated  |
| 14.5 Environmental hazards      | Not applicable |
| 14.6 Special Provisions         | None           |

## **Section 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

# SAFETY DATA SHEET

EVO-STIK MULTI-PURPOSE SILICONE SEALANT BROWN  
Supersedes Date: 25-Sep-2020

Revision date 20-Oct-2021  
Revision Number 2

## SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

## Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

## Persistent Organic Pollutants

Not applicable

## National regulations

### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at  $>10$  tpa. No Chemical Safety Assessment has been carried out for this mixture

## SECTION 16: Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

EUH071 - Corrosive to the respiratory tract  
H302 - Harmful if swallowed  
H304 - May be fatal if swallowed and enters airways  
H314 - Causes severe skin burns and eye damage  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H330 - Fatal if inhaled  
H351i - Suspected of causing cancer if inhaled  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects

#### Legend

|         |                                                           |
|---------|-----------------------------------------------------------|
| TWA     | TWA (time-weighted average)                               |
| STEL    | STEL (Short Term Exposure Limit)                          |
| Ceiling | Ceiling Limit Value                                       |
| *       | Skin designation                                          |
| SVHC    | Substance(s) of Very High Concern                         |
| PBT     | Persistent, Bioaccumulative, and Toxic (PBT) Chemicals    |
| vPvB    | Very Persistent and very Bioaccumulative (vPvB) Chemicals |
| STOT RE | Specific target organ toxicity - Repeated exposure        |
| STOT SE | Specific target organ toxicity - Single exposure          |
| EWC     | European Waste Catalogue                                  |

# SAFETY DATA SHEET

**EVO-STIK MULTI-PURPOSE SILICONE SEALANT BROWN**  
Supercedes Date: 25-Sep-2020

Revision date 20-Oct-2021  
Revision Number 2

---

## Key literature references and sources for data

No information available

**Prepared By** Product Safety & Regulatory Affairs

**Revision date** 20-Oct-2021

## Indication of changes

**Revision note** Not applicable.

**Training Advice** No information available

**Further information** No information available

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**