

Revision date 31-May-2024

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

EVO-STIK STICKS LIKE ADHESIVE WHITE

Supercedes Date: 16-Mar-2023 Revision Number 5.03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name EVO-STIK STICKS LIKE ADHESIVE WHITE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains Trimethoxyvinylsilane & Dioctyltinbis(acetylacetonate). May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

United Kingdom - BE Page 1 / 15

EVO-STIK STICKS LIKE ADHESIVE WHITE

Revision date 31-May-2024 Supercedes Date: 16-Mar-2023 **Revision Number** 5.03

2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Harmful to aquatic life.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	934-956-3	RR-100252-4	5 - <10	Asp. Tox. 1 (H304)	•	01-2119827000- 58-XXXX
Trimethoxyvinylsilane	220-449-8 (014-049-00- 0)	2768-02-7	1 - <2.5	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	-	01-2119513215- 52-XXXX
Titanium dioxide	236-675-5 (022-006-00- 2)	13463-67-7	0.1- <1	[C]	-	01-2119489379- 17-XXXX
Bis(2,2,6,6-tetramethyl-4 -piperidyl) sebacate	258-207-9	52829-07-9	0.1- <1	Eye Dam. 1 (H318) Repr. 2 (H361f) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		01-2119537297- 32-XXXX
Dioctyltinbis(acetylaceto nate)	483-270-6	54068-28-9	0.1 - <0.5	STOT SE 2 (H371) Skin Sens. 1 (H317)	Skin Sens. 1 :: C>=5%	01-0000020199- 67-XXXX

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

Full text of H- and EUH-phrases: see section 16

Substances identified by a number starting "RR-" in the CAS-field are substances for which the CAS# is not adopted in EU and we use an internal numbering system to track within our SDS software

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

United Kingdom - BE Page 2/15

[[]C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

EVO-STIK STICKS LIKE ADHESIVE WHITE

Revision date 31-May-2024 Supercedes Date: 16-Mar-2023 **Revision Number** 5.03

Notes

See section 16 for more information

Chemical name	Notes
Titanium dioxide - 13463-67-7	V,W,10

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never Ingestion

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available. **Effects of Exposure** No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide. Hazardous combustion products

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

United Kingdom - BE Page 3/15

EVO-STIK STICKS LIKE ADHESIVE WHITE

Revision date 31-May-2024 Supercedes Date: 16-Mar-2023 **Revision Number** 5.03

Personal precautions Ensure adequate ventilation.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Take up mechanically, placing in appropriate containers for disposal. Methods for cleaning up

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and animal feedingstuffs. Keep from freezing. **Storage Conditions**

Recommended storage

temperature

Do not freeze.

7.3. Specific end use(s)

Specific use(s)

Adhesives.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon **Exposure Limits**

curing This product contains titanium dioxide in a non-respirable form. Inhalation of

titanium dioxide is unlikely to occur from exposure to this product

Chemical name	European Union	United Kingdom
Limestone	-	TWA: 10 mg/m ³
1317-65-3		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics,	TWA/8h	-
< 0.03% aromatics	5mg/m³	
RR-100252-4	STEL/15 mins 10mg/m ³	
Titanium dioxide	-	TWA: 10 mg/m ³
13463-67-7		TWA: 4 mg/m ³
		STEL: 30 mg/m ³

United Kingdom - BE Page 4 / 15

EVO-STIK STICKS LIKE ADHESIVE WHITE

Supercedes Date: 16-Mar-2023

Revision date 31-May-2024 Revision Number 5.03

		STEL: 12 mg/m ³
Dioctyltinbis(acetylacetonate)	-	TWA: 0.1 mg/m ³
54068-28-9		STEL: 0.2 mg/m ³
		Sk*

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)			
Trimethoxyvinylsilane (2768-0	02-7)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Systemic health effects Long term	Inhalation	27,6 mg/m ³	
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d	

Titanium dioxide (13463-67-7)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker	Inhalation	10 mg/m³	
Long term			
Local health effects			

Bis(2,2,6,6-tetramethyl-4-pip	eridyl) sebacate (52829-07	-9)	
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Short term Long term Systemic health effects	Inhalation	2.82 mg/m³	
worker Long term Systemic health effects	Dermal	1.6 mg/kg	

Dioctyltinbis(acetylacetonat	Dioctyltinbis(acetylacetonate) (54068-28-9)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Long term Systemic health effects worker	Dermal	0.07 mg/kg bw/d		
Long term Systemic health effects worker	Inhalation	84 mg/m³		
Short term Systemic health effects worker	Inhalation	84 mg/m³		
Long term Short term Local health effects worker	Inhalation	0.091 mg/m³		

Derived No Effect Level (DNEL)			
Trimethoxyvinylsilane (2768-02-7)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer	Inhalation	18,9 mg/m³	

United Kingdom - BE Page 5 / 15

EVO-STIK STICKS LIKE ADHESIVE WHITE

Supercedes Date: 16-Mar-2023

Revision date 31-May-2024 Revision Number 5.03

Systemic health effects Long term			
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d	
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d	

Titanium dioxide (13463-67-7)			
Туре	Exposure route	Derived No Effect Level	Safety factor
		(DNEL)	
Consumer	Oral	700 mg/kg bw/d	
Long term			
Systemic health effects			

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term Systemic health effects	Dermal	0.8 mg/kg		
Consumer Long term Systemic health effects	Oral	0.4 mg/kg		

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)				
Trimethoxyvinylsilane (2768-02-7)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.34 mg/l			
Marine water	0.034 mg/l			
Microorganisms in sewage treatment	110 mg/l			

Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.018 mg/l			
Marine water	0.0018 mg/l			
Freshwater sediment	29 mg/kg			
Marine sediment	2.9 mg/kg			
Soil	5.9 mg/kg			

Dioctyltinbis(acetylacetonate) (54068-28-9)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	26 μg/l			
Marine water	2.6 μg/l			
Freshwater - intermittent	260 μg/l			
Sewage treatment plant	1 mg/l			
Freshwater sediment	0.155 mg/kg dry weight			

United Kingdom - BE Page 6 / 15

EVO-STIK STICKS LIKE ADHESIVE WHITE

Revision date 31-May-2024 Supercedes Date: 16-Mar-2023 **Revision Number** 5.03

Marine sediment	0.0155 mg/kg dry weight
Soil	0.0158 mg/kg dry weight

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the

breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves

depends on the material and the thickness as well as the temperature.

Wear appropriate personal protective clothing to prevent skin contact. Skin and body protection

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid Appearance Paste Colour White

Characteristic. Odour

Remarks • Method Property Values

Melting point / freezing point No data available None known Initial boiling point and boiling No data available None known

range

Flammability No data available

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

> 60 °C Flash point

Autoignition temperature No data available None known **Decomposition temperature** None known No data available pН

None known. pH (as aqueous solution) No data available None known Kinematic viscosity > 21 None known

No data available Dynamic viscosity

Water solubility No data available. Product cures with

moisture

Solubility(ies) No data available None known Partition coefficient No data available None known Vapour pressure No data available None known

Relative density No data available **Bulk Density** No data available **Liquid Density** 1.58 g/cm³

Relative vapour density No data available None known

Particle characteristics

Particle Size No information available **Particle Size Distribution** No information available

9.2. Other information

No information available Solid content (%)

VOC content 36.2 g/L

9.2.1. Information with regards to physical hazard classes Not applicable

United Kingdom - BE Page 7/15

EVO-STIK STICKS LIKE ADHESIVE WHITE

Revision date 31-May-2024 Supercedes Date: 16-Mar-2023 **Revision Number** 5.03

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

10.5. Incompatible materials

None known based on information supplied. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Based on available data, the classification criteria are not met. Inhalation

Eye contact Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. May cause sensitisation in Skin contact

susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

No information available. **Symptoms**

Acute toxicity

Numerical measures of toxicity

United Kingdom - BE Page 8 / 15

EVO-STIK STICKS LIKE ADHESIVE WHITE

Revision date 31-May-2024 Supercedes Date: 16-Mar-2023 **Revision Number** 5.03

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >2000 mg/kg ATEmix (dermal) >2000 mg/kg ATEmix (inhalation-gas) >20000 ppm ATEmix (inhalation-dust/mist) >5 mg/l ATEmix (inhalation-vapour) 799.80 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Hydrocarbons, C15-C20,	LD50 > 5000 mg/kg (Rattus)	LD50 > 3160 mg/kg	LC50 Inhalation(4h) >5266	
n-alkanes, isoalkanes, cyclics,	OECD 401	(Oryctolagus cuniculus)	mg/m³ (Rattus)	
< 0.03% aromatics		OECD 402	-	
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)	
	(Rattus) OECD 401	cuniculus)	OECD TG 403	
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus)4 h	
			-	
Bis(2,2,6,6-tetramethyl-4-piperi	LD50 (Rattus)> 2000 mg/kg	LD50 (Rattus) > 3 170 mg/kg	=500 mg/m ³ (Rattus) 4 h	
dyl) sebacate	OECD 423	OECD 402		
Dioctyltinbis(acetylacetonate)	LD50 =2500 mg/kg (Rattus)	LD50 >2000 mg/kg (Rattus)	= 5.1 mg/L (Rat) 4 h	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute Dermal Irritation/Corrosion	Rabbit	Dermal			Non-irritant

Bis(2,2,6,6-tetramethyl-4	1-piperidyl) sebacate	(52829-07-9)			
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	Eye			Non-irritant
Acute Eye					
Irritation/Corrosion					

Bis(2.2.6.6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Dio(2,2,0,0 tottainothy)	pipoliayi) oobacato	(02020 01 0)			
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye			Eye Damage
Acute Eye					
Irritation/Corrosion					

United Kingdom - BE Page 9/15

EVO-STIK STICKS LIKE ADHESIVE WHITE

Revision date 31-May-2024 Supercedes Date: 16-Mar-2023 **Revision Number** 5.03

Respiratory or skin sensitisation

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Product Information			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation			were observed

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic
Mutation Test		-

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Carcinogenicity

Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Titanium dioxide	Carc. 2

Reproductive toxicity

Based on available data, the classification criteria are not met.

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Results
OECD Test No. 414: Pre-natal Development	Rat, Rabbit	Reproductive toxicant
Toxicity Study		

Based on available data, the classification criteria are not met. STOT - single exposure

Based on available data, the classification criteria are not met. STOT - repeated exposure

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

United Kingdom - BE Page 10 / 15

EVO-STIK STICKS LIKE ADHESIVE WHITE

Revision date 31-May-2024 Supercedes Date: 16-Mar-2023 **Revision Number** 5.03

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Hydrocarbons,	EL50 (72h)	LL50 (96h) >	-	LL50 (48h)>		
C15-C20, n-alkanes,	>10,000 mg/L	1028 mg/L		3193 mg/l		
isoalkanes, cyclics, <	(Skeletonema	(Scophthalmus		(Acartia tonsa)		
0.03% aromatics	costatum)	maximus)				
RR-100252-4	ISO 10253	OECD 203				
Trimethoxyvinylsilane	EC 50 (72h) >	LC50 (96h) =	-	EC50(48hr)		
2768-02-7	957 mg/l	191 mg/l		168.7mg/l		
	(Desmodesmus	(Oncorhynchus		(Daphnia		
	subspicatus)	mykiss)		magna)		
	EU Method C.3	·				
Titanium dioxide	LC50 (96h)	-	-	-		
13463-67-7	>10000 mg/l					
	(Cyprinodon					
	variegatus)					
	OECD 203					
Bis(2,2,6,6-tetramethyl-	EC50 72Hr	LC50 (96h) =	-	LC50 48Hr 8.58		
4-piperidyl) sebacate	0.705 mg/l	5.29 mg/l		mg/l (Daphnia		
52829-07-9	(Pseudokirchner	(Oryzias latipes)		magna)		
	ella subcapitata)					
Dioctyltinbis(acetylacet	-	LC50 (96h) =86	-	EC50 (48h)		
onate)		mg/L (Static)		=58.6 mg/L		
54068-28-9				(Daphnia		
				magna)		

12.2. Persistence and degradability

No information available. Persistence and degradability

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			-

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Exposure time	Value	Results
OECD Test No. 303: Simulation Test	28 days	Total organic carbon (TOC)	24 % Moderate
- Aerobic Sewage Treatment A:	-		
Activated Sludge Units; B: Biofilms			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Trimethoxyvinylsilane	1.1
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	0.35

12.4. Mobility in soil

United Kingdom - BE Page 11 / 15

EVO-STIK STICKS LIKE ADHESIVE WHITE

Revision date 31-May-2024 Supercedes Date: 16-Mar-2023 **Revision Number** 5.03

No information available. Mobility in soil

12.5. Results of PBT and vPvB assessment

UN. PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03%	The substance is not PBT / vPvB
aromatics	
Trimethoxyvinylsilane	The substance is not PBT / vPvB
Titanium dioxide	The substance is not PBT / vPvB
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	The substance is not PBT / vPvB
Dioctyltinbis(acetylacetonate)	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Keep from freezing. Note:

Land transport (ADR/RID)

14.1 UN number or ID number Not regulated

14.2 UN proper shipping name

14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group Not applicable 14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions None

IMDG

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group

14.5 Marine pollutant NΡ

14.6 Special precautions for user **Special Provisions**

None

14.7 Maritime transport in bulk according to IMO instruments

United Kingdom - BE Page 12/15

EVO-STIK STICKS LIKE ADHESIVE WHITE

Revision date 31-May-2024 Supercedes Date: 16-Mar-2023 **Revision Number** 5.03

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated Not regulated 14.2 UN proper shipping name 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Dioctyltinbis(acetylacetonate)	54068-28-9	Use restricted. See entry 20.

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex
	Number
Dioctyltinbis(acetylacetonate)	I.1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

National regulations

15.2. Chemical safety assessment

United Kingdom - BE Page 13/15

EVO-STIK STICKS LIKE ADHESIVE WHITE

Revision date 31-May-2024 Supercedes Date: 16-Mar-2023 **Revision Number** 5.03

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H361f - Suspected of damaging fertility H371 - May cause damage to organs

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note V: If the substance is to be placed on the market as fibres (with diameter < 3 µm, length > 5 µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung

Notes relating to the classification and labelling of mixtures

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm

Legend

TWA TWA (time-weighted average) STEL (Short Term Exposure Limit) **STEL**

Ceiling Limit Value Ceiling Sk* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG) IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Product Safety & Regulatory Affairs **Prepared By**

Revision date 31-May-2024

Indication of changes

Revision note Not applicable.

Training Advice No information available **Further information** No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of

United Kingdom - BE Page 14/15

EVO-STIK STICKS LIKE ADHESIVE WHITE

Supercedes Date: 16-Mar-2023

Revision date 31-May-2024 Revision Number 5.03

its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 15 / 15