



SAFETY DATA SHEET

SEAL N FLEX PREMIUM WHITE
Revision Number 2.01

Revision date 21-Dec-2022
Supersedes Date: 21-Sep-2021

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name SEAL N FLEX PREMIUM WHITE

Product Code(s)
30617376
30619372; 30617376

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Sealant

Uses advised against No information available

Details of manufacturer or importer

Supplier
Bostik Australia Pty Ltd
51-71 High Street,
Thomastown Victoria
Australia
Tel: 613 9279-9333
Fax: 613 9279-9342

Manufacturer
Bostik Australia Pty Ltd
51-71 High Street,
Thomastown Victoria
Australia
Tel: 613 9279-9333
Fax: 613 9279-9342

ABN: 79 003 893 838

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Not classified

Label elements

Hazard statements

Not classified
Repeated exposure may cause skin dryness or cracking

Other hazards which do not result in classification

Causes mild skin irritation.

SAFETY DATA SHEET

SEAL N FLEX PREMIUM WHITE
Revision Number 2.01

Revision date 21-Dec-2022
Supersedes Date: 21-Sep-2021

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number 6

Label requirements in accordance with SUSMP

POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No	Weight-%
Aromatic Polyisocyanate	53317-61-6	0 - <10
Isophorone diisocyanate	4098-71-9	0 - <10
Toluene-2,4-diisocyanate	584-84-9	0 - <10
Toluene 2,6-diisocyanate	91-08-7	0 - <10
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26
Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms Prolonged contact may cause redness and irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SAFETY DATA SHEET

SEAL N FLEX PREMIUM WHITE
Revision Number 2.01

Revision date 21-Dec-2022
Supersedes Date: 21-Sep-2021

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical No information available.

Hazardous combustion products Carbon oxides. Carbon dioxide (CO₂). Nitrogen oxides (NO_x). Hydrochloric Acid.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

This material is a scheduled poison and must be stored, maintained and used in accordance with the relevant regulations

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product.

Chemical name	Australia
Isophorone diisocyanate 4098-71-9	TWA: 0.02 mg/m ³ STEL: 0.07 mg/m ³
Toluene-2,4-diisocyanate	TWA: 0.02 mg/m ³

SAFETY DATA SHEET

SEAL N FLEX PREMIUM WHITE
Revision Number 2.01

Revision date 21-Dec-2022
Supersedes Date: 21-Sep-2021

584-84-9	STEL: 0.07 mg/m ³
Toluene 2,6-diisocyanate 91-08-7	TWA: 0.02 mg/m ³ STEL: 0.07 mg/m ³

Biological occupational exposure limits

Appropriate engineering controls

Engineering controls Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing.

Hand protection Wear suitable gloves.

Respiratory protection Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Organic gases and vapors filter conforming to EN 14387.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Solid
Appearance	Paste
Color	White
Odor	Characteristic
Odor threshold	No information available

Property	Values	Remarks • Method
pH	No data available	
pH (as aqueous solution)	No data available	
Melting point / freezing point	No data available	
Initial boiling point and boiling range	No data available	
Flash point	No data available	
Evaporation rate	No data available	
Flammability	No data available	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	
Relative vapor density	No data available	
Relative density	1.3	
Water solubility	Insoluble in water	Product cures with moisture
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	No data available	
Dynamic viscosity	No data available	
Explosive properties	No information available	
Oxidizing properties	No information available	

SAFETY DATA SHEET

SEAL N FLEX PREMIUM WHITE
Revision Number 2.01

Revision date 21-Dec-2022
Supersedes Date: 21-Sep-2021

Other information

Solid content (%)	No information available
Density	No information available
VOC content	No information available

Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid None known based on information supplied.

Incompatible materials

Incompatible materials None known based on information supplied.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Specific test data for the substance or mixture is not available. Causes mild skin irritation.

Ingestion Based on available data, the classification criteria are not met.

Symptoms Prolonged contact may cause redness and irritation.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 13,116.20

ATEmix (inhalation-vapor) 27.026

ATEmix (inhalation-dust/mist) 6.22

SAFETY DATA SHEET

SEAL N FLEX PREMIUM WHITE
Revision Number 2.01

Revision date 21-Dec-2022
Supersedes Date: 21-Sep-2021

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Aromatic Polyisocyanate	LD50 >2000 mg/Kg (Rattus)	-	LC50 >3.820 mg/L (Rattus) 4h dust/mist
Isophorone diisocyanate	=4814 mg/kg (Rattus)	LD50 > 2000 mg/kg	=0.135 mg/L (Rattus) 4 h
Toluene-2,4-diisocyanate	=5800 mg/kg (Rattus)	> 16 mL/kg (Oryctolagus cuniculus)	=0.107 mg/L (Rattus) 4 h (vapour)

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes mild skin irritation.

Component Information					
Toluene-2,4-diisocyanate (584-84-9)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal	0.5 mL	24 hours	Erythema (skin redness) edema

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Component Information			
Toluene-2,4-diisocyanate (584-84-9)			
Method	Species	Exposure route	Results
Not available	Guinea pig	Dermal	sensitizing

Germ cell mutagenicity No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Toluene-2,4-diisocyanate 584-84-9	Carc. 2	Carc. 2	Group 2B
Toluene 2,6-diisocyanate 91-08-7	Carc. 2	Carc. 2	Group 2B

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Component Information		
Toluene-2,4-diisocyanate (584-84-9)		
Method	Species	Results
OECD 453	Rat	Carcinogenic

Reproductive toxicity No information available.

STOT - single exposure Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

SEAL N FLEX PREMIUM WHITE
Revision Number 2.01

Revision date 21-Dec-2022
Supersedes Date: 21-Sep-2021

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isophorone diisocyanate 4098-71-9	EC50: =118.7mg/L (72h, Desmodesmus subspicatus)	LC50: =1.8mg/L (48h, Leuciscus idus)	-	EC50: =83.7mg/L (24h, Daphnia magna)
Toluene-2,4-diisocyanate 584-84-9	-	LC50 (96h) =133 mg/L (Oncorhynchus mykiss) (OECD 203)	-	EC50 (48h) =12.5 mg/L Daphnia magna (OECD 202)

Persistence and degradability

Persistence and degradability No information available.

Component Information			
Aromatic Polyisocyanate (53317-61-6)			
Method	Exposure time	Value	Results
OECD Test No. 301F: Ready Biodegradability: Manometric Respirometry Test (TG 301 F)		biodegradation	34 % Not readily biodegradable

Isophorone diisocyanate (4098-71-9)			
Method	Exposure time	Value	Results
EU C.4-D	28 days	0%	Not readily biodegradable

Toluene-2,4-diisocyanate (584-84-9)			
Method	Exposure time	Value	Results
OECD Test No. 302C: Inherent Biodegradability: Modified MITI Test (II)	28 days	0%	Not readily biodegradable

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Toluene-2,4-diisocyanate 584-84-9	3.43

Mobility

Mobility in soil No information available.

Mobility No information available.

Other adverse effects

SAFETY DATA SHEET

SEAL N FLEX PREMIUM WHITE
Revision Number 2.01

Revision date 21-Dec-2022
Supersedes Date: 21-Sep-2021

Other adverse effects No information available.

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused products Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.

Contaminated packaging Do not reuse empty containers.

Section 14: Transport information

ADG Not regulated

IATA Not regulated

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number 6

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Toluene-2,4-diisocyanate 584-84-9	10 tonne/yr Threshold category 1 20 MW Threshold category 2b total 60000 MWH Threshold category 2b total 1 tonne/h Threshold category 2a total 25 tonne/yr Threshold category 1a total 400 tonne/yr Threshold category 2a total 2000 tonne/yr Threshold category 2b total

International Inventories

AIIC	Listed
NZIoC	Listed
ENCS	Not Listed
IECSC	Not Listed
KECL	Not Listed
PICCS	Not Listed

Legend:

AIIC - Australian Inventory of Industrial Chemicals

SAFETY DATA SHEET

SEAL N FLEX PREMIUM WHITE
Revision Number 2.01

Revision date 21-Dec-2022
Supersedes Date: 21-Sep-2021

NZIoC - New Zealand Inventory of Chemicals
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 21-Dec-2022

Revision Note

***Indicates updated data since last publication.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information

EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet