

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

EVO-STIK WATERPROOF PVA Supercedes date 14-Jan-2025 Revision date 29-Jan-2025 Revision Number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name EVO-STIK WATERPROOF PVA

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Building and construction work

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains Formaldehyde & reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]. May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

United Kingdom - BE Page 1 / 13

EVO-STIK WATERPROOF PVA Supercedes date 14-Jan-2025 Revision date 29-Jan-2025 Revision Number 2

P102 - Keep out of reach of children

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight- %	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	concentration		M-Factor (long-ter m)	Notes
Propylene carbonate 108-32-7	1 - <5	01-2119537232 -48-XXXX	203-572-1 (607-194-00-1)	Eye Irrit. 2 (H319)	-	-	-	-
Formaldehyde 50-00-0	0.01 < 0.036	# 01-2119488953 -20-XXXX	200-001-8 (605-001-00-5)		5%<=C<25%		-	B,D,F
reaction mass of 5-chloro-2-methyl-2 H-isothiazol-3-one and 2-methyl-2H-isothiaz ol-3-one (3:1) [C(M)IT/MIT] 55965-84-9	<0.0015	No data available	611-341-5	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0 .6%	100	100	В

The substance does not require registration according to REACH

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Note D - Certain substances which are susceptible to spontaneous polymerization or decomposition are generally placed on the market in a stabilized form. It is in this form that they are listed in Part 3 of Annex VI to Regulation (EC) No 1272/2008. However, such substances are sometimes placed on the market in a non-stabilized form. In this case, the supplier who places such a substance on the market must state on the label the name of the substance followed by the words "non-stabilized". Note F - This substance may contain a stabilizer. If the stabilizer changes the hazardous properties of the substance, as indicated by the classification in Part 3, classification and labelling should be provided in accordance with the rules for

United Kingdom - BE Page 2 / 13

^{#:} Exempt, Hazardous impurities

EVO-STIK WATERPROOF PVA Supercedes date 14-Jan-2025 Revision date 29-Jan-2025 Revision Number 2

classification and labelling of hazardous mixtures.

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	
Propylene carbonate	203-572-1 (607-194-00-1)	108-32-7	-	-	-	-	-
Formaldehyde	200-001-8 (605-001-00-5)	50-00-0	1	-	1	-	-
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT]		55965-84-9	66	141	0.17	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand. Show this safety

data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors No information available.

SECTION 5: Firefighting measures

United Kingdom - BE Page 3 / 13

EVO-STIK WATERPROOF PVA Supercedes date 14-Jan-2025 Revision date 29-Jan-2025 Revision Number 2

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

Hazardous combustion products Carbon dioxide (CO2).

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sectionsSee section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.

Recommended storage

temperature

Keep at temperatures between 5 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

United Kingdom - BE Page 4 / 13

EVO-STIK WATERPROOF PVA Supercedes date 14-Jan-2025 Revision date 29-Jan-2025 Revision Number 2

Building and construction work.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom
Formaldehyde	TWA: 0.37 mg/m ³	TWA: 2 ppm
50-00-0	TWA: 0.62 mg/m ³ TWA: 0.3 ppm	TWA: 2.5 mg/m ³ STEL: 2 ppm
	TWA: 0.5 ppm	STEL: 2.5 mg/m ³

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNI	EL)		
Propylene carbonate (108-32			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	70.53 mg/m³	
worker Long term Local health effects	Inhalation	20 mg/m³	
worker Long term Systemic health effects	Dermal	20 mg/kg bw/d	
worker Long term Local health effects	Dermal	10 mg/cm ²	

Derived No Effect Level (DNEL)					
Propylene carbonate (108-32-7					
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Long term Systemic health effects	Inhalation	17.4 mg/m³			
Consumer Long term Local health effects	Inhalation	10 mg/m³			
Consumer Long term Systemic health effects	Dermal	10 mg/kg bw/d			
Consumer Long term Systemic health effects	Oral	10 mg/kg bw/d			

Predicted No Effect Concentration (PNEC)

United Kingdom - BE Page 5 / 13

EVO-STIK WATERPROOF PVA Supercedes date 14-Jan-2025

Revision date 29-Jan-2025 **Revision Number** 2

Predicted No Effect Concentration (PNEC)				
Propylene carbonate (108-32-7)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.9 mg/l			
Marine water	0.09 mg/l			
Soil	0.81 mg/kg dry weight			
Sewage treatment plant	7400 mg/l			

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Wear safety glasses with side shields (or goggles). Eye protection must conform to Eye/face protection

standard EN 166.

Wear suitable gloves, Gloves must conform to standard EN 374, Recommended Use:. Hand protection

Polyvinyl chloride (PVC). The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

Skin and body protection Wear suitable protective clothing. Material, acid-resistant.

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Liquid Physical state **Appearance** Liquid Colour White Odour Sweet.

Values Remarks • Method **Property**

Melting point / freezing point None known 0°C Initial boiling point and boiling 100 °C

range

Flammability No data available

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

> 80 °C Flash point None known **Autoignition temperature** No data available None known None known

Decomposition temperature

2.8 - 3.6

pH (as aqueous solution) No data available None known Kinematic viscosity No data available None known

Dynamic viscosity 9000 - 15000 mPas

Water solubility Miscible in water.

Solubility(ies) No data available None known **Partition coefficient** No data available None known Vapour pressure 24 hPa Relative density 1.1 None known

Bulk density No data available Density 1.03 - 1.13 g/cm³

Relative vapour density No data available None known

Particle characteristics

No information available **Particle Size Particle Size Distribution** No information available

Page 6 / 13 United Kingdom - BE

EVO-STIK WATERPROOF PVA Supercedes date 14-Jan-2025 Revision date 29-Jan-2025 Revision Number 2

9.2. Other information

Solid content (%) No information available

VOC content 24 g/L

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

United Kingdom - BE Page 7 / 13

EVO-STIK WATERPROOF PVA Supercedes date 14-Jan-2025 Revision date 29-Jan-2025 Revision Number 2

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >2000 mg/kg
ATEmix (dermal) >2000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapour) >20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene carbonate	LD50 > 5000 mg/kg (Rattus)	> 3000 mg/kg (Oryctolagus	-
	OECD 401	cuniculus)	
Formaldehyde	LD50: 640 mg/kg (Rat) OECD	= 270 mg/kg (Oryctolagus	< 463 ppm (Rattus) 4 h
	401	cuniculus)	
reaction mass of	66 mg/kg (Rat)	LD50 = 8141 mg/kg (Rat)	= 0.33 mg/L (Rat) 4h
5-chloro-2-methyl-2H-isothiazo		OECD 402	
I-3-one and			
2-methyl-2H-isothiazol-3-one			
(3:1) [C(M)IT/MIT]			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union	
Formaldehyde	Muta. 2	

Carcinogenicity Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Formaldehyde	Carc. 1B

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

United Kingdom - BE Page 8 / 13

EVO-STIK WATERPROOF PVA Supercedes date 14-Jan-2025 Revision date 29-Jan-2025 Revision Number 2

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Propylene carbonate	ErC50 (72h): >	LC50 (96) h >	EC50 > 10000	EC50 (48h): >		
108-32-7	900mg/L	1000 mg/L	mg/L 17 h	1000mg/L		
	(Desmodesmus	(Cyprinus carpio,		(Daphnia		
	subspicatus,	67/548/EWG,		magna, OECD		
	OECD-201)	Annex V, C.1.)		202)		
Formaldehyde	-	LC50: =41mg/L	-	LC50: =2mg/L		
50-00-0		(96h,		(48h, Daphnia		
		Brachydanio		magna) EC50:		
		rerio) LC50:		11.3 - 18mg/L		
		=1510?g/L (96h,		(48h, Daphnia		
		Lepomis		magna)		
		macrochirus)				
		LC50: 0.032 -				
		0.226mL/L (96h,				
		Oncorhynchus				
		mykiss) LC50:				
		100 - 136mg/L				
		(96h,				
		Oncorhynchus				
		mykiss) LC50:				
		22.6 - 25.7mg/L				
		(96h,				
		Pimephales				
		promelas) LC50:				
		23.2 - 29.7mg/L				
		(96h				
reaction mass of	EC50 (72h)	EC50 (96h) =	-	EC50 (48h) =0.1	100	100
5-chloro-2-methyl-2H-is		0.22 mg/L		mg/L (Daphnia		
othiazol-3-one and	(Pseudokirchner	(Oncorhynchus		magna) (OECD		
2-methyl-2H-isothiazol-	iella subcapitata)	mykiss) (OECD		202)		
3-one (3:1)	(OECD 201)	211)				
[C(M)IT/MIT]						
55965-84-9						

12.2. Persistence and degradability

Persistence and degradability No information available.

United Kingdom - BE Page 9 / 13

EVO-STIK WATERPROOF PVA Supercedes date 14-Jan-2025 Revision date 29-Jan-2025 Revision Number 2

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)						
Method	Exposure time	Value	Results			
OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test (TG 301 B)	1	biodegradation	Not readily biodegradable			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Component imon	ilation	
Chemical name		Partition coefficient
Propylene carbonate		-0.41
	Formaldehyde	0.35
reaction mass of	5-chloro-2-methyl-2H-isothiazol-3-one and	0.7
2-methyl-2l	H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

Chemical name	PBT and vPvB assessment
Propylene carbonate	The substance is not PBT / vPvB
Formaldehyde	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

environmental legislation.

products

Do not reuse empty containers.

Contaminated packaging
Other information

Waste codes should be assigned by the user based on the application for which the

Dispose of in accordance with local regulations. Dispose of waste in accordance with

product was used.

SECTION 14: Transport information

Note: Keep from freezing.

Land transport (ADR/RID)

14.1 UN number or ID number Not regulated

United Kingdom - BE Page 10 / 13

EVO-STIK WATERPROOF PVA Supercedes date 14-Jan-2025 Revision date 29-Jan-2025 Revision Number 2

14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

IMDG

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 Not regulated
 Not regulated
 Not regulated

14.5 Marine pollutant NP
 14.6 Special precautions for user Special Provisions None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
Not regulated Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Export Notification requirements

United Kingdom - BE Page 11 / 13

EVO-STIK WATERPROOF PVA Supercedes date 14-Jan-2025 Revision date 29-Jan-2025 Revision Number 2

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Formaldehyde - 50-00-0	5	50

Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Note D - Certain substances which are susceptible to spontaneous polymerization or decomposition are generally placed on the market in a stabilized form. It is in this form that they are listed in Part 3 of Annex VI to Regulation (EC) No 1272/2008. However, such substances are sometimes placed on the market in a non-stabilized form. In this case, the supplier who places such a substance on the market must state on the label the name of the substance followed by the words "non-stabilized"

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value Sk* Skin designation

SVHC Substance(s) of Very High Concern

United Kingdom - BE Page 12 / 13

EVO-STIK WATERPROOF PVA Supercedes date 14-Jan-2025 Revision date 29-Jan-2025 Revision Number 2

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 29-Jan-2025

Indication of changes

Revision Note Not applicable.

Training Advice No information available Further information No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 13 / 13