

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**EVOSTIK REAR VIEW MIRROR ADHESIVE** 

Supercedes Date: 23-Aug-2018

Revision date 30-Nov-2020 Revision Number 1.01

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product Identifier

Product Name EVOSTIK REAR VIEW MIRROR ADHESIVE

Pure substance/mixture Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesive.
Uses advised against None known

#### 1.3. Details of the supplier of the safety data sheet

#### **Company Name**

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

**United Kingdom** +44 (1785) 272650

**Ireland** +353 (1) 8624900 (Monday- Friday 9am-5pm)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitisation	Category 1 - (H317)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Chronic aquatic toxicity	Category 3 - (H412)

#### 2.2. Label Elements

Contains: 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol, Poly[oxy(methyl-1,2-ethanediyl)],  $\alpha,\alpha'$ -(2,2-dimethyl-1,3-propanediyl)bis[ $\omega$ -[(1-oxo-2-propen-1-yl)oxy]-, Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate, Acrylic acid



**Signal word** Danger

#### **EVOSTIK REAR VIEW MIRROR ADHESIVE**

Supercedes Date: 23-Aug-2018 Revision Number 1.01

#### **Hazard statements**

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eve damage.

H335 + H336 - May cause respiratory irritation. May cause drowsiness or dizziness.

H412 - Harmful to aquatic life with long lasting effects.

### **Precautionary statements**

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P261 - Avoid breathing vapours/spray.

P273 - Avoid release to the environment.

P280 - Wear protective gloves and eye/face protection.

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P315 - Get immediate medical advice/attention.

P391 - Collect spillage.

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

P501 - Dispose of contents/ container to an approved waste disposal plant.

#### 2.3. Other Hazards

No information available

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

## 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No.	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol	248-666-3	27813-02-1	15 - 25	Eye Irrit. 2 (H319) Skin Sens. 1 (H317)		01-2119490226- 37-XXXX
(1-methylethylidene)bis( 4,1-phenyleneoxy-2,1-et hanediyl) bismethacrylate	246-263-7	24448-20-2	15 - 25	Aquatic Chronic 4 (H413)		
Exo-1,7,7-trimethylbicycl o[2.2.1]hept-2-yl methacrylate	231-403-1	7534-94-3	10 - <20	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335) Aquatic Chronic 3 (H412)	STOT SE 3 :: C>=10%	01-2119886505- 27-xxxx
2-PROPENOIC ACID,	246-359-9	24615-84-7	10 - <20	Skin Irrit. 2		

**EVOSTIK REAR VIEW MIRROR ADHESIVE** 

Revision date 30-Nov-2020 Supercedes Date: 23-Aug-2018 Revision Number 1.01

				// Ia : =:	1	
2-CARBOXYETHYL ESTER				(H315) Eye Irrit. 2		
ESIEK				(H319)		
				(1.10.10)		
Poly[oxy(methyl-1,2-etha	-	84170-74-1	1 - <5	Skin Sens. 1		01-2119970213-
nediyl)],				(H317)		43-xxxx
a,a'-(2,2-dimethyl-1,3-pr				Aquatic Chronic		
opanediyl)bis[?-[(1-oxo-2				2 (H411)		
-propen-1-yl)oxy]- Acrylic acid	201-177-9	79-10-7	1 - <5	Acute Tox. 4	STOT SE 3 :: C>=1%	04 0440450440
Acrylic acid	201-177-9	79-10-7	1 - <5	(H302)	31013E36>=1%	31-XXXX
				Acute Tox. 4		0170000
				(H312)		
				Acute Tox. 4		
				(H332)		
				Skin Corr. 1A		
				(H314)		
				Aquatic Acute 1 (H400)		
				Flam. Liq. 3		
				(H226)		
Cumene hydroperoxide	201-254-7	80-15-9	0.1 - <1	Acute Tox. 4	Eye Dam. 1 ::	01-2119475796-
				(H302)	3%<=C<10%	19-xxxx
				Acute Tox. 4	Eye Irrit. 2 ::	
				(H312) Acute Tox. 3	1%<=C<3% Skin Corr. 1B ::	
				(H331)	C>=10%	
				Skin Corr. 1B	Skin Irrit. 2 ::	
				(H314)	3%<=C<10%	
				STOT RE 2	STOT SE 3 :: C<10%	
				(H373)		
				Aquatic Chronic		
				2 (H411) Org. Perox. E		
				(H242)		
Acetic acid,	204-055-3	114-83-0	0.1 - <1	STOT SE 3		
2-phenylhydrazide				(H335)		
				Skin Irrit. 2		
				(H315)		
				Eye Irrit. 2 (H319)		
				Skin Sens. 1		
				(H317)		
				Acute Tox. 3		
				(H301)		

### Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

**EVOSTIK REAR VIEW MIRROR ADHESIVE** 

Supercedes Date: 23-Aug-2018

IF exposed or concerned: Get medical advice/attention. Remove to fresh air. Get Inhalation

medical attention immediately if symptoms occur.

Get immediate medical advice/attention. Rinse immediately with plenty of water, also Eye contact

under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Revision date 30-Nov-2020

Revision Number 1.01

May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see Skin contact

a doctor. Wash off immediately with soap and plenty of water for at least 15 minutes.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by

mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section

4.2. Most important symptoms and effects, both acute and delayed

Burning sensation. Itching. Rashes. Hives. Inhalation of high vapour concentrations may **Symptoms** 

cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media Full water jet. Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

chemical

Specific hazards arising from the Product is or contains a sensitiser. May cause sensitisation by skin contact.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required.

Refer to protective measures listed in Sections 7 and 8. Other information

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

**EVOSTIK REAR VIEW MIRROR ADHESIVE** 

Supercedes Date: 23-Aug-2018 Revision Number 1.01

and place into a container for later disposal.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this

product. Take off contaminated clothing and wash it before reuse. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Avoid breathing vapours or mists. In case of insufficient ventilation, wear suitable respiratory

Revision date 30-Nov-2020

equipment.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Keep out of the reach of children. Keep containers tightly closed in a

dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific Use(s)

Adhesive.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

### **Exposure Limits**

Chemical name	European Union	Ireland	United Kingdom
Acrylic acid	-	TWA: 10 ppm	TWA: 10 ppm
79-10-7		TWA: 29 mg/m <sup>3</sup>	TWA: 29 mg/m <sup>3</sup>
		STEL: 20 ppm	STEL: 20 ppm
		STEL: 59 mg/m <sup>3</sup>	STEL: 59 mg/m <sup>3</sup>

**Derived No Effect Level (DNEL)** No information available

**Predicted No Effect Concentration** No information available. **(PNEC)** 

8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

**EVOSTIK REAR VIEW MIRROR ADHESIVE** 

Supercedes Date: 23-Aug-2018 Revision Number 1.01

**Personal Protective Equipment** 

**Eye/face protection** Tight sealing safety goggles.

Hand protection Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the

breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature.

Revision date 30-Nov-2020

**Skin and body protection** Wear appropriate personal protective clothing to prevent skin contact.

Environmental exposure controls No information available.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available

Colour Amber Odour Characteristic

Odour threshold No information available

Property Values Remarks • Method

pH No data available
Melting point / freezing point
Boiling point / boiling range
Flash point > 100 °C
Evaporation rate
No data available
No data available
No data available

Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressureNo data availableRelative vapour densityNo data available

Relative density 1.08

Slightly soluble Water solubility Solubility(ies) No data available **Partition coefficient** No data available **Autoignition temperature** No data available No data available **Decomposition temperature** Kinematic viscosity No data available Dynamic viscosity No data available No data available **Explosive properties Oxidising properties** No data available

9.2. Other information

Solid content (%)

VOC Content (%)

Density

No information available

No information available

No information available

### SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**EVOSTIK REAR VIEW MIRROR ADHESIVE** 

Supercedes Date: 23-Aug-2018 Revision Number 1.01

**Explosion data** 

Sensitivity to mechanical

None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidising agents. Incompatible materials

10.6. Hazardous decomposition products

**Hazardous decomposition** 

products

None under normal use conditions. Stable under recommended storage conditions.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### Information on likely routes of exposure

**Product Information** 

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness or dizziness.

Specific test data for the substance or mixture is not available. Causes serious eye Eye contact

damage. May cause irreversible damage to eyes.

Skin contact May cause sensitisation by skin contact. Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons. Specific test data for the substance or

mixture is not available. Causes skin irritation. (based on components).

Specific test data for the substance or mixture is not available. Ingestion may cause Ingestion

gastrointestinal irritation, nausea, vomiting and diarrhoea.

#### Symptoms related to the physical, chemical and toxicological characteristics

Burning. May cause blindness. Itching. Rashes. Hives. Redness. May cause redness **Symptoms** 

and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms

like headache, dizziness, tiredness, nausea and vomiting.

#### Numerical measures of toxicity

#### **Acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 5,241.90 mg/kg 20,166.67 mg/kg ATEmix (dermal) ATEmix (inhalation-dust/mist) 17.991 mg/l

#### **Component Information**

**EVOSTIK REAR VIEW MIRROR ADHESIVE** 

Supercedes Date: 23-Aug-2018

\_\_\_\_\_

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol 27813-02-1	=11200 mg/kg (Rattus)	> 3000 mg/kg (Oryctolagus cuniculus)	
Exo-1,7,7-trimethylbicyclo[2.2. 1]hept-2-yl methacrylate 7534-94-3	LD50 >2000 mg/Kg (Rattus)		
Poly[oxy(methyl-1,2-ethanediyl)], a,a'-(2,2-dimethyl-1,3-propane diyl)bis[?-[(1-oxo-2-propen-1-yl)oxy]- 84170-74-1	(OECD 401)	LD50 >2000 mg/Kg (Rattus) (OECD 402)	LC50 (4h - aerosol) >2mg/L air (Rattus) (OECD 403)
Acrylic acid 79-10-7	1200 mg/kg (Rattus)	= 280 μL/kg (Oryctolagus cuniculus) = 295 mg/kg (Oryctolagus cuniculus)	=11.1 mg/L (Rattus) 1 h = 3.6 mg/L (Rattus) 4 h
Cumene hydroperoxide 80-15-9	=382 mg/kg (Rattus)	= 0.126 mL/kg (Oryctolagus cuniculus)	=220 ppm (Rattus) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Causes serious

eye damage.

**Respiratory or skin sensitisation** May cause sensitisation by skin contact.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity**Based on available data, the classification criteria are not met.

**STOT - single exposure** May cause respiratory irritation. May cause drowsiness or dizziness.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

12.1. Toxicity

**Ecotoxicity** Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
2-Propenoic acid,	-	LC50:	-	LC50 > 143  mg/l		

Revision date 30-Nov-2020

Revision Number 1.01

**EVOSTIK REAR VIEW MIRROR ADHESIVE** 

Revision date 30-Nov-2020 **Revision Number** 1.01 Supercedes Date: 23-Aug-2018

2-methyl-, monoester		=493mg/L (48h,		Daphnia magna		
with 1,2-propanediol		Leuciscus idus		(OECD 202)		
27813-02-1		melanotus)				
Exo-1,7,7-trimethylbicy		LC50:	-	-		
clo[2.2.1]hept-2-yl		=1.79mg/L (96h,				
methacrylate		Danio rerio)				
7534-94-3						
Poly[oxy(methyl-1,2-eth	-	LC50 (96h) =2.7	-	-		
anediyl)],		mg/L (Danio				
a,a'-(2,2-dimethyl-1,3-p		rerio) (OECD				
ropanediyl)bis[?-[(1-oxo		203)				
-2-propen-1-yl)oxy]-						
84170-74-1						
Acrylic acid	EC50:	LC50 96 h = 27	-	LC50:	1	
79-10-7	=0.17mg/L (96h,	mg/L		=270mg/L (24h,		
	Pseudokirchneri	(Oncorhynchus		Daphnia magna)		
	ella subcapitata)	mykiss)		EC50: =95mg/L		
				(48h, Daphnia		
				magna)		
Cumene hydroperoxide	-	LC50: =3.9mg/L	-	EC50: =7mg/L		
80-15-9		(96h,		(24h, Daphnia		
		Oncorhynchus		magna)		
		mykiss)				

## 12.2. Persistence and degradability

No information available. Persistence and degradability

12.3. Bioaccumulative potential

There is no data for this product. **Bioaccumulation** 

#### **Component Information**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
2-Propenoic acid, 2-methyl-, monoester	0.97	-
with 1,2-propanediol 27813-02-1		
Acrylic acid	0.46	0.49
79-10-7		
Cumene hydroperoxide 80-15-9	-	35.5

#### 12.4. Mobility in soil

Mobility in soil No information available.

## 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The components in this formulation do not meet the criteria for classification as PBT or

Chemical name	PBT and vPvB assessment
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol	The substance is not PBT / vPvB
27813-02-1	
Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate	The substance is not PBT / vPvB
7534-94-3	
Poly[oxy(methyl-1,2-ethanediyl)],	The substance is not PBT / vPvB
a,a'-(2,2-dimethyl-1,3-propanediyl)bis[?-[(1-oxo-2-propen-1-yl)oxy]-	
84170-74-1	
Acrylic acid	The substance is not PBT / vPvB

**EVOSTIK REAR VIEW MIRROR ADHESIVE** 

Supercedes Date: 23-Aug-2018 Revision Number 1.01

79-10-7	PBT assessment does not apply
Cumene hydroperoxide 80-15-9	The substance is not PBT / vPvB

#### 12.6. Other adverse effects

Other adverse effects No information available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Do not reuse empty containers. Handle contaminated packages in the same way as the

product itself.

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Provisions None

#### **IMDG**

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated

14.5 Marine pollutant NP14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

#### Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable14.6 Special ProvisionsNone

#### Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### **EVOSTIK REAR VIEW MIRROR ADHESIVE**

Supercedes Date: 23-Aug-2018 Revision Number 1.01

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

### National regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H242 - Heating may cause a fire

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H331 - Toxic if inhaled

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

H413 - May cause long lasting harmful effects to aquatic life

#### Legend

TWA TWA (time-weighted average)

**EVOSTIK REAR VIEW MIRROR ADHESIVE** 

Supercedes Date: 23-Aug-2018 Revision Number 1.01

STEL STEL (Short Term Exposure Limit)

Ceiling Limit Value
\* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

#### Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 30-Nov-2020

Indication of changes

Revision note Not applicable.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**