

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

TLH 9200 E Supercedes date 04-Nov-2021

Revision date 27-Jan-2023 Revision Number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Name	TLH 9200 E
Pure substance/mixture	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Hot-melt adhesives

None known

1.3. Details of the supplier of the safety data sheet

<u>Company Name</u> Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom

Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH210 - Safety data sheet available on request

2.3. Other hazards

Contact with product at elevated temperatures can result in thermal burns.

PBT & vPvB

This mixture contains substances considered to be very persistent and very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No).	CAS No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	REACH registration number
Phenol, 2-(5-chloro-2H-benzotria zol-2-yl)-6-(1,1-dimethyle thyl)-4-methyl- 1 - <2.5 %		3896-11-5	[G]	-	-	-	01-2119971796- 18-XXXX

Full text of H- and EUH-phrases: see section 16

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes [G] - PBT / vPvB substance

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	
Phenol, 2-(5-chloro-2H-benzotri azol-2-yl)-6-(1,1-dimeth		3896-11-5	-	-	-	-	-
ylethyl)-4-methyl-							

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No.	SVHC candidates
Phenol,	3896-11-5	х
2-(5-chloro-2H-benzotriazol-2-yl)-6-(1		
,1-dimethylethyl)-4-methyl-		

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice

If medical advice is needed, have product container or label at hand. Show this safety data sheet to the doctor in attendance.

TLH 9200 E	
Supercedes date	04-Nov-2021

Inhalation	Molten . Move to fresh air in case of accidental inhalation of vapours or decomposition products. Solid: . Not an expected route of exposure.			
Eye contact	Solid: In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Molten . Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Contact with molten materials requires immediate medical assistance.			
Skin contact	Solid: Wash skin with soap and water. Molten After contact with molten product, cool skin area rapidly with cold water. For severe burns, immediate medical attention is required. Do not remove clothing if adhering to skin. Removal of solidified molten material from skin requires medical assistance. Do not try to remove solidified material from the skin.			
Ingestion	Get immediate medical attention. Do not induce vomiting without medical advice.			
4.2. Most important symptoms and	effects, both acute and delayed			
Symptoms	Contact with molten substance may cause severe burns to skin and eyes.			
Effects of Exposure	No information available.			
4.3. Indication of any immediate m	edical attention and special treatment needed			
Note to doctors	Burns caused by molten material must be treated clinically. Treat any burns as thermal burns, after decontamination.			
SECTION 5: Firefighting mea	asures			
5.1. Extinguishing media				
Suitable Extinguishing Media	CO2, dry chemical, dry sand, alcohol-resistant foam.			
Unsuitable extinguishing media	Do not use straight streams.			
5.2. Special hazards arising from the	he substance or mixture			
Specific hazards arising from the chemical	The product is insoluble and floats on water. The melted product can cause severe burns.			
Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO2).			
5.3. Advice for firefighters				
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.			
SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures				
Personal precautions	Ensure adequate ventilation. Avoid contact with hot, molten product.			
Other information	Where possible allow molten material to solidify naturally.			
For emergency responders	Use personal protection recommended in Section 8.			
6.2. Environmental precautions				
Environmental precautions	Do not flush into surface water or sanitary sewer system.			

6.3. Methods and material for conta	ainment and cleaning up
Methods for containment	Molten . Cover with dry sand/earth.
Methods for cleaning up	Solid: . Take up mechanically, placing in appropriate containers for disposal. Molten Where possible allow molten material to solidify naturally. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust. Clean contaminated surface thoroughly.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handling	_
Advice on safe handling	Avoid contact with skin and eyes. Wash thoroughly after handling. Take precautionary measures against static discharges. Use adequate ventilation and/or engineering controls in high temperature processing to prevent exposure to vapours. Facilities for quickly drenching the body should be provided within the immediate work area for emergency use where there is a possibility of exposure.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals.
Recommended storage temperature	Keep at temperatures between 10 and 35 °C.
7.3. Specific end use(s)	
Specific use(s) Hot-melt adhesives.	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
Other information	Observe technical data sheet.
SECTION 8: Exposure control	ols/personal protection
8.1. Control parameters	
Exposure Limits	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies
Derived No Effect Level (DNEL)	No information available
Predicted No Effect Concentration (PNEC)	
8.2. Exposure controls	

TLH 9200 E	
Supercedes date	04-Nov-2021

Engineering controls	Molten . Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be exhausted directly at the point of origin.
Personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles). Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substances; this is irrespective of the recommendation involving the wearing of eye protection.
Hand protection	Molten . Heat resistant gloves are recommended when handling molten materials. Solid: . For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Gloves must conform to standard EN 374
Skin and body protection	Wear appropriate personal protective clothing to prevent skin contact.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. mormation on basic physical Physical state	Solid	
Appearance	Blocks	
Colour	Light yellow	
Odour	No information available.	
Cubu		
Property	Values	Remarks • Method
Melting point / freezing point	No data available	See section 9.2 for more information
Initial boiling point and boiling	> 220 °C	None known
range		
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	250 °C	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
рН	No data available	Not applicable. Insoluble in water.
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	5000 - 15000 mPas	Spindle A27 @ 10 rpm @ 177 °C
Water solubility	Not applicable. Insoluble in w	vater. None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	Not applicable
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	1	
Relative vapour density	No data available	Not applicable
Particle characteristics		Not applicable
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information		
Solid content (%)	100	
Softening point	100 - 120 °C	
VOC content		data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

TLH 9200 E Supercedes date 04-Nov-2021

No information available

SECTION 10: Stability and reactivity			
10.1. Reactivity			
Reactivity	No information available.		
10.2. Chemical stability			
Stability	Stable under normal conditions.		
Explosion data			
Sensitivity to mechanical	None.		
impact Sensitivity to static discharge	Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.		
10.3. Possibility of hazardous react	tions		
Possibility of hazardous reactions	None under normal processing.		
10.4. Conditions to avoid			
Conditions to avoid	Extremes of temperature and direct sunlight. To avoid thermal decomposition, do not overheat. Do not add water or other volatile material to molten adhesive. Under dusty conditions avoid all sources of ignition, including sparks and static electricity.		
10.5. Incompatible materials			
Incompatible materials	Strong oxidising agents, strong acids, and strong bases.		
10.6. Hazardous decomposition pro	oducts		
Hazardous decomposition products	Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.		
SECTION 11: Toxicological i	nformation		
11.1. Information on hazard class	es as defined in Regulation (EC) No 1272/2008		
Information on likely routes of exp			
Product Information			
Inhalation	Based on available data, the classification criteria are not met.		
Eye contact	Based on available data, the classification criteria are not met.		
Skin contact	Based on available data, the classification criteria are not met.		
Ingestion	Based on available data, the classification criteria are not met.		

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	>5000 mg/kg
ATEmix (dermal)	>5000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapour)	>20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Phenol,	LD50 >2000 mg/Kg	LD50 >2000 mg/Kg (Rattus)	-
2-(5-chloro-2H-benzotriazol-2- yl)-6-(1,1-dimethylethyl)-4-met		(OECD 402)	
hyl-			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.	
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
Reproductive toxicity	Based on available data, the classification criteria are not met.	
STOT - single exposure	Based on available data, the classification criteria are not met.	
STOT - repeated exposure	Based on available data, the classification criteria are not met.	
Aspiration hazard	Based on available data, the classification criteria are not met.	
11.2. Information on other hazards		
11.2.1. Endocrine disrupting properties		
Endocrine disrupting properties	No information available.	
11.2.2. Other information		
Other adverse effects	No information available.	
SECTION 12, Ecological info	a vera a ti a la	

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Phenol, 2-(5-chloro-2H-benzotri azol-2-yl)-6-(1,1-dimeth ylethyl)-4-methyl- 3896-11-5		LC50 (96h) >100 mg/L	-	>= 100 mg/L (Daphnia)		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Phenol,	6.1
2-(5-chloro-2H-benzotriazol-2-yl)-6-(1,1-dimethylethyl)-4-methy	
-	

12.4. Mobility in soil

Mobility in soilNo information available.12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

This mixture contains substances considered to be very persistent and very bioaccumulating (vPvB).

Chemical name	PBT and vPvB assessment
Phenol,	vPvB substance
2-(5-chloro-2H-benzotriazol-2-yl)-6-(1,1-dimethylethyl)-4-methyl-	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	-
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
IMDG	
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	NP
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk	
according to IMO instruments	
Transport in bulk according to	Annex II of MARPOL and the IBC Code Not applicable
<u>Air transport (ICAO-TI / IATA-DGR)</u>	-
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated

None

14.5	Transport nazaru ciass(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Special Provisions

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59) >=0.1%

Chemical name	CAS No.
Phenol,	3896-11-5
2-(5-chloro-2H-benzotriazol-2-yl)-6-(1,1-dimethylethyl)-4-methyl-	
Styrene	100-42-5

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend	
TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
Sk*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by
	Road
IMDG	International Maritime Dangerous Goods (IMDG)
ΙΑΤΑ	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sour No information available Prepared By Revision date Indication of changes	rces for data Product Safety & Regulatory Affairs 27-Jan-2023
Revision Note	SDS sections updated, 2, 3, 9, 12, 15.
Training Advice	No information available
Further information	No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Revision date 27-Jan-2023 Revision Number 2

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet