

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

BOSTIK SIMSON ISR 70-03 SSKF NEU BLACK Supercedes date 04-Aug-2023 Revision date 14-Jul-2025 Revision Number 2.09

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	. P	rod	uct i	identifi	er

Product Name BOSTIK SIMSON ISR 70-03 SSKF NEU BLACK

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesive	s and/or sealants
--------------------------	-------------------

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

<u>Company Name</u> Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom

Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH210 - Safety data sheet available on request EUH208 - Contains TrimethoxyvinyIsilane. May produce an allergic reaction

2.3. Other hazards

United Kingdom - BE

BOSTIK SIMSON ISR 70-03 SSKF NEU BLACK

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Causes mild skin irritation.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight- %	REACH registration number	EC No. (Index No.)		concentration		M-Factor (long-ter m)	Notes
Trimethoxyvinylsilane 2768-02-7	1 - <3	01-2119513215 -52-XXXX	220-449-8 (014-049-00-0)	Acute Tox. 4 (H332) Skin Sens. 1B (H317) Flam. Liq. 3 (H226)	-	-	-	-
1-Propanamine, 3-(trimethoxysilyl)- 13822-56-5	1 - <2.5	01-2119510159 -45-XXXX	237-511-5	Skin Irrit. 2 (H315) Eye Dam. 1 (H318)	-	-	-	-
Dioctyltin oxide 870-08-6	0.1 - <0.3	01-2119971268 -27-xxxx	212-791-1	STOT SE 2 (H371)	-	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No. (Index No.)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	
Trimethoxyvinylsilane	220-449-8 (014-049-00-0)	2768-02-7	-	-	-	11	-
1-Propanamine, 3-(trimethoxysilyl)-	237-511-5	13822-56-5	-	-	-	-	-
Dioctyltin oxide	212-791-1	870-08-6	-	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

BOSTIK SIMSON ISR 70-03 SSKF NEU BLACK Supercedes date 04-Aug-2023

General advice	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.					
Inhalation	Remove to fresh air. If symptoms persist, call a doctor.					
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.					
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.					
Ingestion	Small amounts of toxic methanol are released by hydrolysis. Call a doctor immediately. Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water.					
4.2. Most important symptoms and	d effects, both acute and delayed					
Symptoms	None known.					
Effects of Exposure	No information available.					
4.3. Indication of any immediate m	edical attention and special treatment needed					
Note to doctors	Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.					
SECTION 5: Firefighting me	asures					
5.1. Extinguishing media						
Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.					
Unsuitable extinguishing media	Full water jet.					
5.2. Special hazards arising from t	he substance or mixture					
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapours.					
Hazardous combustion products	Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon dioxide.					
5.3. Advice for firefighters						
Special protective equipment and precautions for fire-fighters	Wear self contained breathing apparatus for fire fighting if necessary.					
SECTION 6: Accidental relea	ase measures					
6.1. Personal precautions, protect	6.1. Personal precautions, protective equipment and emergency procedures					
Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.					
Personal precautions For emergency responders	· · · · · · · ·					

6.2. Environmental precautions

Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section
	12 for additional Ecological Information.

BOSTIK SIMSON ISR 70-03 SSKF NEU BLACK Supercedes date 04-Aug-2023

6.3. Methods and material for containment and cleaning up						
Methods for containment	Do not scatter spilled material with high pressure water streams.					
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.					
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.					
6.4. Reference to other sections						
Reference to other sections	See section 8 for more information. See section 13 for more information.					
SECTION 7: Handling and s	torage					
7.1. Precautions for safe handling	_					
Advice on safe handling	Ensure adequate ventilation.					
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.					
7.2. Conditions for safe storage, ir	ncluding any incompatibilities					
Storage Conditions	Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture. Keep away from food, drink and animal feedingstuffs.					
Recommended storage temperature	Keep at temperatures between 10 and 35 °C.					
7.3. Specific end use(s)						
Specific use(s) Adhesives and/or sealants.						
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.					
Other information	Observe technical data sheet.					
SECTION 8: Exposure contr	ols/personal protection					

8.1. Control parameters

Exposure Limits

This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing This product contains carbon black in a non-respirable form. Inhalation of carbon black is unlikely to occur from exposure to this product of the product is unlikely to occur from exposure to this product.

Chemical name	European Union	United Kingdom
Methanol	TWA: 200 ppm;	TWA: 200 ppm;
67-56-1	TWA: 260 mg/m ³ ;	TWA: 266 mg/m ³ ;
	pSk	STEL: 250 ppm;
		STEL: 333 mg/m ³ ;
		pSk
Carbon black	-	TWA: 3.5 mg/m ³ ;
1333-86-4		STEL: 7 mg/m ³ ;
Dioctyltin oxide	-	TWA: 0.1 mg/m ³ ;
870-08-6		STEL: 0.2 mg/m ³ ;
		pSk

Chemical name European Union	Ireland	United Kingdom
------------------------------	---------	----------------

BOSTIK SIMSON ISR 70-03 SSKF NEU BLACK

Supercedes date 04-Aug-2023

Methanol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)						
Trimethoxyvinylsilane (2768-02-7)						
Туре		Derived No Effect Level (DNEL)	Safety factor			
worker Systemic health effects Long term	Inhalation	27,6 mg/m³				
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d				

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Inhalation	58 mg/m³			
worker Long term	Dermal	8.3 mg/kg bw/d			
Short term worker	Inhalation	58 mg/m³			
Short term worker	Dermal	8.3 mg/kg bw/d			

Dioctyltin oxide (870-08-6)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Long term Systemic health effects	Dermal	0.05 mg/kg bw/d		
worker Long term Systemic health effects	Inhalation	0.004 mg/m³		

Derived No Effect Level (DNI	Derived No Effect Level (DNEL)				
Trimethoxyvinylsilane (2768-	-02-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³			
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d			
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d			

Dioctyltin oxide (870-08-6)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer	Oral	0.0005 mg/kg bw/d			
Long term					
Systemic health effects					

BOSTIK SIMSON ISR 70-03 SSKF NEU BLACK

Consumer	Dermal	0.025 mg/kg bw/d	
Long term			
Systemic health effects			
Consumer	Inhalation	0.0009 mg/m ³	
Long term			
Systemic health effects			

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)		
Trimethoxyvinylsilane (2768-02-7)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	0.34 mg/l	
Marine water	0.034 mg/l	
Microorganisms in sewage treatment	110 mg/l	

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	0.33 mg/l		
Microorganisms in sewage treatment	13 mg/l		
Soil	0.04 mg/l		
Marine water	0.033 mg/l		

Dioctyltin oxide (870-08-6)

Environmental compartment Predicted No Effect Concentration (PNEC)		
Freshwater sediment	0.02798 mg/kg dry weight	
Marine sediment	0.002798 mg/kg dry weight	
Microorganisms in sewage treatment	100 mg/l	

8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas.	
Personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.	
Hand protection	Wear suitable gloves. Recommended Use:. Neoprene [™] . Nitrile rubber. Butyl rubber. Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374	
Skin and body protection	None under normal use conditions.	
Respiratory protection	In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation, especially in confined areas.	
Recommended filter type:	Organic gases and vapours filter conforming to EN 14387. White. Brown.	
Environmental evine course controls	Do not allow upcontrolled discharge of product into the any ironment	

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	Paste
Colour	Black
Odour	Slight.
	C C
Property	Values

<u>Property</u> Melting point / freezing point <u>values</u> No data available Remarks • Method

BOSTIK SIMSON ISR 70-03 SSKF NEU BLACK Supercedes date 04-Aug-2023

Revision date 14-Jul-2025 Revision Number 2.09

Initial boiling point and boiling range	No data available	None known
Flammability	No data available	
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits	No data avaliable	
Flash point	No data available	None known
•	375 °C	None known
Autoignition temperature	375 C	None known
Decomposition temperature		
pH	No data available	None known.
pH (as aqueous solution)	No data available	Not applicable
Kinematic viscosity	No data available	None known
Dynamic viscosity	approx 10000 - Pa.s @ 0.1 s ⁻¹	
Water solubility	Reacts with water.	Reacts with water
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Density	1.5 g/ml	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information		
Solid content (%)	No information available	
VOC content	No data ava	ailable

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity

Product cures with moisture.

10.2. Chemical stability

Stability

Stable under normal conditions.

Explosion data

Sensitivity to mechanicalNone.impactSensitivity to static dischargeNone.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid

Product cures with moisture. Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

BOSTIK SIMSON ISR 70-03 SSKF NEU BLACK Supercedes date 04-Aug-2023 Revision date 14-Jul-2025 Revision Number 2.09

	sources of ignition.			
10.5. Incompatible materials				
Incompatible materials	None known based on inf	None known based on information supplied.		
10.6. Hazardous decompositio	on products			
Hazardous decomposition products		None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.		
SECTION 11: Toxicologi	cal information			
11.1. Information on hazard of	lasses as defined in Regulation	on (EC) No 1272/2008		
Information on likely routes of	f exposure			
Product Information				
Inhalation	Based on available data,	the classification criteria are no	ot met.	
Eye contact		The test item induced a mean In-vitro irritancy score ≤ 3 , the test item was considered as a test chemical not requiring classification for eye irritation or serious eye damage (UN GHS No Category).		
Skin contact		Based on available data, the classification criteria are not met. Causes mild skin irritation. May cause sensitisation in susceptible persons.		
Ingestion	Based on available data,	Based on available data, the classification criteria are not met.		
Symptoms related to the phys	ical, chemical and toxicologic	cal characteristics		
Symptoms	Prolonged contact may ca	ause redness and irritation.		
Acute toxicity				
Numerical measures of toxicit	у			
The following ATE values hav ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-gas) ATEmix (inhalation-dust/m ATEmix (inhalation-vapour	39,429.30 mg/kg >2000 mg/kg >20000 ppm iist) >5 mg/l	ure		
Component Information				
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	

	Chemical name	Oral LD50	Dermai LD50	Innalation LC50
	Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
		(Rattus) OECD 401	cuniculus)	OECD TG 403
ſ	1-Propanamine,	LD50 (Rattus) > 2000 mg/ kg	LD50 (Oryctolagus cuniculus) >	-
	3-(trimethoxysilyl)-	(2,97 ml/kg) (OECD 401)	2000 mg/kg 11,3 ml/kg)	
			OECD 402	
	Dioctyltin oxide	=2500 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	-
			OECD 402	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients. Causes mild skin irritation.

BOSTIK SIMSON ISR 70-03 SSKF NEU BLACK Supercedes date 04-Aug-2023

Trimethoxyvinylsilane (2768-02-7)								
Method	Species	Exposure route	Effective dose	Exposure time	Results			
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant			

Serious eye damage/eye irritation No classification is proposed, based on conclusive negative data. By analogy to another tested similar product: No irritation after contact to the eyes. (H319 is void).

Product Information					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD 437 Bovine	Bovine	Corneal	Product 100 %	10 minutes	Product score <3
Corneal Opacity and					Non-irritant
Permeability (BCOP) test					

Trimethoxyvinylsilane (2768-02-7)							
Method	Species	Exposure route	Effective dose	Exposure time	Results		
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant		
Acute Eye							
Irritation/Corrosion							

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)							
Method	Species	Exposure route	Effective dose	Exposure time	Results		
OECD Test No. 405:	Rabbit	eye		72 hours	irritant		
Acute Eye		-					
Irritation/Corrosion							

Respiratory or skin sensitisation

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Product Information								
Method	Species	Exposure route	Results					
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses					
Sensitisation			were observed					

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information						
Trimethoxyvinylsilane (2768-02-7)						
Method	Species	Results				
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic				
Mutation Test		-				

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)						
Method	Species	Results				
OECD Test No. 422: Combined Repeated Dose	Rat	Not Classifiable				
Toxicity Study with the						
Reproduction/Developmental Toxicity Screening						
Test						

BOSTIK SIMSON ISR 70-03 SSKF NEU BLACK Supercedes date 04-Aug-2023

STOT - single exposure

Based on available data, the classification criteria are not met.

Dioctyltin oxide (870-08-6)								
Method	Species	Exposure route	Effective dose	Exposure time	Results			
OECD Test No. 422:	Rat	Oral	5 mg/kg	28 days	0.3 - 0.5 mg/kg			
Combined Repeated Dose					bw/d May cause			
Toxicity Study with the					damage to the			
Reproduction/Developme					following organs:			
ntal Toxicity Screening					Immune system			
Test								

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)								
Method	Species	Exposure route	Effective dose	Exposure time	Results			
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL			
Sub-chronic Inhalation				-				
Toxicity: 90-day Study								

Dioctyltin oxide (870-08-6)	l.				
Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rat Rabbit			28 days	0.3 -0.5 mg/kg bw/d

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Based on available data, the classification criteria are not met.

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Trimethoxyvinylsilane	EC 50 (72h) >	LC50 (96h) =	-	EC50(48hr)		
2768-02-7	957 mg/l	191 mg/l		168.7mg/l		
	(Desmodesmus	(Oncorhynchus		(Daphnia		
	subspicatus)	mykiss)		magna)		
	EU Method C.3					
1-Propanamine,	EC50 (72h) >	LC50 (96h) >	-	EC50 (48h) =		
3-(trimethoxysilyl)-	1000 mg/l	>934 mg/L		331 mg/L		
13822-56-5	(Desmodesmus	(Danio rerio)		(Daphnia		
	subspicatus)	OECD 203		magna)		
	EU Method C.3			OECD 202		
	(Algal Inhibition					

BOSTIK SIMSON ISR 70-03 SSKF NEU BLACK

Supercedes date 04-Aug-2023

	test)				
Dioctyltin oxide	EC50 (3hr)	LC50 (96hr)	-	EC50 (48Hr)	
870-08-6	>1.000 mg/l	>0,09 mg/l		>0,21 mg/l	
	(bacteria)	(Brachydanio		(Daphnia magna	
	(Activated	rerio (zebra))		(Dappnia	
	Sludge,	(Acute Toxicity		magna))	
	Respiration	Test)		(Daphnia sp.	
	Inhibition Test)			Acute	
1				Immobilisation	
				Test)	

12.2. Persistence and degradability

Persistence and degradability No information available.

I rimethoxyvinylsilane (2768-02-7)			
Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			_

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)			
Method	Exposure time	Value	Results
OECD Test No. 301A: Ready	28 days		67 % Not readily
Biodegradability: DOC Die-Away	-		biodegradable
Test (TG 301 A)			-

Dioctyltin oxide (870-08-6)			
Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	755 hours	biodegradation	Not readily biodegradable 2
Biodegradability: Manometric			%
Respirometry Test (TG 301 F)			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Trimethoxyvinylsilane	1.1
Dioctyltin oxide	6

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment	
Trimethoxyvinylsilane	Not PBT/vPvB	
1-Propanamine, 3-(trimethoxysilyl)-	Not PBT/vPvB	
Dioctyltin oxide	Not PBT/vPvB	

12.6. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects

BOSTIK SIMSON ISR 70-03 SSKF NEU BLACK

Supercedes date 04-Aug-2023

Other adverse effects	No information available.
PMT or vPvM properties	Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note:	Keep from freezing.
Land transport (ADR/RID) 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None
IMDG 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Marine pollutant 14.6 Special precautions for user Special Provisions 14.7 Maritime transport in bulk according to IMO instruments The pollution of the pollution of th	Not regulated Not regulated Not regulated Not regulated NP None
Air transport (ICAO-TI / IATA-DGR) 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user	Annex II of MARPOL and the IBC Code Not applicable Not regulated Not regulated Not regulated Not regulated Not regulated Not applicable

None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Special Provisions

BOSTIK SIMSON ISR 70-03 SSKF NEU BLACK

Supercedes date 04-Aug-2023

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Dioctyltin oxide	870-08-6	20

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) regulation (EC) 2024/590 Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

Regulations on drug precursors (EC) No 111/2005 (export) and 273/2004 (internal trade)

This product does not contain any substance(s) which are regulated pursuant to the EU regulations on drug precursors [(EC) No. 111/2005 and (EC) No. 273/2004] above levels that can be easily used or extracted by readily applicable or economically viable means.

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

BOSTIK SIMSON ISR 70-03 SSKF NEU BLACK

Key or legend to abbreviations and acronyms used in the safety data sheet

Supercedes date 04-Aug-2023

Revision date 14-Jul-2025 Revision Number 2.09

rieg en legend te destroviatione al	
Full text of any hazard and/or pre-	cautionary statements referred to under Sections 2-15
H226 - Flammable liquid and vapou	r
H315 - Causes skin irritation	
H317 - May cause an allergic skin re	eaction
H318 - Causes serious eye damage	
H332 - Harmful if inhaled	
H371 - May cause damage to organ	S
Legend	
TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
Sk*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by
	Road
IMDG	International Maritime Dangerous Goods (IMDG)
ΙΑΤΑ	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sou No information available	rces for data
Prepared By Revision date <u>Indication of changes</u>	Product Safety & Regulatory Affairs 14-Jul-2025
Revision Note Training Advice Further information	Not applicable. When working with hazardous materials, regular training of operators is required by law No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet