

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

SIMSON ISR 70-08 AP BLACK Supercedes date 07-Feb-2023 Revision date 01-Jul-2024 Revision Number 3.01

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SIMSON ISR 70-08 AP BLACK **Product Name** 

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants

None known Uses advised against

### 1.3. Details of the supplier of the safety data sheet

### **Company Name**

**Bostik Limited** Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

SDS.box-EU@bostik.com E-mail address

1.4. Emergency telephone number

**United Kingdom** Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP

Acute toxicity - Inhalation (Vapours)

Not applicable

#### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

## Signal word

None

#### **Hazard statements**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### **EU Specific Hazard Statements**

EUH208 - Contains Trimethoxyvinylsilane. May produce an allergic reaction

EUH210 - Safety data sheet available on request

United Kingdom - BE 1 / 13 Page

SIMSON ISR 70-08 AP BLACK Supercedes date 07-Feb-2023 Revision date 01-Jul-2024 Revision Number 3.01

#### 2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No (EU Index No).	CAS No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	REACH registration number
Trimethoxyvinylsilane 1 - <2.5 %	220-449-8 (014-049-00- 0)	2768-02-7	Acute Tox. 4 (H332) Skin Sens. 1B (H317) Flam. Liq. 3 (H226)	-	-	-	01-2119513215- 52-XXXX
Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstan nane 0.1 - <0.5 %		93925-43-0	Aquatic Chronic 4 (H413) Flam. Liq. 3 (H226) STOT RE 1 (H372)	-	-	-	01-2120753666- 44-XXXX

#### Air contaminants formed when using the substance or mixture as intended

Chemical name	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	REACH registration number
Methyl alcohol 67-56-1	200-659-6 (603-001-00-X)	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	-	-	01-2119433307- 44-XXXX

Full text of H- and EUH-phrases: see section 16

### **Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No (EU	CAS No.	Oral LD50	Dermal LD50	Inhalation	Inhalation	Inhalation
	Index No)		mg/kg	mg/kg	LC50 - 4 hour -	LC50 - 4 hour -	LC50 - 4 hour -
	ŕ				dust/mist -	vapour - mg/L	gas - ppm
					mg/L		
Trimethoxyvinylsilane	220-449-8	2768-02-7	-	-	-	11	-

United Kingdom - BE Page 2 / 13

SIMSON ISR 70-08 AP BLACK Supercedes date 07-Feb-2023 Revision date 01-Jul-2024 Revision Number 3.01

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	
	(014-049-00-0)						
Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dioctylsta nnane		93925-43-0	-	2002	-	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

**Inhalation** Remove to fresh air. If symptoms persist, call a doctor.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

**Skin contact** Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

**Ingestion** Small amounts of toxic methanol are released by hydrolysis. Call a doctor immediately.

Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with

water

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

Effects of Exposure No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when

the product is exposed to moisture or water. Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

**Suitable Extinguishing Media** Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

**Specific hazards arising from the** Thermal decomposition can lead to release of irritating gases and vapours. **chemical** 

United Kingdom - BE Page 3 / 13

SIMSON ISR 70-08 AP BLACK Supercedes date 07-Feb-2023 Revision date 01-Jul-2024 **Revision Number** 3.01

**Hazardous combustion products** 

Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon

dioxide.

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Ensure adequate ventilation. Advice on safe handling

Do not eat, drink or smoke when using this product. Wash hands before breaks and after General hygiene considerations

work.

7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture.

Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

#### 7.3. Specific end use(s)

Specific use(s)

Adhesives and/or sealants.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

4 / 13 United Kingdom - BE Page

SIMSON ISR 70-08 AP BLACK Supercedes date 07-Feb-2023 Revision date 01-Jul-2024 Revision Number 3.01

#### 8.1. Control parameters

#### **Exposure Limits**

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product This product contains carbon black in a non-respirable form. Inhalation of carbon black is unlikely to occur from exposure to this product

Chemical name	European Union	United Kingdom
Limestone	-	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>
	*	STEL: 250 ppm
		STEL: 333 mg/m <sup>3</sup>
		Sk*
Carbon black	-	TWA: 3.5 mg/m <sup>3</sup>
1333-86-4		STEL: 7 mg/m <sup>3</sup>
Silicic acid (H4SiO4), tetraethyl ester, reaction products	-	TWA: 0.1 mg/m <sup>3</sup>
with bis(acetyloxy)dioctylstannane		STEL: 0.2 mg/m <sup>3</sup>
93925-43-0		Sk*

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)							
Trimethoxyvinylsilane (2768-	Trimethoxyvinylsilane (2768-02-7)						
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor				
worker Systemic health effects Long term	Inhalation	27,6 mg/m³					
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d					

<b>Derived No Effect Level (DN</b>	Derived No Effect Level (DNEL)						
Trimethoxyvinylsilane (2768-02-7)							
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor				
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³					
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d					
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d					

# Predicted No Effect Concentration (PNEC)

#### Predicted No Effect Concentration (PNEC)

United Kingdom - BE Page 5 / 13

SIMSON ISR 70-08 AP BLACK Supercedes date 07-Feb-2023 Revision date 01-Jul-2024 **Revision Number** 3.01

Trimethoxyvinylsilane (2768-02-7)					
Environmental compartment	Predicted No Effect Concentration (PNEC)				
Freshwater	0.34 mg/l				
Marine water	0.034 mg/l				
Microorganisms in sewage treatment	110 mg/l				

8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber. Hand protection

> Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

gloves. Gloves must conform to standard EN 374

Skin and body protection None under normal use conditions.

In case of inadequate ventilation wear respiratory protection. Wear a respirator Respiratory protection

conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

Recommended filter type: Organic gases and vapours filter conforming to EN 14387. White. Brown.

**Environmental exposure controls** Do not allow uncontrolled discharge of product into the environment.

### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid Appearance Paste Colour Black Odour Slight.

Not applicable **Odour threshold** 

**Values** Remarks • Method **Property** 

Melting point / freezing point No data available None known Initial boiling point and boiling No data available None known

range

**Flammability** No data available

Flammability Limit in Air None known

Upper flammability or explosive No data available limits

Lower flammability or explosive No data available

limits

Flash point 73 °C CC (closed cup) ISO 3679

**Autoignition temperature** No data available None known **Decomposition temperature** None known

No data available None known. pH (as aqueous solution) No data available None known Kinematic viscosity No data available None known 30000 - 50000 Pa.s @ 20 °C

**Dynamic viscosity** Water solubility Insoluble in water.

Solubility(ies) No data available None known Partition coefficient No data available None known Vapour pressure No data available None known Relative density No data available None known

**Bulk density** No data available Density 1.48 - 1.54 g/ml

Relative vapour density No data available None known

**Particle characteristics** 

**Particle Size** No information available

United Kingdom - BE Page 6 / 13

SIMSON ISR 70-08 AP BLACK Supercedes date 07-Feb-2023 Revision date 01-Jul-2024 Revision Number 3.01

Particle Size Distribution No information available

9.2. Other information

Solid content (%) No information available

VOC content No data available

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

### SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** Product cures with moisture.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Product cures

with moisture. Do not freeze. Keep away from open flames, hot surfaces and sources of

ignition.

10.5. Incompatible materials

**Incompatible materials**None known based on information supplied.

10.6. Hazardous decomposition products

**Hazardous decomposition** 

products

None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are

formed by hydrolysis and released upon curing.

#### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Based on available data, the classification criteria are not met.

**Eye contact** Based on available data, the classification criteria are not met.

**Skin contact**Based on available data, the classification criteria are not met. May cause sensitisation in

susceptible persons.

United Kingdom - BE Page 7 / 13

SIMSON ISR 70-08 AP BLACK Supercedes date 07-Feb-2023 Revision date 01-Jul-2024 Revision Number 3.01

**Ingestion** Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Acute toxicity

#### **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 15,143.60 mg/kg
ATEmix (dermal) >2000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapour) 426.80 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
Silicic acid (H4SiO4), tetraethyl	LD50 (Rattus) >2000 Kg/mg	LD50 (Rattus) >2000 mg/Kg	-
ester, reaction products with			
bis(acetyloxy)dioctylstannane			

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)						
Method	Species	Exposure route	Effective dose	Exposure time	Results	
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant	

Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane (93925-43-0)						
Method	Species	Exposure route	Effective dose	Exposure time	Results	
OECD 404	Rabbit	Dermal		4 hours	Non-irritant	

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane (93925-43-0)

Method	•	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test	No. 405:	Rabbit	eye	0.1 mL	24 hours	Non-irritant
Acute Eye						
Irritation/Cor	rrosion					

Respiratory or skin sensitisation

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

United Kingdom - BE Page 8 / 13

SIMSON ISR 70-08 AP BLACK Supercedes date 07-Feb-2023 Revision date 01-Jul-2024 Revision Number 3.01

Product Information						
Method	Species	Exposure route	Results			
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses			
Sensitisation			were observed			

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic
Mutation Test		-

**Carcinogenicity** Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 422: Combined Repeated Dose	Rat	Not Classifiable
Toxicity Study with the		
Reproduction/Developmental Toxicity Screening		
Test		

**STOT - single exposure**Based on available data, the classification criteria are not met.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane (93925-43-0) **Aspiration hazard**Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects No information available.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

#### **Ecotoxicity**

United Kingdom - BE Page 9 / 13

SIMSON ISR 70-08 AP BLACK Supercedes date 07-Feb-2023 Revision date 01-Jul-2024 Revision Number 3.01

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Trimethoxyvinylsilane	EC 50 (72h) >	LC50 (96h) =	-	EC50(48hr)		( 3 ) /
2768-02-7	957 mg/l	191 mg/l		168.7mg/l		
	(Desmodesmus	(Oncorhynchus		(Daphnia		
	subspicatus)	mykiss)		magna)		
	EU Method C.3					
Silicic acid (H4SiO4),	-	LC50 (96Hr)	-	EC50 (48Hr)		
tetraethyl ester, reaction		>100 mg/l		100mg/l		
products with		(Cyprinus carpio)		(Daphnia		
bis(acetyloxy)dioctylsta		OECD 203		magna)OECD		
nnane				202		
93925-43-0						

## 12.2. Persistence and degradability

Persistence and degradability

No information available.

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			-

Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane (93925-43-0)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	11 % Not readily
Biodegradability: CO2 Evolution Test	_		biodegradable
(TG 301 B)			

#### 12.3. Bioaccumulative potential

#### **Bioaccumulation**

**Component Information** 

Chemical name	Partition coefficient
Trimethoxyvinylsilane	1.1
Silicic acid (H4SiO4), tetraethyl ester, reaction products with	>6
bis(acetyloxy)dioctylstannane	

#### 12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

Chemical name	PBT and vPvB assessment
Trimethoxyvinylsilane	The substance is not PBT / vPvB
Silicic acid (H4SiO4), tetraethyl ester, reaction products with	The substance is not PBT / vPvB
bis(acetyloxy)dioctylstannane	

### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

United Kingdom - BE Page 10 / 13

SIMSON ISR 70-08 AP BLACK Supercedes date 07-Feb-2023 Revision date 01-Jul-2024 Revision Number 3.01

#### 12.7. Other adverse effects

No information available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Handle contaminated packages in the same way as the product itself. Contaminated packaging

according to EWC

Waste codes / waste designations Waste codes should be assigned by the user based on the application for which the

product was used.

**European Waste Catalogue** 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1 UN number or ID number Not regulated

14.2 UN proper shipping name

14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

**Special Provisions** None

**IMDG** 

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated

14.5 Marine pollutant NP 14.6 Special precautions for user

**Special Provisions** None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

#### Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group 14.5 Environmental hazards Not applicable

14.6 Special precautions for user **Special Provisions** None

#### Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**European Union** 

United Kingdom - BE Page 11 / 13

SIMSON ISR 70-08 AP BLACK Supercedes date 07-Feb-2023 Revision date 01-Jul-2024 Revision Number 3.01

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane	93925-43-0	Use restricted. See entry 20.

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### **Export Notification requirements**

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

#### National regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

#### SECTION 16: Other information

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

United Kingdom - BE Page 12 / 13

SIMSON ISR 70-08 AP BLACK Supercedes date 07-Feb-2023 Revision date 01-Jul-2024 Revision Number 3.01

Ceiling Ceiling Limit Value Sk\* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

#### Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 01-Jul-2024

Indication of changes

**Revision note** SDS sections updated, 15.

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

#### This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

United Kingdom - BE Page 13 / 13