

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

VITEL 1916NSB.F Supercedes Date: 14-Apr-2020

### Revision date 27-Jan-2023 Revision Number 2

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1	1	Ρ	rc	bd	u	c	t	id	e	n	ti	fi	ie	r	

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Hot-melt adhesives

Uses advised against None known

# 1.3. Details of the supplier of the safety data sheet

<u>Company Name</u> Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

## 1.4. Emergency telephone number

United Kingdom

Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

## 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word None

## Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

# 2.3. Other hazards

Contact with product at elevated temperatures can result in thermal burns.

# VITEL 1916NSB.F

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Not applicable

# 3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Silica, amorphous	231-545-4	7631-86-9	1 - <2.5	[B]	-	01-2119379499- 16-XXXX

### Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

4.1. Description of first aid measures			
General advice	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.		
Inhalation	<b>Molten</b> . Move to fresh air in case of accidental inhalation of vapours or decomposition products. <b>Solid:</b> . Not an expected route of exposure.		
Eye contact	<b>Solid:</b> . In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. <b>Molten</b> . Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Contact with molten materials requires immediate medical assistance.		
Skin contact	<b>Solid:</b> Wash skin with soap and water. <b>Molten</b> After contact with molten product, cool skin area rapidly with cold water. For severe burns, immediate medical attention is required. Do not remove clothing if adhering to skin. Removal of solidified molten material from skin requires medical assistance. Do not try to removed solidified material from the skin.		
Ingestion	Get immediate medical attention. Do not induce vomiting without medical advice.		
4.2. Most important symptoms and	effects, both acute and delayed		
Symptoms	Contact with molten substance may cause severe burns to skin and eyes.		
4.3. Indication of any immediate me	edical attention and special treatment needed		
Note to doctors	Burns caused by molten material must be treated clinically. Treat any burns as thermal burns, after decontamination.		

SECTION 5: Firefighting mea	asures			
5.1. Extinguishing media				
Suitable Extinguishing Media	CO2, dry chemical, dry sand, alcohol-resistant foam.			
Unsuitable extinguishing media	Do not use straight streams.			
5.2. Special hazards arising from t	he substance or mixture			
Specific hazards arising from the chemical	The product is insoluble and floats on water. The melted product can cause severe burns.			
Hazardous combustion products	Silicon dioxide. Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.			
5.3. Advice for firefighters				
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.			
SECTION 6: Accidental relea	ase measures			
6.1. Personal precautions, protecti	ve equipment and emergency procedures			
Personal precautions	Ensure adequate ventilation. Avoid contact with hot, molten product.			
Other information	Where possible allow molten material to solidify naturally.			
For emergency responders	Use personal protection recommended in Section 8.			
6.2. Environmental precautions				
Environmental precautions	Do not flush into surface water or sanitary sewer system.			
6.3. Methods and material for cont	ainment and cleaning up			
Methods for containment	Molten . Cover with dry sand/earth.			
Methods for cleaning up	<b>Solid:</b> . Take up mechanically, placing in appropriate containers for disposal. <b>Molten</b> . Where possible allow molten material to solidify naturally. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust. Clean contaminated surface thoroughly.			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.			
6.4. Reference to other sections				
Reference to other sections	See section 8 for more information. See section 13 for more information.			
SECTION 7: Handling and storage				
7.1. Precautions for safe handling	_			
Advice on safe handling	Avoid contact with skin and eyes. Wash thoroughly after handling. Take precautionary measures against static discharges. Use adequate ventilation and/or engineering			

measures against static discharges. Use adequate ventilation and/or engineering controls in high temperature processing to prevent exposure to vapours. Facilities for quickly drenching the body should be provided within the immediate work area for emergency use where there is a possibility of exposure.
General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals.
Recommended storage temperature	Keep at temperatures between 10 and 35 °C.
7.3. Specific end use(s)	
<b>Specific use(s)</b> Hot-melt adhesives.	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
Other information	Observe technical data sheet.

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

### Exposure Limits

Chemical name	European Union	United Kingdom
Silica, amorphous	TWA: 0.1 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>
7631-86-9	_	TWA: 2.4 mg/m <sup>3</sup>
		TWA: 0.1 mg/m <sup>3</sup>
		STEL: 18 mg/m <sup>3</sup>
		STEL: 7.2 mg/m <sup>3</sup>
		STEL: 0.3 mg/m <sup>3</sup>

Derived No Effect Level (DNEL) No information available

# Predicted No Effect Concentration (PNEC)

## 8.2. Exposure controls

Engineering controls	${\rm Molten}$ . Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be exhausted directly at the point of origin.
Personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles). Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substances; this is irrespective of the recommendation involving the wearing of eye protection.
Hand protection	Heat resistant gloves are recommended when handling molten materials. <b>Solid:</b> . For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Gloves must conform to standard EN 374
Skin and body protection	Wear appropriate personal protective clothing to prevent skin contact.
Environmental exposure controls	Do not allow into any sewer, on the ground or into any body of water.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	Pellets

VITEL 1916NSB.F Supercedes Date: 14-Apr-2020 Revision date 27-Jan-2023 Revision Number 2

ColourLight yellowOdourNo information available.Odour thresholdNo information availablePropertyValuesMelting point / freezing pointNo data availableInitial boiling point and boilingNo data availableNo data availableNone knownrangeNo data availableFlammabilityNo data availableUpper flammability or explosiveNo data availableImitsNo data availableLower flammability or explosiveNo data availableImits> 200 °CAutoignition temperatureNo data available			
Odour thresholdNo information availablePropertyValuesRemarks • MethodMelting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone knownrangeNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNo data availableNone knownUpper flammability or explosiveNo data availableNone knownIimitsLower flammability or explosiveNo data availableIimits> 200 °CAutoignition temperatureNo data availableNone known			
PropertyValuesRemarks • MethodMelting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone knownrangeNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNo data availableNone knownUpper flammability or explosive limitsNo data availableNone knownFlash point> 200 °CNo data availableNone knownFlash point> 200 °CNo data availableNone known			
Melting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone knownrangeNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNo data availableNone knownUpper flammability or explosive limitsNo data availableNone knownLower flammability or explosive limitsNo data availableNo data availableFlash point> 200 °CNo data availableAutoignition temperatureNo data availableNone known	Odour threshold	No information available	
Melting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone knownrangeNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNo data availableNone knownUpper flammability or explosive limitsNo data availableNone knownLower flammability or explosive limitsNo data availableNo data availableFlash point> 200 °CNo data availableAutoignition temperatureNo data availableNone known	Property	Values	Pomarks • Mothod
Initial boiling point and boiling rangeNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in Air Upper flammability or explosive limitsNo data availableNone knownLower flammability or explosive limitsNo data availableImitsFlash point Autoignition temperature> 200 °C No data availableNone known			
range   No data available   None known     Flammability   Limit in Air   None known     Upper flammability or explosive   No data available   None known     Lower flammability or explosive   No data available   Imits     Lower flammability or explosive   No data available   Flash point     Second Composition temperature   No data available   None known			
Flammability No data available None known   Flammability Limit in Air No data available None known   Upper flammability or explosive No data available None known   Lower flammability or explosive No data available Imits   Flash point > 200 °C   Autoignition temperature No data available None known	•••••••••••••••••••••••••••••••••••••••		
Flammability Limit in Air   None known     Upper flammability or explosive   No data available     limits   No data available     limits   No data available     limits   Voltata available     limits   No data available     Flash point   > 200 °C     Autoignition temperature   No data available		No data available	None known
Upper flammability or explosive limits   No data available     Lower flammability or explosive limits   No data available     Flash point   > 200 °C     Autoignition temperature   No data available			
limits   No data available     limits   > 200 °C     Flash point   > 200 °C     Autoignition temperature   No data available   None known		No data available	
limitsFlash point> 200 °CAutoignition temperatureNo data availableNone known			
limitsFlash point> 200 °CAutoignition temperatureNo data availableNone known	Lower flammability or explosive	No data available	
Autoignition temperature No data available None known			
Autoignition temperature No data available None known	Flash point	> 200 °C	
		No data available	None known
Decomposition temperature None known	Decomposition temperature		None known
pH Not applicable. Insoluble in water.	рН		Not applicable. Insoluble in water.
pH (as aqueous solution) No data available None known	pH (as aqueous solution)	No data available	None known
Kinematic viscosity     No data available     None known	Kinematic viscosity	No data available	None known
Dynamic viscosity 150 - 300 Pa.s @ 215 °C	Dynamic viscosity	150 - 300 Pa.s	@ 215 °C
Water solubility Insoluble in water.			
Solubility(ies) No data available None known			
Partition coefficient No data available None known			
Vapour pressure     No data available     None known			
Relative density No data available None known			None known
Bulk Density No data available			
Liquid Density 1.23 g/cm <sup>3</sup>			N
Relative vapour density     No data available     None known		No data available	None known
Particle characteristics			
Particle Size No information available			
Particle Size Distribution No information available	Particle Size Distribution	No information available	
9.2. Other information	9.2. Other information		
Solid content (%) 100		100	
Softening Point 141 - 155 °C		141 - 155 °C	
VOC content No data available			No data available
9.2.1 Information with rogards to physical bazard classes			

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

# SECTION 10: Stability and reactivity

10.1. Reactivity	
Reactivity	No information available.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

### VITEL 1916NSB.F Supercedes Date: 14-Apr-2020

# 10.3. Possibility of hazardous reactions Possibility of hazardous reactions None under normal processing. 10.4. Conditions to avoid Conditions to avoid Extremes of temperature and direct sunlight. To avoid thermal decomposition, do not overheat. Do not add water or other volatile material to molten adhesive. static discharge (electrostatic discharge). Under dusty conditions avoid all sources of ignition, including sparks and static electricity. 10.5. Incompatible materials Strong oxidising agents, strong acids, and strong bases. Incompatible materials 10.6. Hazardous decomposition products Hazardous decomposition Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons. products SECTION 11: Toxicological information 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Information on likely routes of exposure **Product Information**

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Acute toxicity

# Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

# **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Silica, amorphous	=7900 mg/kg (Rattus)	> 5000 mg/kg (Oryctolagus cuniculus)	>2.2 mg/L (Rattus) 1 h

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
Reproductive toxicity	Based on available data, the classification criteria are not met.		
STOT - single exposure	Based on available data, the classification criteria are not met.		
STOT - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.		
11.2. Information on other hazards			
11.2.1. Endocrine disrupting properties			
Endocrine disrupting properties No information available.			
11.2.2. Other information			
Other adverse effects	No information available.		

# **SECTION 12: Ecological information**

# 12.1. Toxicity

# Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
, ,	EC50: =440mg/L		-	EC50:		
7631-86-9	(72h, Pseudokirchneri	=5000mg/L (96h, Brachvdanio		=7600mg/L (48h, Ceriodaphnia		
	ella subcapitata)	···· / · ···		dubia)		

## 12.2. Persistence and degradability

Persistence and degradability No information available.

## Silica, amorphous (7631-86-9)

Method	Exposure time	Value	Results
			The methods for determining
			biodegradability are not
			applicable to inorganic
			substances

# 12.3. Bioaccumulative potential

# Bioaccumulation

There is no data for this product.

VITEL 1916NSB.F Supercedes Date: 14-Apr-2020

12.4. Mobility in soil

Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment	
Silica, amorphous	The substance is not PBT / vPvB PBT assessment does	
	not apply	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

## 12.7. Other adverse effects

No information available.

# SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.
Contaminated packaging	Do not reuse empty containers.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1 UN number or ID number	Not regulated		
14.2 Proper Shipping Name	Not regulated		
14.3 Transport hazard class(es)	Not regulated		
14.4 Packing group	Not regulated		
14.5 Environmental hazards	Not applicable		
14.6 Special Provisions	None		
IMDG 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Marine pollutant 14.6 Special Provisions 14.7 Maritime transport in bulk	Not regulated Not regulated Not regulated NP None Not applicable		
according to IMO instruments			

Air transport (ICAO-TI / IATA-DGR)

VITEL 1916NSB.F Supercedes Date: 14-Apr-2020

14.1	UN number or ID number	Not regulated
14.2	Proper Shipping Name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special Provisions	None

# Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants Not applicable

### National regulations

### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

# **SECTION 16: Other information**

### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend TWA

TWA (time-weighted average)

### VITEL 1916NSB.F Supercedes Date: 14-Apr-2020

STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by
	Road
IMDG	International Maritime Dangerous Goods (IMDG)
ΙΑΤΑ	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

#### Key literature references and sources for data No information available

Prepared By	Product Safety & Regulatory Affairs
Revision date	27-Jan-2023
Indication of changes	
Revision note	SDS sections updated, 2, 3, 5, 7, 8, 9, 10, 11, 12, 15.
Training Advice	No information available
Further information	No information available

# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### End of Safety Data Sheet