

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

HERBERTS 1K-LF 194 Supercedes Date: 11-Aug-2021

#### Revision date 27-Jan-2023 Revision Number 2

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

|--|

Product Name	HERBERTS 1K-LF 194
	HENDERIG IN-LE 194

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Adhesive

Uses advised against	Consumer use
----------------------	--------------

### 1.3. Details of the supplier of the safety data sheet

Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

#### 1.4. Emergency telephone number

United Kingdom

Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Respiratory sensitisation	Category 1 - (H334)
Skin sensitisation	Category 1 - (H317)
Carcinogenicity	Category 2 - (H351)
Specific target organ toxicity — single exposure	Category 3 - (H335)
Category 3 Respiratory irritation	
Specific target organ toxicity — repeated exposure	Category 2 - (H373)

#### 2.2. Label elements

Contains 4,4'-Methylenediphenyl diisocyanate, o-(p-isocyanatobenzyl)phenyl isocyanate

HERBERTS 1K-LF 194 Supercedes Date: 11-Aug-2021 Revision date 27-Jan-2023 Revision Number 2



Signal word Danger

#### Hazard statements

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.

#### Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Special provisions concerning the labelling of certain mixtures

As from 24 August 2023 adequate training is required before industrial or professional use.

#### Additional information

This product requires tactile warnings if supplied to the general public.

#### 2.3. Other hazards

No information available.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

## 3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
4,4'-Methylenediphenyl	(615-005-00-	101-68-8	10 - <20	Acute Tox. 4	STOT SE 3 :: C>=5%	01-2119457014-
diisocyanate	9)			(H332)	Skin Irrit. 2 :: C>=5%	47-XXXX
	(615-035-00-			Skin Irrit. 2	Eye Irrit. 2 :: C>=5%	
	2)			(H315)	Resp. Sens. 1 ::	
	202-966-0			Eye Irrit. 2 (H319)	Č>=0.1%	

#### HERBERTS 1K-LF 194 Supercedes Date: 11-Aug-2021

#### Revision date 27-Jan-2023 Revision Number 2

o-(p-isocyanatobenzyl)p henyl isocyanate	(615-005-00- 9) 227-534-9	5873-54-1	0.1 - <0.3	Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Carc. 2 (H351) STOT SE 3 (H335) STOT RE 2 (H373) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Carc. 2 (H351) STOT SE 3 (H335)	Eye Irrit. 2 :: C>=5% Resp. Sens. 1 :: C>=0.1% Skin Irrit. 2 :: C>=5% STOT SE 3 :: C>=5%	01-2119480143- 45-XXXX
				STOT RE 2 (H373)		

### Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
Inhalation	May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor. Wash off immediately with soap and plenty of water for at least 15 minutes.
Ingestion	May produce an allergic reaction. Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### HERBERTS 1K-LF 194 Supercedes Date: 11-Aug-2021

Symptoms	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.		
4.3. Indication of any immediate me	edical attention and special treatment needed		
Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.		
SECTION 5: Firefighting mea	asures		
5.1. Extinguishing media			
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Unsuitable extinguishing media	No information available.		
5.2. Special hazards arising from the	ne substance or mixture		
Specific hazards arising from the chemical	Product is or contains a sensitiser. May cause sensitisation by inhalation and skin contact. May cause sensitisation by skin contact.		
Hazardous combustion products	Carbon dioxide (CO2). Nitrogen oxides (NOx). Hydrogen cyanide. Isocyanates.		
5.3. Advice for firefighters			
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		
SECTION 6: Accidental relea	ise measures		
6.1. Personal precautions, protecti	ve equipment and emergency procedures		
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.		
Other information	Refer to protective measures listed in Sections 7 and 8.		
For emergency responders	Use personal protection recommended in Section 8.		
6.2. Environmental precautions			
Environmental precautions	Prevent further leakage or spillage if safe to do so.		
6.3. Methods and material for conta	ainment and cleaning up		
Methods for containment	Keep from any possible contact with water.		
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
6.4. Reference to other sections			
Reference to other sections	See section 8 for more information. See section 13 for more information.		

## SECTION 7: Handling and storage

#### HERBERTS 1K-LF 194 Supercedes Date: 11-Aug-2021

#### 7.1. Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash it before reuse. Avoid breathing vapours or mists.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Keep from freezing. Keep away from water or moist air.
Recommended storage temperature	Keep at temperatures between 10 and 35 °C.
7.3. Specific end use(s)	
<b>Specific use(s)</b> Adhesive.	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
Other information	Observe technical data sheet.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure Limits**

Chemical name	European Union	United Kingdom
4,4'-Methylenediphenyl diisocyanate	-	TWA: 0.02 mg/m <sup>3</sup>
101-68-8		STEL: 0.07 mg/m <sup>3</sup>
		Sen+
o-(p-isocyanatobenzyl)phenyl isocyanate	-	TWA: 0.02 mg/m <sup>3</sup>
5873-54-1		STEL: 0.07 mg/m <sup>3</sup>
		Sen+

Chemical name	European Union	Ireland	United Kingdom
4,4'-Methylenediphenyl	-	1 µmol/mol Creatinine (urine -	1 mmol isocyanate-derived
diisocyanate		urinary Diamine post task)	diamine/mol creatinine urine
101-68-8			
o-(p-isocyanatobenzyl)phenyl	-	1 µmol/mol Creatinine (urine -	-
isocyanate		urinary Diamine post task)	
5873-54-1			

### Derived No Effect Level (DNEL)

Derived No Effect Level (DNEL)			
4,4'-Methylenediphenyl diisocyanate (101-68-8)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Short term Systemic health effects	Dermal	50 mg/kg bw/d	

# HERBERTS 1K-LF 194

Supercedes D	ate: 11-Aug-2021	
ouperocace D		

worker	Inhalation	0.1 mg/m <sup>3</sup>	
Short term			
Systemic health effects			
worker	Dermal	28700 μg/cm²	
Short term			
Local health effects			
worker	Inhalation	0.1 mg/m <sup>3</sup>	
Short term			
Local health effects			
worker	Inhalation	0.05 mg/m <sup>3</sup>	
Long term			
Systemic health effects			
worker	Inhalation	0.05 mg/m <sup>3</sup>	
Long term			
Local health effects			

o-(p-isocyanatobenzyl)phenyl isocyanate (5873-54-1)			
Туре		Derived No Effect Level (DNEL)	Safety factor
worker Long term Local health effects	Inhalation	0.05 mg/m³	
worker Short term Local health effects	Inhalation	0.1 mg/m³	

Derived No Effect Level (DN	EL)		
4,4'-Methylenediphenyl diiso			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Short term Systemic health effects	Dermal	25 mg/kg bw/d	
Consumer Short term Systemic health effects	Inhalation	0.05 mg/m³	
Consumer Short term Systemic health effects	Oral	20 mg/kg bw/d	
Consumer Short term Local health effects	Dermal	17200 μg/cm²	
Consumer Short term Local health effects	Inhalation	0.05 mg/m³	
Consumer Long term Systemic health effects	Inhalation	0.025 mg/m <sup>3</sup>	
Consumer Long term Local health effects	Inhalation	0.025 mg/m³	

# Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)	
4,4'-Methylenediphenyl diisocyanate (101-68-8)	
Environmental compartment	Predicted No Effect Concentration (PNEC)

## HERBERTS 1K-LF 194

Supercedes Date: 11-Aug-2021

Freshwater	1 mg/l
Marine water	0.1 mg/l
Soil	1 mg/kg dry weight
Sewage treatment plant	1 mg/l
Freshwater - intermittent	10 mg/l

o (n ie opvonatalion nul) nhanvul ie opvonata (E	070 E4 4
o-(p-isocyanatobenzyl)phenyl isocyanate (5	873-54-1)
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	1 mg/l
Marine water	0.1 mg/l
Sewage treatment plant	1 mg/l
Soil	1 mg/kg dry weight
Freshwater - intermittent	10 mg/l

#### 8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be exhausted directly at the point of origin.
Personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.
Hand protection	Nitrile rubber. Butyl rubber. Glove thickness > 0.4 mm. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. The breakthrough time for the mentioned glove material is in general greater than 60 min. Gloves must conform to standard EN 374
Skin and body protection	Wear suitable protective clothing.
Respiratory protection Recommended filter type:	In case of insufficient ventilation, wear suitable respiratory equipment. Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Organic gases and vapours filter conforming to EN 14387.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

9.1. mormation on basic physical Physical state	Liquid	
Appearance	Viscous	
Colour	Yellow, Orange	
Odour	No information available.	
Odour threshold	No information available	
Property	Values	Remarks • Method
<u>Property</u> Molting point / freezing point	<u>Values</u> No data available	None known
Melting point / freezing point		None known
Initial boiling point and boiling	No data available	None known
range		
Flammability	Not applicable for liquids .	
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	> 100 °C	
Autoignition temperature	No data available	None known
Decomposition temperature		None known
рН	No data available	None known.
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	1500 - 3000 mPas	@ 80 °C
Water solubility	Insoluble in water.	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known

HERBERTS 1K-LF 194 Supercedes Date: 11-Aug-2021 Revision date 27-Jan-2023 Revision Number 2

Vapour pressure	– No data available	None known
Relative density	No data available	None known
Bulk Density	No data available	
Liquid Density	1.13 g/cm <sup>3</sup>	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information Solid content (%) VOC content	No information available	No data available
9.2.1. Information with regards	to physical hazard classes	

Not applicable 9.2.2. Other safety characteristics

No information available

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity	No information available.			
10.2. Chemical stability				
Stability	Reacts with water.			
Explosion data				
Sensitivity to mechanical	None.			
impact Sensitivity to static discharge	None.			
10.3. Possibility of hazardous reac	tions			
Possibility of hazardous reactions	None under normal processing.			
Hazardous polymerisation	Hazardous polymerisation may occur.			
10.4. Conditions to avoid				
Conditions to avoid	Do not freeze. Exposure to water.			
10.5. Incompatible materials				
Incompatible materials	Strong acids. Strong bases. Strong oxidising agents.			
10.6. Hazardous decomposition pro	oducts			
Hazardous decomposition products	None under normal use conditions.			
SECTION 11: Toxicological i	nformation			

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

Inhalation	Specific test data for the substance or mixture is not available. May cause sensitisation in susceptible persons. (based on components). May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause sensitisation by skin contact. Causes skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. May cause additional affects as listed under "Inhalation". Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Acute toxicity

#### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (inhalation-dust/mist) 11.80 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
4,4'-Methylenediphenyl	=31600 mg/kg (Rattus)	LD 50 > 9400 mg/kg	=1.5 mg/L (Rattus) 4 h
diisocyanate	= 9200 mg/kg (Rattus)	(Oryctolagus cuniculus)	-
		OECD 402	
o-(p-isocyanatobenzyl)phenyl	LD50 >2000 mg/Kg (Rattus)	LD 50 > 9400 mg/kg	=1.5 mg/L (4h) Rat
isocyanate		(Oryctolagus cuniculus)	
		OECD 402	

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

#### 4,4'-Methylenediphenyl diisocyanate (101-68-8)

Method	Sp	ecies	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Ra	bbit	Eye	0.1 mL	24 hours	Non-irritant
Acute Eye						
Irritation/Corrosion						

Respiratory or skin sensitisation May cause sensitisation by inhalation. May cause sensitisation by skin contact.

#### 4,4'-Methylenediphenyl diisocyanate (101-68-8)

Method	Species	Exposure route	Results
OECD GD 39	Rat	Inhalation	Sensitizing

#### HERBERTS 1K-LF 194 Supercedes Date: 11-Aug-2021

Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

#### **Component Information**

4,4'-Methylenediphenyl diisocyanate (101-68-8)

Method	Species	Results
OECD Test No. 453: Combined Chronic	Rat	Limited evidence of a carcinogenic
Toxicity/Carcinogenicity Studies		effect

Chemical name	European Union
4,4'-Methylenediphenyl diisocyanate	Carc. 2
o-(p-isocyanatobenzyl)phenyl isocyanate	Carc. 2

Reproductive toxicity

Based on available data, the classification criteria are not met.

- **STOT single exposure** May cause respiratory irritation.
- **STOT repeated exposure** May cause damage to organs through prolonged or repeated exposure.
- Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

## SECTION 12: Ecological information

#### 12.1. Toxicity

### Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
4,4'-Methylenediphenyl diisocyanate		>1000 mg/l (Danio rerio)	-	EC50 (24H) >1000 mg/L		
101-68-8	Algae (scenedesmus subspicatus)			Daphnia magna		
o (n issa) (snatshanz) ()	(OECD 201)					
o-(p-isocyanatobenzyl) phenyl isocyanate		LC50 (96 h) > 1000 mg/l (Danio	-	EC50 (24H) >1000 mg/L		
5873-54-1	Algae	rerio)		Daphnia magna		

# HERBERTS 1K-LF 194

(scenedesmus	OECD 203		
subspicatus)			
(OECD 201)			

### 12.2. Persistence and degradability

Persistence and degradability No information available.

4,4'-Methylenediphenyl diisocyanate (101-68-8)

Method	Exposure time	Value	Results
Biodegradability: Modified MITI Test		0% biodegradation	Not readily biodegradable
(II)			

#### 12.3. Bioaccumulative potential

#### Bioaccumulation

### **Component Information**

Chemical name	Partition coefficient
4,4'-Methylenediphenyl diisocyanate	4.51

#### 12.4. Mobility in soil

Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
4,4'-Methylenediphenyl diisocyanate	The substance is not PBT / vPvB
o-(p-isocyanatobenzyl)phenyl isocyanate	The substance is not PBT / vPvB

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

#### 12.7. Other adverse effects

No information available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.
Contaminated packaging	Do not reuse empty containers.
Waste codes / waste designations according to EWC	16 05 05 gases in pressure containers other than those mentioned in 16 05 04. Waste codes should be assigned by the user based on the application for which the product was used.
European Waste Catalogue	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances 15 01 10*: Packaging containing residues of or contaminated by dangerous substances

Other information

Waste codes should be assigned by the user based on the application for which the product was used.

### **SECTION 14: Transport information**

Note:	Keep from freezing.
Land transport (ADR/RID) 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None
IMDG 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Marine pollutant 14.6 Special Provisions 14.7 Maritime transport in bulk according to IMO instruments	Not regulated Not regulated Not regulated Not regulated NP None Not applicable
Air transport (ICAO-TI / IATA-DGR) 14.1 UN number or ID number 14.2 Proper Shipping Name	Not regulated Not regulated

14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

### Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name CAS No Restricted substance per REACH
---

#### HERBERTS 1K-LF 194 Supercedes Date: 11-Aug-2021

		Annex XVII
4,4'-Methylenediphenyl diisocyanate	101-68-8	56[a]. 75. 74.
Diisocyantes		74
o-(p-isocyanatobenzyl)phenyl isocyanate	5873-54-1	56[b]. 75. 74.

**56**. If product supplied to the general public with substance  $\ge 0.1\%$ , then gloves must be provided with the product. **74** If product supplied to the industrial or professional users with total monomeric diisocyanates  $\ge 0.1\%$ , then its packaging must mention "As from 24 August 2023 adequate training is required before industrial or professional use".

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

## Dangerous substance category per Seveso Directive (2012/18/EU)

O1 - Substances or mixtures with hazard statement EUH014

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

#### National regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H335 May cause respiratory irritation
- H351 Suspected of causing cancer
- H373 May cause damage to organs through prolonged or repeated exposure

<b>Legend</b> TWA STEL Ceiling *	TWA (time-weighted average) STEL (Short Term Exposure Limit) Ceiling Limit Value Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure

#### HERBERTS 1K-LF 194 Supercedes Date: 11-Aug-2021

EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by
	Road
IMDG	International Maritime Dangerous Goods (IMDG)
ΙΑΤΑ	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sour No information available	ces for data
Prepared By	Product Safety & Regulatory Affairs
Revision date	27-Jan-2023
Indication of changes	
Revision note	SDS sections updated: 2, 3, 9, 11, 12, 15.
Training Advice	When working with hazardous materials, regular training of operators is required by law AS FROM 24 AUGUST 2023 ADEQUATE TRAINING IS REQUIRED BEFORE INDUSTRIAL OR PROFESSIONAL USE
Further information	No information available

#### Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet