

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

SOVEREIGN FUNGI-CHEK ANTICON MAGNOLIA

Supercedes Date: 25-Jan-2023

Revision date 15-Feb-2024 Revision Number 3.02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name SOVEREIGN FUNGI-CHEK ANTICON MAGNOLIA

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Paints and varnishes Fungicide

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

Chronic aquatic toxicity Category 2 - (H411)

2.2. Label elements



Signal word None

Hazard statements

H411 - Toxic to aquatic life with long lasting effects.

United Kingdom - BE Page 1 / 16

SOVEREIGN FUNGI-CHEK ANTICON MAGNOLIA

Supercedes Date: 25-Jan-2023 Revision Number 3.02

Revision date 15-Feb-2024

EU Specific Hazard Statements

EUH208 - Contains 3-lodo-2-propynyl butylcarbamate [IPBC] & Propiconazole & 1,2-benzisothiazol-3(2H)-one [BIT] & reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]. May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P273 - Avoid release to the environment

P280 - Wear protective gloves and eye/face protection

P391 - Collect spillage

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Toxic to aquatic life.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical name | EC No (EU Index No) | CAS No. | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | REACH registration number |
|---|---------------------------------|------------|-------------|--|--|---------------------------------|
| Titanium dioxide | 236-675-5 (022-006-00- 2) | 13463-67-7 | 10 - <20 | [C] | - | 01-2119489379- 17-XXXX |
| Kieselguhr, soda ash flux-calcined | 272-489-0 | 68855-54-9 | 10 - <20 | STOT RE 2 (H373) | - | 01-2119488518- 22-XXXX |
| Talc | 238-877-9 | 14807-96-6 | 1 - <2.5 | [C] | - | [5] |
| Dipropylene glycol monomethyl ether | 252-104-2 | 34590-94-8 | 1 - <2.5 | [B] | - | 01-2119450011- 60-XXXX |
| Diethylene glycol monobutyl ether | 203-961-6 (603-096-00- 8) | 112-34-5 | 0.1- <1 | Eye Irrit. 2 (H319) | - | 01-2119475104- 44-XXXX |
| 3-lodo-2-propynyl butylcarbamate [IPBC] | 259-627-5 (616-212-00- 7) | 55406-53-6 | 0.1 - <0.5 | STOT RE 1 (H372) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 4 (H302) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) | - | - |
| Propiconazole | 262-104-4 | 60207-90-1 | 0.1 - < 0.3 | Acute Tox. 4 | - | - |

United Kingdom - BE Page 2 / 16

SOVEREIGN FUNGI-CHEK ANTICON MAGNOLIA

Revision date 15-Feb-2024 Supercedes Date: 25-Jan-2023 **Revision Number** 3.02

| | | | ı | | I | Γ |
|--------------------------|--------------|------------|---------------|-------------------|-------------------------|----------------|
| | (613-205-00- | | | (H302) | | |
| | 0) | | | Skin Sens. 1 | | |
| | | | | (H317) | | |
| | | | | Repr. 1B | | |
| | | | | (H360D) | | |
| | | | | Aquatic Acute 1 | | |
| | | | | (H400) | | |
| | | | | | | |
| | | | | Aquatic Chronic 1 | | |
| - | | | | (H410) | | |
| Silica, amorphous | 231-545-4 | 7631-86-9 | 0.1 - <0.3 | [B] | - | 01-2119379499- |
| | | | | | | 16-XXXX |
| 1,2-benzisothiazol-3(2H) | 220-120-9 | 2634-33-5 | 0.01 - < 0.05 | Acute Tox. 4 | Skin Sens. 1 :: | 01-2120761540- |
| -one [BIT] | (613-088-00- | | | (H302) | C>=0.05% | 60-XXXX |
| | 6) | | | Skin Irrit. 2 | | |
| | ٥, | | | (H315) | | |
| | | | | Eye Dam. 1 | | |
| | | | | | | |
| | | | | (H318) | | |
| | | | | Skin Sens. 1 | | |
| | | | | (H317) | | |
| | | | | Aquatic Acute 1 | | |
| | | | | (H400) | | |
| | | | | Aquatic Chronic 2 | | |
| | | | | (H411) | | |
| reaction mass of | 611-341-5 | 55965-84-9 | <0.0015 | Acute Tox. 3 | Eye Dam. 1 :: | - |
| 5-chloro-2-methyl-2H-iso | | | | (H301) | C>=0.6% Eye Irrit. 2 :: | |
| thiazol-3-one and | | | | Acute Tox. 2 | 0.06%<=C<0.6% | |
| 2-methyl-2H-isothiazol-3 | | | | (H310) | Skin Corr. 1C :: | |
| - | | | | Acute Tox. 2 | C>=0.6% | |
| -one (3:1) [C(M)IT/MIT] | | | | | | |
| | | | | (H330) | Skin Irrit. 2 :: | |
| | | | | Skin Corr. 1C | 0.06%<=C<0.6% | |
| | | | | (H314) | Skin Sens. 1 :: | |
| | | | | Eye Dam. 1 | C>=0.0015% | |
| | | | | (H318) | | |
| | | | | Skin Sens. 1A | | |
| | | | | (H317) | | |
| | | | | Aquatic Acute 1 | | |
| | | | | (H400) | | |
| | | | | Aquatic Chronic 1 | | |
| | | | | | | |
| | | | | (H410) | | |

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Notes

See section 16 for more information

| Chemical name | Notes |
|---|--------|
| Titanium dioxide - 13463-67-7 | V,W,10 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] - 55965-84-9 | В |

SECTION 4: First aid measures

United Kingdom - BE Page 3/16

[[]B] - Substance with a Community workplace exposure limit [C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

SOVEREIGN FUNGI-CHEK ANTICON MAGNOLIA

Revision date 15-Feb-2024 Supercedes Date: 25-Jan-2023 Revision Number 3.02

4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand. Show this safety

data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never Ingestion

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

No information available. **Symptoms**

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the Suitable Extinguishing Media

surrounding environment.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

Silicon dioxide. **Hazardous combustion products**

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. **Personal precautions**

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

United Kingdom - BE Page 4 / 16

SOVEREIGN FUNGI-CHEK ANTICON MAGNOLIA

Revision date 15-Feb-2024 Supercedes Date: 25-Jan-2023 Revision Number 3.02

Methods for containment Prevent further leakage or spillage if safe to do so.

Take up mechanically, placing in appropriate containers for disposal. Methods for cleaning up

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation. Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. General hygiene considerations

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.

Recommended storage

temperature

Do not freeze. Keep at temperatures between 5 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Fungicide. Paints and varnishes.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

This product contains titanium dioxide in a non-respirable form. Inhalation of titanium **Exposure Limits**

dioxide is unlikely to occur from exposure to this product

| Chemical name | European Union | United Kingdom |
|--|------------------------------------|--|
| Titanium dioxide 13463-67-7 | - | TWA: 10 mg/m ³ TWA: 4 mg/m ³ |
| | | STEL: 30 mg/m³ |
| - . | | STEL: 12 mg/m³ |
| Talc 14807-96-6 | - | TWA: 1 mg/m ³ STEL: 3 mg/m ³ |
| Dipropylene glycol monomethyl ether 34590-94-8 | TWA: 50 ppm TWA: 308 mg/m³ * | TWA: 50 ppm TWA: 308 mg/m³ STEL: 150 ppm STEL: 924 mg/m³ Sk* |
| Diethylene glycol monobutyl ether 112-34-5 | TWA: 10 ppm TWA: 67.5 mg/m³ | TWA: 10 ppm TWA: 67.5 mg/m³ STEL: 15 ppm STEL: 101.2 mg/m³ |
| Silica, amorphous 7631-86-9 | TWA: 0.1 mg/m³ | TWA: 6 mg/m³ TWA: 2.4 mg/m³ STEL: 18 mg/m³ STEL: 7.2 mg/m³ |
| 1,2-Propylene glycol 57-55-6 | - | TWA: 150 ppm TWA: 474 mg/m ³ |

United Kingdom - BE Page 5/16

SOVEREIGN FUNGI-CHEK ANTICON MAGNOLIA

Revision date 15-Feb-2024

| Supercedes Date: 25-Jan-2 | 2023 | | Revision Number 3 |
|---|----------------------------|---------------------------------|--|
| | | | |
| | | | TWA: 10 mg/m³ STEL: 450 ppm STEL: 1422 mg/m³ STEL: 30 mg/m³ |
| Derived No Effect Level (DN | - | ble | |
| Derived No Effect Level (DI | | | |
| Fitanium dioxide (13463-67 | | Derived No Effect Level | Cofoty footor |
| Гуре | Exposure route | (DNEL) | Safety factor |
| worker Long term Local health effects | Inhalation | 10 mg/m³ | |
| 2-lodo-2-propynyl butylcarl | pamate [IPBC] (55406-53-6) | | |
| s-iodo-z-propynyi butyicari Type | Exposure route | Derived No Effect Level | Safety factor |
| | · | (DNEL) | Calety factor |
| worker Long term Systemic health effects | Inhalation | 0.023 mg/m ³ | |
| vorker Short term Systemic health effects | Inhalation | 1.16 mg/m³ | |
| worker Long term Systemic health effects | Dermal | 2 mg/kg bw/d | |
| 1,2-benzisothiazol-3(2H)-or | o [BIT] (2624-22-5) | | |
| Гуре | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker Long term Systemic health effects | Inhalation | 6.81 mg/m³ | |
| worker Long term Systemic health effects | Dermal | 0.966 mg/kg bw/d | |
| Derived No Effect Level (DI | | | |
| Fitanium dioxide (13463-67 | | | |
| Гуре | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| Consumer Long term Systemic health effects | Oral | 700 mg/kg bw/d | |
| 2-honzisothiozol 2/2H) ar | o [BIT] (2624-22-5) | | |
| I <u>,2-benzisothiazol-3(2H)-or</u> Type | Exposure route | Derived No Effect Level | Safety factor |
| Consumer | Inhalation | (DNEL) 1.2 mg/m ³ | |
| ong term Systemic health effects | | | |
| Consumer Long term | Dermal | 0.345 mg/kg bw/d | |

Predicted No Effect Concentration (PNEC)

United Kingdom - BE Page 6/16

SOVEREIGN FUNGI-CHEK ANTICON MAGNOLIA

Supercedes Date: 25-Jan-2023

Revision date 15-Feb-2024 Revision Number 3.02

| Predicted No Effect Concentration (PNEC) | | | | | |
|--|--|--|--|--|--|
| Titanium dioxide (13463-67-7) | | | | | |
| Environmental compartment | Predicted No Effect Concentration (PNEC) | | | | |
| Marine water | 0.0184 mg/l | | | | |
| Freshwater sediment | 1000 mg/kg | | | | |
| Freshwater | 0.184 mg/l | | | | |
| Marine sediment | 100 mg/kg | | | | |
| Soil | 100 mg/kg | | | | |
| Microorganisms in sewage treatment | 100 mg/l | | | | |
| Freshwater - intermittent | 0.193 mg/l | | | | |

| 3-lodo-2-propynyl butylcarbamate [IPBC] (55406-53-6) | | | | |
|--|--|--|--|--|
| Environmental compartment | Predicted No Effect Concentration (PNEC) | | | |
| Freshwater | 0.001 mg/l | | | |
| Sewage treatment plant | 0.44 mg/l | | | |
| Freshwater sediment | 0.017 mg/kg dry weight | | | |
| Marine sediment | 0.002 mg/kg dry weight | | | |
| Soil | 0.005 mg/kg dry weight | | | |

| 1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5) | | | | | |
|--|--|--|--|--|--|
| Environmental compartment | Predicted No Effect Concentration (PNEC) | | | | |
| Freshwater | 4.03 μg/l | | | | |
| Marine water | 0.403 μg/l | | | | |
| Sewage treatment plant | 1.03 mg/l | | | | |
| Freshwater sediment | 49.9 μg/l | | | | |
| Marine sediment | 4.99 µg/l | | | | |
| Soil | 3 mg/kg dry weight | | | | |

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Avoid contact with eyes. Eye

protection must conform to standard EN 166.

Hand protection Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the

breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves

depends on the material and the thickness as well as the temperature.

Skin and body protectionWear protective gloves and protective clothing. Avoid contact with skin, eyes or clothing.
During spraying wear suitable respiratory equipment.

Respiratory protection During spraying wear suitable respiratory equipment

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearancePasteColourCreamOdourSlight.

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing point = 0 °C Initial boiling point and boiling 100 °C

range

Flammability No data available

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

United Kingdom - BE Page 7 / 16

SOVEREIGN FUNGI-CHEK ANTICON MAGNOLIA

Supercedes Date: 25-Jan-2023 Revision Number 3.02

Revision date 15-Feb-2024

limits

Flash point approx.

Autoignition temperature No data available None known

Decomposition temperatureNone known

pH = 7.5 - 8.5

pH (as aqueous solution)
No data available
None known
No data available
None known

Dynamic viscosity

No data available

Water solubilityNo data available.None knownSolubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownVapour pressureNo data availableNone known

Relative density 0.96 - 1.06
Bulk Density No data available
Density No data available

Relative vapour density No data available None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

Solid content (%) approx 52.5

VOC content No data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

United Kingdom - BE Page 8 / 16

SOVEREIGN FUNGI-CHEK ANTICON MAGNOLIA

Revision date 15-Feb-2024 Supercedes Date: 25-Jan-2023 Revision Number 3.02

products

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Eye contact

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

No information available. **Symptoms**

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

>5000 mg/kg ATEmix (oral) >5000 mg/kg ATEmix (dermal) ATEmix (inhalation-gas) >20000 ppm ATEmix (inhalation-dust/mist) 187.20 mg/l ATEmix (inhalation-vapour) >20 mg/l

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|---|---|--|
| Titanium dioxide | >10000 mg/kg (Rattus) | LD50 > 5000 mg/Kg | = 5.09 mg/L (Rattus) 4 h |
| Kieselguhr, soda ash flux-calcined | - | - | > 2.6 mg/L (Rat)4 h |
| Dipropylene glycol monomethyl ether | =5.35 g/kg (Rattus) | = 9500 mg/kg (Oryctolagus cuniculus) | - |
| Diethylene glycol monobutyl ether | =5660 mg/kg (Rattus) | = 2700 mg/kg (Oryctolagus cuniculus) | - |
| 3-lodo-2-propynyl butylcarbamate [IPBC] | LD50 =1056 mg/Kg (Rattus) (OECD 401) | LD50 >2000 mg/Kg (Rattus) | =0.67 mg/L (Rattus) 4 h |
| Propiconazole | =1517 mg/kg (Rattus) | > 4 g/kg (Rattus) > 4000 mg/kg (Oryctolagus cuniculus) | =1264 mg/m ³ (Rattus) 4 h > 5800 mg/m ³ (Rattus) 4 h |
| Silica, amorphous | =7900 mg/kg (Rattus) | > 5000 mg/kg (Oryctolagus cuniculus) | >2.2 mg/L (Rattus) 1 h |
| 1,2-benzisothiazol-3(2H)-one [BIT] | =670 mg/kg (Rattus) | LD50 > 2000 mg/kg (Rattus) | - |
| reaction mass of 5-chloro-2-methyl-2H-isothiazo I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | = 53 mg/kg (Rat) | LD50 = 87.12 mg/kg (Oryctolagus cuniculus) | = 0.33 mg/L (Rat) 4h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

United Kingdom - BE Page 9/16

SOVEREIGN FUNGI-CHEK ANTICON MAGNOLIA

Supercedes Date: 25-Jan-2023

Revision date 15-Feb-2024 Revision Number 3.02

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

| Method | Species | Exposure route | Effective dose | Exposure time | Results |
|----------------------|---------|----------------|----------------|---------------|--------------|
| OECD Test No. 404: | Rabbit | Dermal | | | Non-irritant |
| Acute Dermal | | | | | |
| Irritation/Corrosion | | | | | |

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

| Method | Species | Exposure route | Effective dose | Exposure time | Results |
|----------------------|---------|----------------|----------------|---------------|--------------|
| OECD Test No. 405: | Rabbit | Eye | | | Non-irritant |
| Acute Eye | | | | | |
| Irritation/Corrosion | | | | | |

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

| Method | Species | Exposure route | Results |
|---------------------------------|------------|----------------|-----------------------|
| OECD Test No. 406: Skin | Guinea pig | Dermal | Not a skin sensitiser |
| Sensitisation | | | |
| OECD Test No. 429: Skin | Mouse | Dermal | Not a skin sensitiser |
| Sensitisation: Local Lymph Node | | | |
| Assay | | | |

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicityBased on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

| Chemical name | European Union | |
|---------------|----------------|--|
| Propiconazole | Repr. 1B | |

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties

11.2.2. Other information

United Kingdom - BE Page 10 / 16

SOVEREIGN FUNGI-CHEK ANTICON MAGNOLIA

Revision date 15-Feb-2024 Supercedes Date: 25-Jan-2023 **Revision Number** 3.02

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects. **Ecotoxicity**

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea | M-Factor | M-Factor (long-term) |
|---|---|---|----------------------------|---|----------|-------------------------|
| Titanium dioxide 13463-67-7 | LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203 | - | - | - | | |
| Talc 14807-96-6 | - | LC50: >100g/L (96h, Brachydanio rerio) | - | - | | |
| Dipropylene glycol monomethyl ether 34590-94-8 | - | LC50: >10000mg/L (96h, Pimephales promelas) | - | LC50: =1919mg/L (48h, Daphnia magna) | | |
| Diethylene glycol monobutyl ether 112-34-5 | EC50: >100mg/L (96h, Desmodesmus subspicatus) | LC50: =1300mg/L (96h, Lepomis macrochirus) | - | EC50: =2850mg/L (24h, Daphnia magna) EC50: >100mg/L (48h, Daphnia magna) | | |
| 3-lodo-2-propynyl butylcarbamate [IPBC] 55406-53-6 | EC50 (72 hrs) 0.022 mg/l Scenedesmus subspicatus | LC50 96 h 0.049 - 0.079 mg/L (Oncorhynchus mykiss flow-through) | - | EC50 (48hrs) 0.16 mg/l - Daphnia magna | 10 | 1 |
| Propiconazole 60207-90-1 | - | - | - | - | 1 | 1 |
| Silica, amorphous 7631-86-9 | EC50: =440mg/L (72h, Pseudokirchneri ella subcapitata) | LC50: =5000mg/L (96h, Brachydanio rerio) | - | EC50: =7600mg/L (48h, Ceriodaphnia dubia) | | |
| 1,2-benzisothiazol-3(2 H)-one [BIT] 2634-33-5 | EC50 3Hr 13mg/l (activated sludge) (OECD 209) | LC50 (96hr) 2.15 mg/l Cyprinodon variegatus EPA 540/9-85-006 | | EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202 | 1 | |
| reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT] 55965-84-9 | (Pseudokirchner | | - | EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202) | 100 | 100 |

12.2. Persistence and degradability

Persistence and degradability No information available.

3-lodo-2-propynyl butylcarbamate [IPBC] (55406-53-6)

| Method Exposu | ure time Value | Results | |
|---------------|----------------|---------|--|
|---------------|----------------|---------|--|

United Kingdom - BE Page 11/16

SOVEREIGN FUNGI-CHEK ANTICON MAGNOLIA

Supercedes Date: 25-Jan-2023

Revision date 15-Feb-2024 Revision Number 3.02

| OECD Test No. 301F: Ready Biodegradability: Manometric Respirometry Test (TG 301 F) | 28 days | | Not readily biodegradable |
|---|---------|--|---------------------------|
|---|---------|--|---------------------------|

Silica, amorphous (7631-86-9)

| Method | Exposure time | Value | Results |
|--------|---------------|-------|-----------------------------|
| | | | The methods for determining |
| | | | biodegradability are not |
| | | | applicable to inorganic |
| | | | substances |

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

| Method | Exposure time | Value | Results |
|--------------------------------------|---------------|----------------|---------------------------|
| OECD Test No. 301B: Ready | 28 days | biodegradation | Not readily biodegradable |
| Biodegradability: CO2 Evolution Test | | | |
| (TG 301 B) | | | |

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|--|-----------------------|
| Dipropylene glycol monomethyl ether | 0.35 |
| Diethylene glycol monobutyl ether | 1 |
| 3-lodo-2-propynyl butylcarbamate [IPBC] | 2.88 |
| 1,2-benzisothiazol-3(2H)-one [BIT] | 0.7 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and | 0.7 |
| 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | |

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessmentThe product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

| Chemical name | PBT and vPvB assessment |
|--|---------------------------------|
| Titanium dioxide | The substance is not PBT / vPvB |
| Kieselguhr, soda ash flux-calcined | PBT assessment does not apply |
| Talc | The substance is not PBT / vPvB |
| Dipropylene glycol monomethyl ether | The substance is not PBT / vPvB |
| Diethylene glycol monobutyl ether | The substance is not PBT / vPvB |
| 3-lodo-2-propynyl butylcarbamate [IPBC] | The substance is not PBT / vPvB |
| Propiconazole | The substance is not PBT / vPvB |
| Silica, amorphous | The substance is not PBT / vPvB |
| 1,2-benzisothiazol-3(2H)-one [BIT] | The substance is not PBT / vPvB |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | The substance is not PBT / vPvB |

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

United Kingdom - BE Page 12/16

SOVEREIGN FUNGI-CHEK ANTICON MAGNOLIA

Revision date 15-Feb-2024 Supercedes Date: 25-Jan-2023 Revision Number 3.02

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to Note:

shipments made in non-bulk packages (see regulatory definition). The information shown here, may not always agree with the bill of lading shipping description for the material.

Keep from freezing.

Land transport (ADR/RID)

14.1 UN number or ID number UN3082

Environmentally hazardous substances, liquid, n.o.s. (3-lodo-2-propynyl butylcarbamate 14.2 UN proper shipping name

[IPBC], Propiconazole)

14.3 Transport hazard class(es) 9

Labels 9 14.4 Packing group

UN3082. Environmentally hazardous substances, liquid, n.o.s. (3-lodo-2-propynyl Description

butylcarbamate [IPBC], Propiconazole), 9, III, (-)

14.5 Environmental hazards Yes

14.6 Special precautions for user

Special Provisions 274, 335, 601, 375

Classification code M6 **Tunnel restriction code** (-) Limited quantity (LQ) 5 L **ADR Hazard Id (Kemmler** 90

Number)

IMDG

14.1 UN number or ID number UN3082

Environmentally hazardous substances, liquid, n.o.s. (3-lodo-2-propynyl butylcarbamate 14.2 UN proper shipping name

[IPBC], Propiconazole)

14.3 Transport hazard class(es)

14.4 Packing group

UN3082, Environmentally hazardous substances, liquid, n.o.s. (3-lodo-2-propynyl Description

butylcarbamate [IPBC], Propiconazole), 9, III, Marine pollutant

14.5 Marine pollutant

14.6 Special precautions for user

274, 335, 969 **Special Provisions** Limited Quantity (LQ) 5 L

EmS-No. 14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

F-A, S-F

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number

14.2 UN proper shipping name Environmentally hazardous substances, liquid, n.o.s. (3-lodo-2-propynyl butylcarbamate

[IPBC], Propiconazole)

14.3 Transport hazard class(es)

United Kingdom - BE Page 13/16

SOVEREIGN FUNGI-CHEK ANTICON MAGNOLIA

Revision date 15-Feb-2024 Supercedes Date: 25-Jan-2023 Revision Number 3.02

14.4 Packing group

Description UN3082, Environmentally hazardous substances, liquid, n.o.s. (3-lodo-2-propynyl

butylcarbamate [IPBC], Propiconazole), 9, III

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions A97, A158, A197

Limited quantity (LQ) 30 kg G **ERG Code**

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

| Chemical name | CAS No. | Restricted substance per REACH Annex XVII |
|-----------------------------------|------------|---|
| Diethylene glycol monobutyl ether | 112-34-5 | 55. 75. |
| Propiconazole | 60207-90-1 | 30. 75. |

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

| Chemical name | European Export/Import Restrictions per (EC) 649/2012 - Annex Number |
|---------------|---|
| Propiconazole | l.1 |

Dangerous substance category per Seveso Directive (2012/18/EU)

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

United Kingdom - BE Page 14/16

SOVEREIGN FUNGI-CHEK ANTICON MAGNOLIA

Supercedes Date: 25-Jan-2023

Revision date 15-Feb-2024 Revision Number 3.02

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H331 - Toxic if inhaled

H360D - May damage the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'.

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Note V: If the substance is to be placed on the market as fibres (with diameter < 3 μ m, length > 5 μ m and aspect ratio \geq 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung

Notes relating to the classification and labelling of mixtures

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter \leq 10 μ m

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Limit Value Sk* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure

United Kingdom - BE Page 15/16

SOVEREIGN FUNGI-CHEK ANTICON MAGNOLIA

Revision date 15-Feb-2024 Supercedes Date: 25-Jan-2023 Revision Number 3.02

STOT SE Specific target organ toxicity - Single exposure

European Waste Catalogue **EWC**

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG) IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Product Safety & Regulatory Affairs **Prepared By**

Revision date 15-Feb-2024

Indication of changes

SDS sections updated, 2, 3, 14. **Revision note Training Advice** No information available **Further information** No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 16 / 16