

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**BOSTIK SIL 60 CLEAR** 

Supercedes Date: 18-Nov-2022

Revision date 18-Mar-2024 Revision Number 3

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name BOSTIK SIL 60 CLEAR

Form This substance/ mixture contains nanoforms

Other means of identification

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

**Company Name** 

Bostik Benelux B.V. Denariusstraat 11 4903 RC Oosterhout The Netherlands Tel: + 31 162 491 000

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Ireland NPIC - National Poison Information Centre

Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)

Healthcare Professionals: +353 (01) 8092566 (24 hour service)

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

Europe 11

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Chronic aquatic toxicity Category 3 - (H412)

#### 2.2. Label elements

#### **Hazard statements**

H412 - Harmful to aquatic life with long lasting effects

#### **EU Specific Hazard Statements**

EUH208 - Contains 3-aminopropyltriethoxysilane & 2-octyl-2H-isothiazol-3-one [OIT]. May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

Ireland - BE Page 1/15

BOSTIK SIL 60 CLEAR
Supercedes Date: 18-Nov-2022
Revision Number 3

P273 - Avoid release to the environment

P501 - Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon curing. Small amounts of 2-Pentanone oxime (CAS 623-40-5) are formed by hydrolysis and released upon curing. Harmful to aquatic life.

#### PBT & vPvB

This mixture contains substances considered to be persistent, bio-accumulating and toxic (PBT). This mixture contains substances considered to be very persistent and very bioaccumulating (vPvB).

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No (EU Index No).	CAS No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	REACH registration number
Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics 10 - <20 %	932-078-5	RR-100254-6	Asp. Tox. 1 (H304)	-	-	1	01-2119552497- 29-xxxx
Silica, amorphous 5 - <10 %	231-545-4	7631-86-9	[B]	-	-	1	01-2119379499- 16-XXXX
2-Pentandione, O,O',O"-(methylsilylidyne )trioxime 1 - <5 %	484-460-1	37859-55-5	Acute Tox. 4 (H302) Eye Irrit. 2 (H319)	-	-	1	01-2120004323- 76-XXXX
3-aminopropyltriethoxysil ane 0.1 - <0.5 %	213-048-4 (612-108-00- 0)	919-30-2	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 4 (H302)	-	-	-	01-2119480479- 24-XXXX
Octamethylcyclotetrasilo xane [D4] 0.01 - <0.1 %	209-136-7 (014-018-00- 1)	556-67-2	Repr. 2 (H361f) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226) [G]	-	-	10	01-2119529238- 36-XXXX
2-octyl-2H-isothiazol-3-o ne [OIT] 0.0025 - <0.01 %	247-761-7 (613-112-00- 5)	26530-20-1	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1B (H314) Eye Dam 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Skin Sens. 1A :: C>=0.0015%	100	100	-

Substances identified by a number starting "RR-" in the CAS-field are substances for which the CAS# is not adopted in EU and we use an internal numbering system to track within our SDS software

#### Air contaminants formed when using the substance or mixture as intended

Chemical name	EC No (EU Index	Classification	Specific	M-Factor	M-Factor	REACH
---------------	-----------------	----------------	----------	----------	----------	-------

Ireland - BE Page 2/15

**BOSTIK SIL 60 CLEAR** Revision date 18-Mar-2024 Supercedes Date: 18-Nov-2022 **Revision Number** 3

	No)	according to Regulation (EC) No. 1272/2008 [CLP]	concentration limit (SCL)		(long-term)	registration number
2-Pentanone oxime 623-40-5	484-470-6	Acute Tox. 4 (H302) Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)	-	-	-	01-2119980079- 27-XXXX
Ethanol 64-17-5	200-578-6 (603-002-00-5)	Flam. Liq. 2 (H225) Eye Irrit. 2 (H319)	-	-	-	01-2119457610- 43-XXXX
Methyl alcohol 67-56-1	200-659-6 (603-001-00-X)	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	-	-	01-2119433307- 44-XXXX

Full text of H- and EUH-phrases: see section 16

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[B] - Substance with a Community workplace exposure limit [G] - PBT / vPvB substance

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	932-078-5	RR-100254-6	1	-	-	-	-
Silica, amorphous	231-545-4	7631-86-9		-	-	-	-
2-Pentandione, O,O',O"-(methylsilylidy ne)trioxime	484-460-1	37859-55-5	1234	-	-	-	-
3-aminopropyltriethoxy silane	213-048-4 (612-108-00-0)	919-30-2	1490	-	-	-	-
Octamethylcyclotetrasil oxane [D4]	209-136-7 (014-018-00-1)	556-67-2	-	-	-	-	-
2-octyl-2H-isothiazol-3- one [OIT]	247-761-7 (613-112-00-5)	26530-20-1	125+	311+	0.27+	0.27+	0.27+

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Ireland - BE Page 3/15

**BOSTIK SIL 60 CLEAR** Revision date 18-Mar-2024

Supercedes Date: 18-Nov-2022 **Revision Number** 3

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes. Consult an ophthalmologist.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with Ingestion

water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

None known. **Symptoms** 

No information available. **Effects of Exposure** 

#### 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Full water jet. Unsuitable extinguishing media

#### 5.2. Special hazards arising from the substance or mixture

chemical

**Specific hazards arising from the** Thermal decomposition can lead to release of irritating gases and vapours.

Carbon oxides. Carbon dioxide (CO2). Silicon dioxide. Thermal decomposition can lead **Hazardous combustion products** 

to release of irritating and toxic gases and vapours.

#### 5.3. Advice for firefighters

precautions for fire-fighters

**Special protective equipment and** Wear self contained breathing apparatus for fire fighting if necessary.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Do not get in eyes, on skin, or on clothing. Use personal protective equipment as

required. Ensure adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

Ireland - BE Page 4 / 15

BOSTIK SIL 60 CLEAR Revision date 18-Mar-2024

Supercedes Date: 18-Nov-2022 Revision Number 3

6.2. Environmental precautions

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

**General hygiene considerations** Take off all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Keep away from food,

drink and animal feedingstuffs. Protect from moisture.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

#### 7.3. Specific end use(s)

#### Specific use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released

upon curing

Chemical name	European Union	Ireland	United Kingdom
Silica, amorphous	TWA: 0.1 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>
7631-86-9	_	TWA: 2.4 mg/m <sup>3</sup>	TWA: 2.4 mg/m <sup>3</sup>
		STEL: 18 mg/m <sup>3</sup>	STEL: 18 mg/m <sup>3</sup>
		STEL: 7.2 mg/m <sup>3</sup>	STEL: 7.2 mg/m <sup>3</sup>
Ethanol	-	STEL: 1000 ppm	TWA: 1000 ppm
64-17-5			TWA: 1920 mg/m <sup>3</sup>
			STEL: 3000 ppm
			STEL: 5760 mg/m <sup>3</sup>
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>
	*	STEL: 600 ppm	STEL: 250 ppm
		STEL: 780 mg/m <sup>3</sup>	STEL: 333 mg/m <sup>3</sup>

Ireland - BE Page 5/15

BOSTIK SIL 60 CLEAR
Supercedes Date: 18-Nov-2022
Revision Number 3

Sk\*

Sk\*

Derived No Effect Level (DNI	EL) No information availal	ble	
	•		
Derived No Effect Level (DNI			
3-aminopropyltriethoxysilan	e (919-30-2)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	59 mg/m³	
worker Short term Systemic health effects	Inhalation	59 mg/m³	
worker Long term Systemic health effects	Dermal	8.3 mg/kg bw/d	
worker Short term Systemic health effects	Dermal	8.3 mg/kg bw/d	
Octamethylcyclotetrasiloxan	ie [D4] (556-67-2)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	73 mg/m³	
Derived No Effect Level (DNI			
3-aminopropyltriethoxysilan	e (919-30-2)		
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer	Inhalation	17 mg/m³	

Systemic health effects			
Octamethylcyclotetrasiloxan	e [D4] (556-67-2)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	13 mg/m³	
Consumer Long term Systemic health effects	Oral	3.7 mg/kg bw/d	

17.4 mg/m<sup>3</sup>

5 mg/kg bw/d

5 mg/kg bw/d

Inhalation

Dermal

Dermal

Predicted No Effect Concentration (PNEC)

Long term

Short term

Consumer

Long term

Short term

Systemic health effects
Consumer

Systemic health effects

Systemic health effects
Consumer

Ireland - BE Page 6 / 15

**BOSTIK SIL 60 CLEAR** Revision date 18-Mar-2024

Supercedes Date: 18-Nov-2022 **Revision Number** 3

Predicted No Effect Concentration (PNEC)				
3-aminopropyltriethoxysilane (919-30-2)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.33 mg/l			
Marine water	0.033 mg/l			

Octamethylcyclotetrasiloxane [D4] (556-67-2)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	0.0015 mg/l		
Marine water	0.00015 mg/l		
Freshwater sediment	3 mg/kg		
Marine sediment	0.3 mg/kg		
Soil	0.54 mg/kg		
Sewage treatment plant	10 mg/l		

#### 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Wear safety glasses with side shields (or goggles). Eye protection must conform to Eye/face protection

standard EN 166

Hand protection Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber.

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

gloves. Gloves must conform to standard EN 374

Skin and body protection

None under normal use conditions.

In case of inadequate ventilation wear respiratory protection. Wear a respirator Respiratory protection

conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

@ 40 °C

especially in confined areas.

Recommended filter type: Organic gases and vapours filter conforming to EN 14387. White. Brown.

Do not allow uncontrolled discharge of product into the environment. **Environmental exposure controls** 

#### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid **Appearance** Paste Colour Colourless Odour Characteristic.

Property **Values** Remarks • Method

No data available Melting point / freezing point Initial boiling point and boiling No data available

No data available **Flammability** 

Flammability Limit in Air None known Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Water solubility

Flash point > 100 °C CC (closed cup) No data available None known **Autoignition temperature** None known

**Decomposition temperature** 

Not applicable. Insoluble in water. No data available pH (as aqueous solution)

Reacts with water. Product cures

Kinematic viscosity  $> 21 \text{ mm}^2/\text{s}$ 

Dynamic viscosity No data available

with moisture

Ireland - BE Page 7 / 15

BOSTIK SIL 60 CLEAR Revision date 18-Mar-2024

Supercedes Date: 18-Nov-2022 Revision Number 3

Solubility(ies)

Partition coefficient

Vapour pressure

Relative density
Bulk Density
Density

Relative vapour density

No data available

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

Solid content (%) No information available

VOC content No data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

#### SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** Product cures with moisture.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze.

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

**Incompatible materials** Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released

upon curing.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Ireland - BE Page 8/15

BOSTIK SIL 60 CLEAR

Revision date 18-Mar-2024

Supercedes Date: 18-Nov-2022 Revision Number 3

#### **Product Information**

**Inhalation** Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

**Skin contact**Based on available data, the classification criteria are not met. May cause sensitisation in

susceptible persons.

**Ingestion** Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Acute toxicity

#### **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 39,790.70 mg/kg

 ATEmix (dermal)
 64,522.80 mg/kg

 ATEmix (inhalation-gas)
 >20000 ppm

 ATEmix (inhalation-dust/mist)
 >5 mg/l

 ATEmix (inhalation-vapour)
 >20 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C13-C23,	LD50 > 5000 mg/kg (Rattus)	LD50 > 2000 mg/kg	-
n-alkanes, isoalkanes, cyclics,	OECD 401	(Oryctolagus cuniculus)	
< 0.03% aromatics		OECD 402	
Silica, amorphous	=7900 mg/kg (Rattus)	> 5000 mg/kg (Oryctolagus	>2.2 mg/L (Rattus) 1 h
		cuniculus)	
2-Pentandione,	LD50 =1234 mg/kg bw	LD50 > 2000 mg/kg (Rattus)	-
O,O',O"-(methylsilylidyne)trioxi	(Rattus)(OECD guideline 425)	EU Method B.3	
me			
3-aminopropyltriethoxysilane	LD50 = 1490 mg/kg (Rattus,	LD50 = 4076  mg/kg	LC50 >144 mg/L (6h) Rattus
	female) EPA OTS 798.1175	(Oryctolagus cuniculus) EPA	(Vapour)
	LD50 = 2690 mg/kg (Rattus,	OTS 798.1100	
	male) EPA OTS 798.1175		
Octamethylcyclotetrasiloxane	LD50 > 4800 mg/kg (Rattus)	LD50 > 2400 mg/kg (Rattus)	=36 g/m³ (Rattus) 4 h
[D4]	OECD 401	OECD 402	
2-octyl-2H-isothiazol-3-one	=125 mg/kg (Rattus)	= 690 mg/kg (Oryctolagus	-
[OIT]		cuniculus)	

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation No classification is proposed, based on conclusive negative data. May produce an

allergic reaction. OECD Test No. 406: Skin Sensitisation. No sensitisation responses

were observed. May cause sensitisation in susceptible persons.

#### Product Information

Ireland - BE Page 9/15

BOSTIK SIL 60 CLEAR Revision date 18-Mar-2024

Supercedes Date: 18-Nov-2022 Revision Number 3

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation	-		were observed

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity**Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Octamethylcyclotetrasiloxane [D4]	Repr. 2

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects No information available.

### **SECTION 12: Ecological information**

12.1. Toxicity

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Hydrocarbons,	EL50 (72h) > 10	LL50 (96h) >	-	LL50 (48h) > >		
C13-C23, n-alkanes,	000 mg/L	1028 mg/L		3193 mg/l		
isoalkanes, cyclics, <	(Skeletonema	(Scophthalmus		(Acartia tonsa)		
0.03% aromatics	costatum)	maximus)				
RR-100254-6						
Silica, amorphous	EC50: =440mg/L	LC50:	-	EC50:		
7631-86-9	(72h,	=5000mg/L (96h,		=7600mg/L (48h,		
	Pseudokirchneri	Brachydanio		Ceriodaphnia		
	ella subcapitata)	rerio)		dubia)		
2-Pentandione,	EC50 (72h) = 88	LC50 (96h) >113	-	EC50 (48h) >100		
O,O',O"-(methylsilylidy	mg/L	mg/L		mg/L (Daphnia		
ne)trioxime	(Pseudokirchner	(Oncorhynchus		magna) static		
37859-55-5	iella subcapitata)	mykiss) Static		(OECD guideline		
	OECD 201	(OECD		202)		

Ireland - BE Page 10/15

BOSTIK SIL 60 CLEAR
Supercedes Date: 18-Nov-2022
Revision Number 3

		Guideline 203)				
3-aminopropyltriethoxy silane 919-30-2	>1000 mg/Ĺ Green algae	LC50 (96h) >934 mg/L (Brachydanio rerio) (OECD TG 203)		EC50 (48h) =331 mg/L Daphnia magna (OECD TG 202)		
Octamethylcyclotetrasil oxane [D4] 556-67-2	-	LC50: >1000mg/L (96h, Lepomis macrochirus) LC50: >500mg/L (96h, Brachydanio rerio)		EC50: =25.2mg/L (24h, Daphnia magna)		10
2-octyl-2H-isothiazol-3- one [OIT] 26530-20-1	EC50(72h) = 0.084 mg/L (Scenedesmus subspicatus) (OECD 201)	LC50 (96h) = 0.036 mg/L (Oncorhynchus mykiss) (OECD 203)	-	EC50 (48h) =0.42 mg/L (OECD 202)	100	100

#### 12.2. Persistence and degradability

Persistence and degradability No information available.

Silica, amorphous (7631-86-9)

Method	Exposure time	Value	Results
			The methods for determining
			biodegradability are not
			applicable to inorganic
			substances

Octamethylcyclotetrasiloxane [D4] (556-67-2) 2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1)

Method	Exposure time	Value	Results
OECD Test No. 309: Aerobic		Half-life 0.6-1.4 d	Readily biodegradable
Mineralization in Surface Water -			
Simulation Biodegradation Test			

#### 12.3. Bioaccumulative potential

#### Bioaccumulation

**Component Information** 

Component information	
Chemical name	Partition coefficient
2-Pentandione, O,O',O"-(methylsilylidyne)trioxime	1.25
3-aminopropyltriethoxysilane	1.7
Octamethylcyclotetrasiloxane [D4]	6.49
2-octyl-2H-isothiazol-3-one [OIT]	2.92

#### 12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** The product contains substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment	
Silica, amorphous	The substance is not PBT / vPvB	
2-Pentandione, O,O',O"-(methylsilylidyne)trioxime	The substance is not PBT / vPvB	
3-aminopropyltriethoxysilane	The substance is not PBT / vPvB	

Ireland - BE Page 11/15

BOSTIK SIL 60 CLEAR Revision date 18-Mar-2024

Supercedes Date: 18-Nov-2022 Revision Number 3

Octamethylcyclotetrasiloxane [D4]	PBT & vPvB	
2-octyl-2H-isothiazol-3-one [OIT]	The substance is not PBT / vPvB	

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

Component Information		
Octamethylcyclotetrasiloxane [D4] (556-67-2)		
Method	Results	Species
Endocrine disrupting properties in accordance	Negative.	
with the criteria set out in Commission		
Delegated Regulation (EU) 2017/2100(3) or		
Commission Regulation (EU) 2018/605(4).		

#### 12.7. Other adverse effects

No information available.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused

products

**European Waste Catalogue** 

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

08 04 09\* waste adhesives and sealants containing organic solvents or other dangerous

substances

Other information

Waste codes should be assigned by the user based on the application for which the

product was used.

#### **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1 UN number or ID number Not regulated

14.2 UN proper shipping name

14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
Not regulated
Not applicable

14.6 Special precautions for user

Special Provisions None

IMDG

14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group

Not regulated
Not regulated
Not regulated

14.5 Marine pollutant NP

14.6 Special precautions for user

Special Provisions None

14.7 Maritime transport in bulk

according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

#### Air transport (ICAO-TI / IATA-DGR)

Ireland - BE Page 12/15

BOSTIK SIL 60 CLEAR

Revision date 18-Mar-2024

Supercedes Date: 18-Nov-2022 Revision Number 3

14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
14.6 Special propertions for user

Not regulated Not regulated Not applicable

14.6 Special precautions for user Special Provisions None

#### Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**European Union** 

#### Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Biocidal Products Regulation (EU) No 528/2012 (BPR)

This product contains a biocidal product for the preservation of the dry film Contains: 2-octyl-2H-isothiazol-3-one [OIT] May produce an allergic reaction

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

# REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

#### National regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

#### SECTION 16: Other information

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

Ireland - BE Page 13 / 15

BOSTIK SIL 60 CLEAR
Supercedes Date: 18-Nov-2022
Revision Number 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H361f - Suspected of damaging fertility

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

#### Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

AGW Occupational exposure limit value BGW Biological limit value Ceiling Maximum limit value Sk\* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	On basis of test data
mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

#### Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

European Chemicals Agency (ECHA) (ECHA\_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

Ireland - BE Page 14/15

**BOSTIK SIL 60 CLEAR** Revision date 18-Mar-2024

Supercedes Date: 18-Nov-2022 **Revision Number** 3

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

Product Safety & Regulatory Affairs **Prepared By** 

**Revision date** 18-Mar-2024

SDS sections updated 2 3 11 12 15 **Revision note** 

**Training Advice** No information available

No information available **Further information** 

#### Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Regulation (EC) No. 1272/2008 and Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Ireland - BE Page 15/15