

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

ISR 70-12 AP NEUTRAL, BLACK Supercedes Date: 05-Apr-2022

Revision date 23-Mar-2023 Revision Number 2.03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name ISR 70-12 AP NEUTRAL, BLACK

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains Trimethoxyvinylsilane. May produce an allergic reaction

EUH210 - Safety data sheet available on request

2.3. Other hazards

United Kingdom - BE Page 1 / 15

ISR 70-12 AP NEUTRAL, BLACK Supercedes Date: 05-Apr-2022

Revision date 23-Mar-2023 Revision Number 2.03

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Causes mild skin irritation.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical name | EC No (EU Index No) | CAS No | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | REACH registration number |
|--|---------------------------------|------------|------------|---|--|---------------------------------|
| Trimethoxyvinylsilane | (014-049-00- 0) 220-449-8 | 2768-02-7 | 1 - <3 | Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226) | - | 01-2119513215- 52-XXXX |
| 1-Propanamine, 3-(trimethoxysilyl)- | 237-511-5 | 13822-56-5 | 1 - <2.5 | Skin Irrit. 2 (H315) Eye Dam. 1 (H318) | - | 01-2119510159- 45-XXXX |
| Fatty acids, C16-18, sodium salts | 270-299-2 | 68424-38-4 | 1 - <2.5 | Aquatic Chronic 3 (H412) | - | 01-2119648083- 41-xxxx |
| Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstan nane | 300-346-5 | 93925-43-0 | 0.1- <1 | Aquatic Chronic 4 (H413) Flam Liq. 3 (H226) STOT RE 1 (H372) | - | 01-2120753666- 44-XXXX |
| Bis(2,2,6,6-tetramethyl-4 -piperidyl) sebacate | 258-207-9 | 52829-07-9 | 0.1 - <0.3 | Eye Dam. 1 (H318) Repr. 2 (H361f) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) | - | 01-2119537297- 32-XXXX |

Full text of H- and EUH-phrases: see section 16

Air contaminants formed when using the substance or mixture as intended

| Chemical name | EC No (EU Index | Classification | Specific | M-Factor | M-Factor | REACH |
|---------------|-----------------|-----------------|---------------|----------|-------------|--------------|
| | No) | according to | concentration | | (long-term) | registration |
| | | Regulation (EC) | limit (SCL) | | | number |
| | | No. 1272/2008 | | | | |
| | | [CLP] | | | | |

United Kingdom - BE Page 2/15

ISR 70-12 AP NEUTRAL. BLACK Revision date 23-Mar-2023 Supercedes Date: 05-Apr-2022 **Revision Number** 2.03

| Methyl alcohol | (603-001-00-X) | Acute Tox. 3 | STOT SE 1 :: | _ | _ | 01-2119433307- |
|----------------|----------------|--------------|--------------|---|---|----------------|
| 67-56-1 | 200-659-6 | (H301) | C>=10% | | | 44-XXXX |
| | | Acute Tox. 3 | STOT SE 2 :: | | | |
| | | (H311) | 3%<=C<10% | | | |
| | | Acute Tox. 3 | | | | |
| | | (H331) | | | | |
| | | STOT SE 1 | | | | |
| | | (H370) | | | | |
| | | Flam. Liq. 2 | | | | |
| | | (H225) | | | | |

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Call a doctor immediately. Rinse mouth thoroughly with water. Never give anything by

mouth to an unconscious person. Small amounts of toxic methanol are released by

hydrolysis.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by

hydrolysis and released upon curing.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

chemical

Specific hazards arising from the Thermal decomposition can lead to release of irritating gases and vapours.

Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon **Hazardous combustion products**

oxides. Silicon dioxide.

5.3. Advice for firefighters

United Kingdom - BE Page 3/15

ISR 70-12 AP NEUTRAL. BLACK Supercedes Date: 05-Apr-2022

Revision date 23-Mar-2023 Revision Number 2.03

precautions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Do not get Personal precautions

in eyes, on skin, or on clothing.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Take up mechanically, placing in appropriate containers for disposal. Methods for cleaning up

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work.

7.2. Conditions for safe storage, including any incompatibilities

Protect from moisture. Keep away from food, drink and animal feedingstuffs. **Storage Conditions**

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

7.3. Specific end use(s)

Specific use(s) Adhesives.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon **Exposure Limits**

curing

United Kingdom - BE Page 4 / 15

ISR 70-12 AP NEUTRAL, BLACK Supercedes Date: 05-Apr-2022 Revision date 23-Mar-2023 Revision Number 2.03

| Chemical name | European Union | United Kingdom |
|--|----------------------------|-----------------------------|
| Methyl alcohol | TWA: 200 ppm | TWA: 200 ppm |
| 67-56-1 | TWA: 260 mg/m ³ | TWA: 266 mg/m ³ |
| | * | STEL: 250 ppm |
| | | STEL: 333 mg/m ³ |
| | | Sk* |
| Carbon black | - | TWA: 3.5 mg/m ³ |
| 1333-86-4 | | STEL: 7 mg/m ³ |
| Silicic acid (H4SiO4), tetraethyl ester, reaction products | - | TWA: 0.1 mg/m ³ |
| with bis(acetyloxy)dioctylstannane | | STEL: 0.2 mg/m ³ |
| 93925-43-0 | | Sk* |

| Chemical name | European Union | Ireland | United Kingdom |
|----------------|----------------|----------------------------------|----------------|
| Methyl alcohol | - | 15 mg/L (urine - Methanol end of | - |
| 67-56-1 | | shift) | |

Derived No Effect Level (DNEL) No information available

| Derived No Effect Level (DNE | EL) | | |
|--|----------------|--------------------------------|---------------|
| Trimethoxyvinylsilane (2768- | 02-7) | | |
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker Systemic health effects Long term | Inhalation | 27,6 mg/m³ | |
| worker Systemic health effects Long term | Dermal | 3,9 mg/kg bw/d | |

| 1-Propanamine, 3-(trimethoxysilyl | 1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5) | | | | |
|--|--|--------------------------------|---------------|--|--|
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor | | |
| worker Long term Systemic health effects | Inhalation | 58 mg/m³ | | | |
| worker Long term | Dermal | 8.3 mg/kg bw/d | | | |
| Short term worker | Inhalation | 58 mg/m³ | | | |
| Short term worker | Dermal | 8.3 mg/kg bw/d | | | |

| Bis(2,2,6,6-tetramethyl-4-piperidyl |) sebacate (52829-07-9) | | |
|--|-------------------------|--------------------------------|---------------|
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker Short term Long term Systemic health effects | Inhalation | 2.82 mg/m³ | |
| worker Long term Systemic health effects | Dermal | 1.6 mg/kg | |

| Derived No Effect Level (DNEL) | | | |
|--|----------------|--------------------------------|---------------|
| Trimethoxyvinylsilane (2768-02-7) | | | |
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| Consumer Systemic health effects Long term | Inhalation | 18,9 mg/m³ | |

United Kingdom - BE Page 5 / 15

ISR 70-12 AP NEUTRAL, BLACK Revision date 23-Mar-2023 Supercedes Date: 05-Apr-2022 **Revision Number** 2.03

| (| 0,3 mg/kg bw/d | |
|---|----------------|----------------|
| | | 0,3 mg/kg bw/d |

| Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9) | | | | |
|--|----------------|--------------------------------|---------------|--|
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor | |
| Consumer Long term Systemic health effects | Dermal | 0.8 mg/kg | | |
| Consumer Long term Systemic health effects | Oral | 0.4 mg/kg | | |

Predicted No Effect Concentration (PNEC)

| Predicted No Effect Concentration (PNEC) | |
|--|--|
| Trimethoxyvinylsilane (2768-02-7) | |
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 0.34 mg/l |
| Marine water | 0.034 mg/l |
| Microorganisms in sewage treatment | 110 mg/l |

| 1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5) | | | | | |
|--|--|--|--|--|--|
| Environmental compartment | Predicted No Effect Concentration (PNEC) | | | | |
| Freshwater | 0.33 mg/l | | | | |
| Microorganisms in sewage treatment | 13 mg/l | | | | |
| Soil | 0.04 mg/l | | | | |
| Marine water | 0.033 mg/l | | | | |

| Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9) | |
|--|--|
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 0.018 mg/l |
| Marine water | 0.0018 mg/l |
| Freshwater sediment | 29 mg/kg |
| Marine sediment | 2.9 mg/kg |
| Soil | 5.9 mg/kg |

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Hand protection Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber.

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

gloves. Gloves must conform to standard EN 374

Skin and body protection None under normal use conditions.

In case of inadequate ventilation wear respiratory protection. Wear a respirator Respiratory protection conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

Organic gases and vapours filter conforming to EN 14387. White. Brown. Recommended filter type:

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

United Kingdom - BE Page 6/15

ISR 70-12 AP NEUTRAL, BLACK Supercedes Date: 05-Apr-2022

Revision date 23-Mar-2023 Revision Number 2.03

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateSolidAppearancePasteColourBlack

Odour Characteristic.

Odour threshold No information available

Property Values Remarks • Method

Melting point / freezing point
Initial boiling point and boiling
No data available
No data available

range

Flammability Not applicable for liquids .

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point No data available
Autoignition temperature No data available

Decomposition temperatureNone known

pH . Not applicable. Reacts with water.

pH (as aqueous solution)No data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosity3000 - 50000 Pa.s@ 20 °C

Water solubility Insoluble in water. Reacts with water.

Solubility(ies)

Partition coefficient

Vapour pressure

Relative density

Bulk Density

Liquid Density

Relative vapour density

No data available

No data available

No data available

1.37 g/ml

No data available

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

Solid content (%) No information available

VOC content No data available

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

United Kingdom - BE Page 7 / 15

ISR 70-12 AP NEUTRAL, BLACK Supercedes Date: 05-Apr-2022

Revision date 23-Mar-2023 Revision Number 2.03

Sensitivity to mechanical

impact

None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are

formed by hydrolysis and released upon curing.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contactBased on available data, the classification criteria are not met. Causes mild skin irritation.

May cause sensitisation in susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Prolonged contact may cause redness and irritation.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg
ATEmix (dermal) >5000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapour) 305.70 mg/l

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-----------------------|-------------------------|---------------------------|-------------------------------|
| Trimethoxyvinylsilane | LD50 = 7120 -7236 mg/kg | = 3540 mg/kg (Oryctolagus | LC50 (4hr) 16.8 mg/l (Rattus) |

United Kingdom - BE Page 8/15

ISR 70-12 AP NEUTRAL, BLACK Supercedes Date: 05-Apr-2022 Revision date 23-Mar-2023 Revision Number 2.03

| | (Rattus) OECD 401 | cuniculus) | OECD TG 403 |
|-----------------------------------|---------------------------|--------------------------------|-------------------------------------|
| 1-Propanamine, | | LD50 (Oryctolagus cuniculus) > | - |
| 3-(trimethoxysilyl)- | (2,97 ml/kg) (OECD 401) | 2000 mg/kg 11,3 ml/kg) | |
| | | OECD 402 | |
| Fatty acids, C16-18, sodium | >5000 mg/kg (Rattus)(OECD | > 2 mL/kg (Oryctolagus | - |
| salts | 401) | cuniculus) | |
| Silicic acid (H4SiO4), tetraethyl | LD50 (Rattus) >2000 Kg/mg | LD50 (Rattus) >2000 mg/Kg | - |
| ester, reaction products with | | | |
| bis(acetyloxy)dioctylstannane | | | |
| Bis(2,2,6,6-tetramethyl-4-piperi | LD50 (Rattus)> 2000 mg/kg | LD50 (Rattus) > 3 170 mg/kg | =500 mg/m ³ (Rattus) 4 h |
| dyl) sebacate | OECD 423 | OECD 402 | |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients. Causes mild skin irritation.

Trimethoxyvinylsilane (2768-02-7)

| Method | Species | Exposure route | Effective dose | Exposure time | Results |
|--------|---------|----------------|----------------|---------------|--------------|
| | Rabbit | Dermal | 0.5 mL | 24 hours | Non-irritant |

Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane (93925-43-0)

| Method | Species | Exposure route | Effective dose | Exposure time | Results |
|----------|---------|----------------|----------------|---------------|--------------|
| OECD 404 | Rabbit | Dermal | | 4 hours | Non-irritant |

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

| Method | Species | Exposure route | Effective dose | Exposure time | Results |
|----------------------|---------|----------------|----------------|---------------|--------------|
| OECD Test No. 404: | Rabbit | Dermal | | | Non-irritant |
| Acute Dermal | | | | | |
| Irritation/Corrosion | | | | | |

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

| Method | Species | Exposure route | Effective dose | Exposure time | Results |
|----------|---------|----------------|----------------|---------------|--------------|
| OECD 437 | Bovine | Corneal | | | Non-irritant |

Trimethoxyvinylsilane (2768-02-7)

| Thin earlierly viriginian of (E1 66 6E 1) | | | | | | |
|---|---------|----------------|----------------|---------------|--------------|--|
| Method | Species | Exposure route | Effective dose | Exposure time | Results | |
| OECD Test No. 405: | Rabbit | eye | | 24 hours | Non-irritant | |
| Acute Eye | | | | | | |
| Irritation/Corrosion | | | | | | |

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)

| Method | Species | Exposure route | Effective dose | Exposure time | Results |
|----------------------|---------|----------------|----------------|---------------|----------|
| OECD Test No. 405: | Rabbit | eye | | 72 hours | irritant |
| Acute Eye | | | | | |
| Irritation/Corrosion | | | | | |

Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane (93925-43-0)

| Method | Species | Exposure route | Effective dose | Exposure time | Results |
|----------------------|---------|----------------|----------------|---------------|--------------|
| OECD Test No. 405: | Rabbit | eye | 0.1 mL | 24 hours | Non-irritant |
| Acute Eye | | | | | |
| Irritation/Corrosion | | | | | |

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

| Method | Species | Exposure route | Effective dose | Exposure time | Results |
|----------------------|---------|----------------|----------------|---------------|------------|
| OECD Test No. 405: | Rabbit | eye | | | Eye Damage |
| Acute Eye | | | | | |
| Irritation/Corrosion | | | | | |

United Kingdom - BE Page 9 / 15

ISR 70-12 AP NEUTRAL, BLACK Supercedes Date: 05-Apr-2022

Revision date 23-Mar-2023 Revision Number 2.03

Respiratory or skin sensitisation

May produce an allergic reaction. OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

| Method | Species | Exposure route | Results |
|-------------------------|------------|----------------|----------------------------|
| OECD Test No. 406: Skin | Guinea pig | Dermal | No sensitisation responses |
| Sensitisation | | | were observed |

Trimethoxyvinylsilane (2768-02-7)

| Method | Species | Exposure route | Results |
|-----------------------------|------------|----------------|-------------|
| OECD Test No. 406: Skin | Guinea pig | Dermal | sensitising |
| Sensitisation, Buehler test | | | _ |

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)

| Method | Species | Exposure route | Results |
|-------------------------|------------|----------------|--------------------------------|
| OECD Test No. 406: Skin | Guinea pig | Dermal | Did not cause sensitisation on |
| Sensitisation | | | laboratory animals |

Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane (93925-43-0)

| Method | Species | Exposure route | Results |
|---------------------------------|---------|----------------|-----------------------|
| OECD Test No. 429: Skin | Mouse | Dermal | Not a skin sensitiser |
| Sensitisation: Local Lymph Node | | | |
| Assay | | | ļ |

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

| Method Species | | Exposure route | Results |
|-------------------------|------------|----------------|----------------------------|
| OECD Test No. 406: Skin | Guinea pig | | No sensitisation responses |
| Sensitisation | | | were observed |

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information

Trimethoxyvinylsilane (2768-02-7)

| Method | Species | Results |
|--------------------------------------|----------|---------------|
| OECD Test No. 471: Bacterial Reverse | in vitro | Not mutagenic |
| Mutation Test | | |

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

| Method | Species | Results |
|---|---------|------------------|
| OECD Test No. 422: Combined Repeated Dose | Rat | Not Classifiable |
| Toxicity Study with the | | |
| Reproduction/Developmental Toxicity Screening | | |
| Test | | |

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)

| Method | Species | Results |
|---|---------|------------------|
| OECD Test No. 408: Repeated Dose 90-Day | Rat | Not Classifiable |
| Oral Toxicity Study in Rodents | | |

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

United Kingdom - BE Page 10 / 15

ISR 70-12 AP NEUTRAL, BLACK Supercedes Date: 05-Apr-2022

Revision date 23-Mar-2023 Revision Number 2.03

| Method | Species | Results |
|--|-------------|-----------------------|
| OECD Test No. 414: Pre-natal Development | Rat, Rabbit | reproductive toxicant |
| Toxicity Study | | · |

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

| Method | Species | Exposure route | Effective dose | Exposure time | Results |
|------------------------|---------|-------------------|----------------|---------------|-------------|
| OECD Test No. 413: | Rat | Inhalation vapour | | 90 days | 0.058 NOAEL |
| Sub-chronic Inhalation | | | | | |
| Toxicity: 90-day Study | | | | | |

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea | M-Factor | M-Factor (long-term) |
|--|--|---|----------------------------|--|----------|-------------------------|
| Trimethoxyvinylsilane 2768-02-7 | EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3 | LC50 (96h) = 191 mg/l (Oncorhynchus mykiss) | - | EC50(48hr) 168.7mg/l (Daphnia magna) | | (long tollin) |
| 1-Propanamine, 3-(trimethoxysilyl)- 13822-56-5 | EC50 (72h) > 1000 mg/l (Desmodesmus subspicatus) EU Method C.3 (Algal Inhibition test) | LC50 (96h) > >934 mg/L (Danio rerio) OECD 203 | - | EC50 (48h) = 331 mg/L (Daphnia magna) OECD 202 | | |
| Fatty acids, C16-18, sodium salts 68424-38-4 | EC50: =120mg/L (96h, Desmodesmus subspicatus) | - | - | EC50: =86mg/L (72h, Gammarus pulex) | | |
| Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dioctylsta nnane 93925-43-0 | | LC50 (96Hr) >100 mg/l (Cyprinus carpio) OECD 203 | - | EC50 (48Hr) 100mg/l (Daphnia magna)OECD 202 | | |

United Kingdom - BE Page 11 / 15

ISR 70-12 AP NEUTRAL, BLACK Supercedes Date: 05-Apr-2022

Revision date 23-Mar-2023 Revision Number 2.03

| Bis(2,2,6,6-tetramethyl- | EC50 72Hr | LC50 (96h) = | - | LC50 48Hr 8.58 | |
|--------------------------|-------------------|-------------------|---|----------------|--|
| 4-piperidyl) sebacate | 0.705 mg/l | 5.29 mg/l | | mg/l (Daphnia | |
| 52829-07-9 | (Pseudokirchner | (Oryzias latipes) | | magna) | |
| | ella subcapitata) | · | | | |

12.2. Persistence and degradability

Persistence and degradability

Data obtained on the component(s) include.

Trimethoxyvinylsilane (2768-02-7)

| Method | Exposure time | Value | Results |
|------------------------------|---------------|-------|------------------|
| OECD Test No. 301F: Ready | 28 days | BOD | 51 % Not readily |
| Biodegradability: Manometric | - | | biodegradable |
| Respirometry Test (TG 301 F) | | | - |

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)

| Method | Exposure time | Value | Results |
|--------------------------------|---------------|-------|------------------|
| OECD Test No. 301A: Ready | 28 days | | 67 % Not readily |
| Biodegradability: DOC Die-Away | | | biodegradable |
| Test (TG 301 A) | | | _ |

Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane (93925-43-0)

| Method | Exposure time | Value | Results |
|--------------------------------------|---------------|----------------|------------------|
| OECD Test No. 301B: Ready | 28 days | biodegradation | 11 % Not readily |
| Biodegradability: CO2 Evolution Test | - | - | biodegradable |
| (TG 301 B) | | | - |

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

| | - | | n |
|---|---------------|----------------------------|---------------|
| Method | Exposure time | Value | Results |
| OECD Test No. 303: Simulation Tes | t 28 days | Total organic carbon (TOC) | 24 % Moderate |
| Aerobic Sewage Treatment A: | | | |
| Activated Sludge Units; B: Biofilms | | | |

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|---|-----------------------|
| Trimethoxyvinylsilane | 1.1 |
| Fatty acids, C16-18, sodium salts | 3.3 |
| Silicic acid (H4SiO4), tetraethyl ester, reaction products with | >6 |
| bis(acetyloxy)dioctylstannane | |
| Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate | 0.35 |

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessmentThe product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

| Chemical name | PBT and vPvB assessment |
|---|---------------------------------|
| Trimethoxyvinylsilane | The substance is not PBT / vPvB |
| 1-Propanamine, 3-(trimethoxysilyl)- | The substance is not PBT / vPvB |
| Fatty acids, C16-18, sodium salts | The substance is not PBT / vPvB |
| Silicic acid (H4SiO4), tetraethyl ester, reaction products with | The substance is not PBT / vPvB |
| bis(acetyloxy)dioctylstannane | |
| Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate | The substance is not PBT / vPvB |

United Kingdom - BE Page 12/15

ISR 70-12 AP NEUTRAL. BLACK Supercedes Date: 05-Apr-2022

Revision date 23-Mar-2023 **Revision Number** 2.03

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

according to EWC

Waste codes / waste designations 15 01 10*: Packaging containing residues of or contaminated by dangerous substances.

16 03 03* inorganic wastes containing hazardous substances. 16 05 05 gases in

pressure containers other than those mentioned in 16 05 04.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions None

IMDG

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated

14.5 Marine pollutant NP 14.6 Special precautions for user **Special Provisions** None

14.7 Maritime transport in bulk

according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions None

United Kingdom - BE Page 13/15

ISR 70-12 AP NEUTRAL, BLACK Supercedes Date: 05-Apr-2022

Revision date 23-Mar-2023 Revision Number 2.03

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

| Chemical name | CAS No | Restricted substance per REACH Annex XVII |
|---|------------|--|
| Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane | 93925-43-0 | 20. |

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

| Chemical name | European Export/Import Restrictions per (EC) 689/2008 - Annex Number |
|---|---|
| Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dioctylstannane | l.1 |

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

United Kingdom - BE Page 14/15

ISR 70-12 AP NEUTRAL, BLACK Supercedes Date: 05-Apr-2022 Revision date 23-Mar-2023 Revision Number 2.03

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H361f - Suspected of damaging fertility

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 23-Mar-2023

Indication of changes

Revision note SDS sections updated, 1.

Training Advice No information available

Further information No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 15/15