

ANCHORWELD 2800FF CLEAR Revision Number 2

Revision date 21-Jul-2024 Supersedes date 07-Nov-2022

Section 1: Identification: Product identifier and chemical identity			
Product identifier			
Product Name	ANCHORWELD 2800FF CLEAR		
Product Code(s) 30608510 30608519; 30840745; 30840092; 308	840091; 30608510		
Other means of identification			
Proper shipping name	Adhesives		
UN number or ID number	UN1133		
Pure substance/mixture	Mixture		
Recommended use of the chemica	I and restrictions on use		
Recommended use	Adhesives		
Uses advised against Details of manufacturer or importe	No information available. <u>r</u>		
Supplier Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia Tel: 613 9279-9333 Fax: 613 9279-9342			
ABN: 79 003 893 838			
E-mail address	au-bostik-sds@bostik.com		
Emergency telephone number			
Emergency telephone number	24-hr Emergency: 1800 033 111		
Section 2: Hazard(s) identification			
GHS Classification			

Flammable liquids	Category 2 - (H225)
Aspiration hazard	Category 1 - (H304)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Skin sensitization	Category 1 - (H317)
Reproductive toxicity	Category 1A - (H360)
Specific target organ toxicity (single exposure)	Category 3 - (H336)
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)

Label elements

ANCHORWELD 2800FF CLEAR Revision Number 2



Signal word DANGER

Flame

Hazard statements

- H225 Highly flammable liquid and vapor
- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H360 - May damage fertility or the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

Repeated exposure may cause skin dryness or cracking

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wash face, hands and any exposed skin thoroughly after handling Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Ground and bond container and receiving equipment Use non-sparking tools Take action to prevent static discharges Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Keep cool Wear protective gloves Use explosion-proof electrical/ventilating/lighting/equipment **Precautionary Statements - Response** IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower] IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor Do NOT induce vomiting In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish **Precautionary Statements - Storage** Store in a well-ventilated place **Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

In use, may form flammable/explosive vapor-air mixture.

ANCHORWELD 2800FF CLEAR Revision Number 2

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

5

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

Label requirements in accordance with SUSMP CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No.	Weight-%
2-Methylpentane	107-83-5	15 - 40
Acetone	67-64-1	10 - 30
Toluene	108-88-3	10 - 30
Formaldehyde, polymer with 4-(1,1-dimethylethyl)phenol	25085-50-1	1 - 5
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures **Emergency telephone number** Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766 Description of first aid measures **General advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. Inhalation Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Rinse immediately with plenty of water, also under the evelids, for at least 15 minutes. Eye contact Keep eve wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious Ingestion person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention. Remove all sources of ignition. Ensure that medical personnel are aware of the Self-protection of the first aider material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms	Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or wheezing. Dizziness. May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically. Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is		

justified by the presence of additional toxic substances.

Section 5: Firefighting measures			
Suitable Extinguishing Media			
Suitable extinguishing media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.		
Unsuitable extinguishing media	No information available.		
Specific hazards arising from the	Specific hazards arising from the chemical		
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Product is or contains a sensitizer. May cause sensitization by skin contact.		
Hazardous combustion products	Carbon oxides. Hydrocarbons. Hydrogen chloride.		
Special protective actions for fire-fighters			
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		
Section 6: Accidental release mea	sures		
Personal precautions, protective e	quipment and emergency procedures		
Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.		
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.		
For emergency responders	Use personal protection recommended in Section 8.		
Environmental precautions			
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.		
-	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.		
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.		

	runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.	
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.	
Precautions to prevent secondary	hazards	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
Section 7: Handling and storage, i	ncluding how the chemical may be safely used	
Precautions for safe handling		
Advice on safe handling	Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.	
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.	
Conditions for safe storage, inclue	ding any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.	
Recommended storage temperature	Keep at temperatures between 41 and 77 °F / 5 and 25 °C.	
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.	
This material is a scheduled poison and must be stored, maintained and used in accordance with the relevant regulations		

This material is a scheduled poison and must be stored, maintained and used in accordance with the relevant regulations

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

Chemical name	Australia
Acetone	TWA: 500 ppm
67-64-1	TWA: 1185 mg/m ³
	STEL: 1000 ppm
	STEL: 2375 mg/m ³
Toluene	TWA: 50 ppm
108-88-3	TWA: 191 mg/m ³
	STEL: 150 ppm
	STEL: 574 mg/m ³

OEL as published by Safe Work Australia

Biological occupational exposure limits

Appropriate engineering controls		
Engineering controls	Showers, eyewash stations, and ventilation systems.	
Individual protection measures, su	ich as personal protective equipment	
Eye/face protection	Tight sealing safety goggles.	
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.	
Hand protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Nitrile rubber.	
Respiratory protection	Organic gases and vapors filter conforming to EN 14387.	
Environmental exposure controls	No information available.	

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Liquid Liquid Yellow Solvent No information available	
Property pH pH (as aqueous solution) Melting point / freezing point	Values No data available No data available No data available	Remarks • Method Not applicable Insoluble in water
Initial boiling point and boiling	56 °C	(Acetone)
range Flash point	-18 °C	CC (closed cup) (Acetone)
Evaporation rate Flammability	No data available No data available	Flammable liquid
Flammability Limit in Air		
Upper flammability or explosive limits		
Lower flammability or explosive limits	1.2	
Vapor pressure Relative vapor density	<110 kPa No data available	kPa
Relative density	0.83	
Water solubility Solubility(ies)	Insoluble in water No data available	
Partition coefficient	No data available	
Autoignition temperature Decomposition temperature	536 °C No data available	
Kinematic viscosity Dynamic viscosity	No data available 250 450 mPa s	
Explosive properties	No information available	
Oxidizing properties	No information available	
Other information		

ANCHORWELD 2800FF CLEAR Revision Number 2 Revision date 21-Jul-2024 Supersedes date 07-Nov-2022

Solid content (%) Density VOC content	No information available No information available 471 g/L	SCAQMD Method 304-91
Section 10: Stability and reactivity		
<u>Reactivity</u>		
Reactivity	No information available.	
Chemical stability		
Stability	Stable under normal conditions.	
Explosion data Sensitivity to mechanical impact	None.	
	Yes.	
Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid		
Conditions to avoid	Heat, flames and sparks.	
Incompatible materials		
Incompatible materials	Strong acids. Strong bases. Strong ox	xidizing agents.
Hazardous decomposition product	<u>s</u>	
Hazardous decomposition products	Carbon oxides. Nitrogen oxides (NOx irritating and toxic gases and vapors.). Thermal decomposition can lead to release of
Section 11: TOXICOLOGICAL INFO	ORMATION	
Acute toxicity		
Information on likely routes of exp	osure	
Product Information		
Inhalation	produce severe lung damage. May ca	r mixture is not available. Aspiration into lungs can ause pulmonary edema. Pulmonary edema can be ry tract. May cause drowsiness or dizziness.
Eye contact		r mixture is not available. May cause irritation. on components). May cause redness, itching, and
Skin contact	not available. Repeated or prolonged	act. Specific test data for the substance or mixture is skin contact may cause allergic reactions with onents). Repeated exposure may cause skin ation.
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.	

Symptoms

Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	>5000
ATEmix (dermal)	>5000
ATEmix (inhalation-gas)	>20000
ATEmix (inhalation-vapor)	>20
ATEmix (inhalation-dust/mist)	>5

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Methylpentane	LD50 >10,000 mg/kg	-	-
Acetone	=5800 mg/kg (Rattus) 3000 mg/Kg (mouse)	>15800 mg/Kg (Rattus)	=79 mg/l(Rattus) 4 h
Toluene	=5580 mg/kg (Rattus)	= 12000 mg/kg (Oryctolagus cuniculus)	>20 mg/L (Rattus) 4 h
Formaldehyde, polymer with 4-(1,1-dimethylethyl)phenol	>2000 mg/Kg (Rattus)	>2000 mg/Kg (Rattus)	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients. Causes skin irritation.

Component Information					
Toluene (108-88-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
Regulation (EC) No.	Rabbit	Dermal			Irritant
440/2008, Annex, B.4					

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Component Information					
Acetone (67-64-1)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye			irritant
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information				
Toluene (108-88-3)				
Method	Species	Results		
Regulation (EC) No. 440/2008, Annex, B.13/14	Salmonella typhimurium	Not mutagenic		
(Ames test)				
OECD Test No. 476: In Vitro Mammalian Cell	Mouse	Not mutagenic		

ANCHORWELD 2800FF CLEAR Revision Number 2

Gene Mutation Tests using the Hprt and xprt	
genes	

Carcinogenicity

Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Toluene			Group 3
108-88-3			-

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity Classification based on data available for ingredients. May damage fertility or the unborn child.

Component Information				
Toluene (108-88-3)				
Method	Species	Results		

STOT - single exposure

May cause drowsiness or dizziness.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Component Information					
Toluene (108-88-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
Regulation (EC) No. 440/2008, Annex, B.26	Rat, male, female	Oral		91 days	NOAEL: 625 mg/kg
OECD Test No. 453: Combined Chronic Toxicity/Carcinogenicity Studies	Rat, male, female	Inhalation, vapor			NOAEL: 1.131 mg/l

Aspiration hazard

May be fatal if swallowed and enters airways.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Methylpentane	EC50 = 4.321 mg/L	-	-	LC50 = 3.649 mg/L
107-83-5	(Green algae)			(Daphnia magna)
Acetone	-	LC50 96 h 4.74 - 6.33	EC50 = 14500 mg/L 15	EC50 48 h 10294 -
67-64-1		mL/L (Oncorhynchus	min	17704 mg/L (Daphnia
		mykiss)		magna Static)
Toluene	EC50 72 h = 12.5 mg/L	LC50 96 h 5.89 - 7.81	EC50 = 19.7 mg/L 30	EC50: =11.5mg/L (48h,
108-88-3	(Pseudokirchneriella	mg/L (Oncorhynchus	min	Daphnia magna) EC50:
	subcapitata)	mykiss flow-through)		5.46 - 9.83mg/L (48h,
		LC50 96 h = 5.8 mg/L		Daphnia magna)

ANCHORWELD 2800FF CLEAR

(Oncorhynchus mykiss	
semi-static)	
	L

Persistence and degradability

Persistence and degradability

No information available.

Component Information				
Acetone (67-64-1)				
Method	Exposure time	Value	Results	
OECD Test No. 301B: Ready	28 days	biodegradation	91 % Readily biodegradable	
Biodegradability: CO2 Evolution Test				
(TG 301 B)				

Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
2-Methylpentane	3.214
107-83-5	
Acetone	-0.24
67-64-1	
Toluene	2.73
108-88-3	

<u>Mobility</u>

Mobility in soil	No information available.
Mobility	No information available.
Other adverse effects	
Other adverse effects	No information available.

Section 13: Disposal considerations		
Disposal methods		
Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.	
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.	
Section 14: Transport information	วท	
ADG		

ADG	
UN number or ID number	UN1133
UN proper shipping name	Adhesives
Transport hazard class(es)	3
Packing group	II
Environmental hazard	Yes
Limited quantity (LQ)	5 L

Description	UN1133,	Adhesives, 3, II
Hazchem code	•3YE	
IATA UN number or ID number Transport hazard class(es) Packing group ERG Code Special Provisions Limited quantity (LQ) Description	UN1133 3 II 3L A3 1 L UN1133,	Adhesives, 3, II
IMDG UN number or ID number Transport hazard class(es) Packing group EmS-No. Limited Quantity (LQ) Marine pollutant Description	UN1133 3 II F-E, S-D 5 L P UN1133,	Adhesives, 3, II, (-18°C c.c.), Marine pollutant

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia_ See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) **Poison Schedule Number** 5

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Major hazard (accident/incident planning) regulation

Verify that license requirements are met

<u>Hazardous chemical</u> Liquids with flash points <61°C kept above their boiling points at ambient conditions Threshold quantity (T) 200

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
2-Methylpentane	20 MW Threshold category 2b total
107-83-5	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total

	2000 tonne/yr Threshold category 2b total
Acetone 67-64-1	10 tonne/yr Threshold category 1
Toluene 108-88-3	10 tonne/yr Threshold category 1

International Inventories

AIIC	Complies
NZIOC	Not Listed
ENCS	Not Listed
IECSC	Not Listed
KECI	Not Listed
PICCS	Not Listed

Legend:

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Directive 2011/65/EU (EU RoHS 2), as amended by the Delegated Directive (EU) 2015/863 (EU RoHS 3)

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information		
Prepared By	Product Safety & Regulatory Affairs	
Revision date	21-Jul-2024	
Revision Note ***Indicates updated data since last publication.		
Key or legend to abbreviations and acronyms used in the safety data sheet		
Section 8: EXPOSURE CONTROL S/PERSONAL PROTECTION		

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTIONTWATWA (time-weighted average)STELSTEL (Short Term Exposure Limit)CeilingMaximum limit valueSk*Skin designationCCarcinogenCarcinogenCarcinogen

ANCHORWELD 2800FF CLEAR Revision Number 2

Section 11: TOXICOLOGICAL INFORMATION LD50 (lethal dose) Section 12: Ecological information EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet