

This safety data sheet was created pursuant to the requirements of: Preparation of safety data sheets for hazardous chemicals Code of Practice June 2023

SIMSON PRIMER M Revision Number 2

Revision date 26-Nov-2024 Supersedes date 23-May-2022

Section 1: Identification: Product i	dentifier and chemical identity
Product identifier	
Product Name	SIMSON PRIMER M
Product Code(s) 30608604 30608483; 30608604; 30804429	
Other means of identification	
Proper shipping name	Flammable liquid, n.o.s. (Alkanes, C7-10-iso-, Toluene)
UN number or ID number	UN1993
Pure substance/mixture	Mixture
Recommended use of the chemica	I and restrictions on use
Recommended use	Primers
Uses advised against Details of manufacturer or importe	No information available. In the second
Supplier Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia Tel: 613 9279-9333 Fax: 613 9279-9342	
ABN: 79 003 893 838	
E-mail address	au-bostik-sds@bostik.com
Emergency telephone number	
Emergency telephone number	24-hr Emergency: 1800 033 111
Section 2: Hazard(s) identification	
GHS Classification	

Flammable liquids	Category 2 - (H225)
Aspiration hazard	Category 1 - (H304)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Reproductive toxicity	Category 1A - (H360)
Specific target organ toxicity (single exposure)	Category 3 - (H336)

Label elements

Flame Exclamation mark



Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number 5

Label requirements in accordance with SUSMP CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No.	Weight-%
Alkanes, C7-10-iso-	90622-56-3	60 - 100
Butyl titanate	5593-70-4	7 - 13
Toluene	108-88-3	3 - 7
Ethyl silicate	78-10-4	1 - 5

Section 4: First aid measures			
Emergency telephone number	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766		
Description of first aid measures			
General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.		
Inhalation	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur.		
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical attention. Remove contact lenses, if present and easy to do. Continue rinsing.		
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.		
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention.		
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.		
Most important symptoms and effects, both acute and delayed			
Symptoms	Burning sensation. Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.		

Indication of any immediate medical attention and special treatment needed

SIMSON PRIMER M Revision Number 2	Revision date 26-Nov-2024 Supersedes date 23-May-2022		
Note to physicians	Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.		
Section 5: Firefighting measures			
Suitable Extinguishing Media			
Suitable extinguishing media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.		
Unsuitable extinguishing media	No information available.		
Specific hazards arising from the o	chemical		
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.		
Hazardous combustion products	Carbon oxides. Hydrocarbons. Metal oxides. Silicon dioxide.		
Special protective actions for fire-	ighters		
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		
Section 6: Accidental release mea	sures		
	sures quipment and emergency procedures		
Personal precautions, protective e	quipment and emergency procedures Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled		
Personal precautions, protective e Personal precautions	quipment and emergency procedures Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.		
<u>Personal precautions, protective e</u> Personal precautions Other information	quipment and emergency procedures Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Ventilate the area. Refer to protective measures listed in Sections 7 and 8.		
Personal precautions, protective e Personal precautions Other information For emergency responders	quipment and emergency procedures Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Ventilate the area. Refer to protective measures listed in Sections 7 and 8.		
Personal precautions, protective e Personal precautions Other information For emergency responders Environmental precautions	 quipment and emergency procedures Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Ventilate the area. Refer to protective measures listed in Sections 7 and 8. Use personal protection recommended in Section 8. Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. 		
Personal precautions, protective e Personal precautions Other information For emergency responders <u>Environmental precautions</u> Environmental precautions	 quipment and emergency procedures Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Ventilate the area. Refer to protective measures listed in Sections 7 and 8. Use personal protection recommended in Section 8. Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. 		

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.
Conditions for safe storage, includ	ling any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.
Recommended storage temperature	Keep at temperatures between $$ 41 and 77 °F / 5 and 25 °C.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.

This material is a scheduled poison and must be stored, maintained and used in accordance with the relevant regulations

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

Chemical name	Australia
Toluene	TWA: 50 ppm
108-88-3	TWA: 191 mg/m ³
	STEL: 150 ppm
	STEL: 574 mg/m ³
Ethyl silicate	TWA: 10 ppm
78-10-4	TWA: 85 mg/m ³

OEL as published by Safe Work Australia

Biological occupational exposure limits

Appropriate engineering controls

Engineering controls

Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

SIMSON PRIMER M Revision Number 2		Revision date Supersedes date		
Skin and body protection	Wear suitable protective clothing Antistatic boots.	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.		
Hand protection	Wear suitable gloves. Impervious	s gloves.		
Respiratory protection	Organic gases and vapors filter of	Organic gases and vapors filter conforming to EN 14387.		
Environmental exposure controls	No information available.			
Section 9: Physical and chemical	properties			
Information on basic physical and	chemical properties			
Physical state	Liquid			
Appearance	Liquid			
Color	Colorless to yellow			
Odor	Slight			
Odor threshold	No information available			
Property	Values	Remarks • Method		
pH	No data available Not applicable Insoluble in water			
pH (as aqueous solution)	No data available			
Melting point / freezing point	No data available			

ISO 13736

No information available

Flammable liquid

116 - 142 °C Initial boiling point and boiling range Flash point 3 °C **Evaporation rate** No data available Flammability No data available Flammability Limit in Air Upper flammability or explosive 7.0 limits Lower flammability or explosive 0.9 limits <110 kPa Vapor pressure Relative vapor density No data available **Relative density** 0.76 Water solubility Insoluble in water Solubility(ies) No data available Partition coefficient No data available 370 °C Autoignition temperature No data available Decomposition temperature Kinematic viscosity No data available Dynamic viscosity 0.76 mPas No information available Explosive properties Oxidizing properties No information available Other information No information available No information available

Solid content (%) Density **VOC content**

Section 10: Stability and reactivity

Reactivity

Reactivity

Chemical stability

Stability

Stable under normal conditions.

No information available.

SIMSON PRIMER M Revision Number 2

Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	None. Yes.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.
Hazardous decomposition produc	ts
Hazardous decomposition products	Carbon oxides.
Section 11: Toxicological informa	tion
Acute toxicity	
Information on likely routes of exp	osure
Product Information	
Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Repeated exposure may cause skin dryness or cracking. Causes skin irritation. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.
Symptoms	Redness. Burning. May cause blindness. Difficulty in breathing. Coughing and/ or wheezing. Dizziness. May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)>5000ATEmix (dermal)>5000ATEmix (inhalation-gas)>20000ATEmix (inhalation-vapor)>20ATEmix (inhalation-dust/mist)75.00

SIMSON PRIMER M Revision Number 2

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Alkanes, C7-10-iso-	>10000 ?L/kg (Rattus)	> 3160 µL/kg (Oryctolagus	>4504 ppm (Rattus) 4 h
		cuniculus)	
Butyl titanate	=3122 mg/kg (Rattus)	>5000 mg/Kg (Oryctolagus	-
		cuniculus)	
Toluene	=5580 mg/kg (Rattus)	= 12000 mg/kg (Oryctolagus	>20 mg/L (Rattus) 4 h
		cuniculus)	-
Ethyl silicate	LD50 > 2500 mg/kg (Rattus)	= 5878 mg/kg (Oryctolagus	= 10 mg/L (Rat male) 4 h
-	OECD 423	cuniculus) = 6300 µL/kg	> 16.8 mg/L (Rat female) 4 h
		(Oryctolagus cuniculus)	

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients. Causes skin irritation.

Component Information					
Toluene (108-88-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
Regulation (EC) No.	Rabbit	Dermal			Irritant
440/2008, Annex, B.4					

Serious eye damage/eye irritation

Classification based on data available for ingredients. Causes burns. Causes serious eye damage.

Respiratory or skin sensitization

Germ cell mutagenicity

No information available.

No information available.

Component Information				
Toluene (108-88-3)				
Method	Species	Results		
Regulation (EC) No. 440/2008, Annex, B.13/14 (Ames test)	Salmonella typhimurium	Not mutagenic		
OECD Test No. 476: In Vitro Mammalian Cell Gene Mutation Tests using the Hprt and xprt genes	Mouse	Not mutagenic		

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Toluene			Group 3
108-88-3			- -

Legend

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity

Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.

Component Information		
Toluene (108-88-3)		
Method	Species	Results
OECD 407	in vivo	Reproductive toxicant

STOT - single exposure

May cause drowsiness or dizziness.

STOT - repeated exposure Classification based on data available for ingredients.

Component Information					
Toluene (108-88-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
Regulation (EC) No. 440/2008, Annex, B.26	Rat, male, female	Oral		91 days	NOAEL: 625 mg/kg
OECD Test No. 453: Combined Chronic Toxicity/Carcinogenicity Studies	Rat, male, female	Inhalation, vapor			NOAEL: 1.131 mg/l

Aspiration hazard

May be fatal if swallowed and enters airways.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Alkanes, C7-10-iso- 90622-56-3 Butyl titanate	-	18.4 mg/L (Oncorhynchus mykiss) LC50 (96h): 1825 mg/l	- -	EL50 (48h)= 2.4 mg/L (Daphnia magna) EC50 (48h): 1300 mg/l
5593-70-4		. , 5		(Daphnia magna)
Toluene 108-88-3	EC50 72 h = 12.5 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h 5.89 - 7.81 mg/L (Oncorhynchus mykiss flow-through) LC50 96 h = 5.8 mg/L (Oncorhynchus mykiss semi-static)	EC50 = 19.7 mg/L 30 min	EC50: =11.5mg/L (48h, Daphnia magna) EC50: 5.46 - 9.83mg/L (48h, Daphnia magna)
Ethyl silicate 78-10-4	EC 50 (72h) > 100 mg/L (Pseudokirchneriella subcapitata) OECD 201	LC50 (96h)> 245 mg/L (Danio rerio) EU Method C.1	_	-

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Butyl titanate	0.84
5593-70-4	

Taluan	e 2.73	
Toluen 108-88	3-3	
Ethyl silic 78-10-		
Mobility		
Mobility in soil	No information available.	
Mobility	No information available.	
Other adverse effects		
Other adverse effects	No information available.	
Section 13: Disposal considerat	ions	
Disposal methods		
Waste from residues/unused products	Should not be released into the environment. Dispose of in ac regulations. Dispose of waste in accordance with environment	
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. I weld containers.	Do not cut, puncture or
Section 14: Transport information	on	
ADG UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Environmental hazard Special Provisions Limited quantity (LQ) Description	UN1993 Flammable liquid, n.o.s. 3 II Yes 274 1 L UN1993, Flammable liquid, n.o.s. (Alkanes, C7-10-iso-, Toluc	ene), 3, II
Hazchem code	•3YE	
IATA UN number or ID number Transport hazard class(es) Packing group ERG Code Special Provisions Limited quantity (LQ) Description	UN1993 3 II 3H A3 1 L UN1993, Flammable liquid, n.o.s. (Alkanes, C7-10-iso-, Toluc	ene), 3, II
IMDG UN number or ID number Transport hazard class(es) Packing group EmS-No. Limited Quantity (LQ) Special Provisions Marine pollutant Description	UN1993 3 II F-E, S-E 1 L 274 P UN1993, Flammable liquid, n.o.s. (Alkanes, C7-10-iso-, Tolue 3, II, (3°C c.c.), Marine pollutant	ene, Alkanes, C7-10-iso-),

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) **Poison Schedule Number** 5

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Major hazard (accident/incident planning) regulation

Verify that license requirements are met

<u>Hazardous chemical</u> Liquids with flash points <61°C kept above their boiling points at ambient conditions

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Toluene	10 tonne/yr Threshold category 1
108-88-3	

International Inventories

AIIC	Complies
NZIoC	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies

Legend:

- AIIC Australian Inventory of Industrial Chemicals
- **NZIOC** New Zealand Inventory of Chemicals
- **ENCS** Japan Existing and New Chemical Substances
- **IECSC** China Inventory of Existing Chemical Substances
- **KECL** Korean Existing Chemicals Inventory
- **PICCS** Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

Threshold quantity (T)

200

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Directive 2011/65/EU (EU RoHS 2), as amended by the Delegated Directive (EU) 2015/863 (EU RoHS 3)

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information		
Prepared By	Product Safety & Regulatory Affairs	
Revision date	26-Nov-2024	
Revision Note ***Indicates updated data since last publication.		
Key or legend to abbreviations and acronyms used in the safety data sheet		

Sk*

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION TWA TWA (time-weighted average) STEL

Ceiling Maximum limit value C Carcinogen Section 11: TOXICOLOGICAL INFORMATION LD50 (lethal dose) Section 12: Ecological information EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

STEL (Short Term Exposure Limit)

Skin designation