

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

SOVEREIGN TIMBER TREAT CLEAR WATER REPELLENT

Supercedes Date: 08-Feb-2022

Revision date 03-Nov-2023 Revision Number 2.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name SOVEREIGN TIMBER TREAT CLEAR WATER REPELLENT

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended useCoatings and paints, thinners, paint removers

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

Aspiration hazard	Category 1 - (H304)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements

Contains Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2% aromatics; Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics



Signal word Danger

United Kingdom - BE Page 1 / 13

SOVEREIGN TIMBER TREAT CLEAR WATER REPELLENT

Revision date 03-Nov-2023 Supercedes Date: 08-Feb-2022 Revision Number 2.01

Hazard statements

H304 - May be fatal if swallowed and enters airways.

H412 - Harmful to aquatic life with long lasting effects.

EU Specific Hazard Statements

EUH208 - Contains 3-Iodo-2-propynyl butylcarbamate [IPBC] & Propiconazole. May produce an allergic reaction

EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P273 - Avoid release to the environment

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

Harmful to aquatic life. In use, may form flammable/explosive vapour-air mixture.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2% aromatics	918-481-9	RR-113412-9	80 - 100	Asp. Tox. 1 (H304) (EUH066)	-	01-2119457273- 39-XXXX
Dipropylene glycol monomethyl ether	252-104-2	34590-94-8	1 - <3	[B]	-	01-2119450011- 60-XXXX
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	926-141-6	RR-108541-2	1 - <2.5	Asp. Tox. 1 (H304) (EUH066)	-	01-2119456620- 43-XXXX
Propiconazole	(613-205-00- 0) 262-104-4	60207-90-1	0.1 - <0.3	Acute Tox. 4 (H302) Skin Sens. 1 (H317) Repr. 1B (H360D) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-	-

United Kingdom - BE Page 2/13

SOVEREIGN TIMBER TREAT CLEAR WATER REPELLENT

Revision date 03-Nov-2023 Supercedes Date: 08-Feb-2022 Revision Number 2.01

Diethylene glycol monobutyl ether	(603-096-00- 8) 203-961-6	112-34-5	0.1 - <0.3	Eye Irrit. 2 (H319)	-	01-2119475104- 44-XXXX
3-lodo-2-propynyl butylcarbamate [IPBC]	(616-212-00- 7) 259-627-5	55406-53-6	0.01 - <0.1	STOT RE 1 (H372) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 4 (H302) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-	-

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[B] - Substance with a Community workplace exposure limit

Full text of H- and EUH-phrases: see section 16

Substances identified by a number starting "RR-" in the CAS-field are substances for which the CAS# is not adopted in EU and we use an internal numbering system to track within our SDS software

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Inhalation Aspiration into lungs can produce severe lung damage. If breathing has stopped, give

artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention.

Delayed pulmonary edema may occur.

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper **Eve contact**

eyelids. Consult a doctor.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE Ingestion

> DAMAGE. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as

required.

4.2. Most important symptoms and effects, both acute and delayed

United Kingdom - BE Page 3/13

SOVEREIGN TIMBER TREAT CLEAR WATER REPELLENT

Revision date 03-Nov-2023 Supercedes Date: 08-Feb-2022 **Revision Number** 2.01

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

No information available. **Effects of Exposure**

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Because of the danger of aspiration, emesis or gastric lavage should not be used unless

the risk is justified by the presence of additional toxic substances.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

No information available. Unsuitable extinguishing media

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required.

Refer to protective measures listed in Sections 7 and 8. Other information

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

See Section 12 for additional Ecological Information. **Environmental precautions**

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

United Kingdom - BE Page 4 / 13

SOVEREIGN TIMBER TREAT CLEAR WATER REPELLENT

Supercedes Date: 08-Feb-2022 Revision Number 2.01

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Store away from other materials.

Revision date 03-Nov-2023

Recommended storage

temperature

Keep at temperatures between 5 and 25 °C.

7.3. Specific end use(s)

Specific use(s)

Coatings and paints, thinners, paint removers.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom
Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2% aromatics RR-113412-9	-	Vapour RCP-TWA 1200 mg/m³ 184 ppm Total hydrocarbons (ExxonMobil)
Dipropylene glycol monomethyl ether 34590-94-8	TWA: 50 ppm TWA: 308 mg/m³ *	TWA: 50 ppm TWA: 308 mg/m³ STEL: 150 ppm STEL: 924 mg/m³ Sk*
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics RR-108541-2	TWA:1200 mg/m ³	-
Diethylene glycol monobutyl ether 112-34-5	TWA: 10 ppm TWA: 67.5 mg/m³	TWA: 10 ppm TWA: 67.5 mg/m³ STEL: 15 ppm STEL: 101.2 mg/m³

Chemical name	European Union	Ireland	United Kingdom
Hydrocarbons, C10-C13, alkanes,	-	-	1200 mg/m ³
isoalkanes, cyclics, <2% aromatics			171ppm
RR-113412-9			8h TWA

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)							
3-lodo-2-propynyl butylcarba	3-lodo-2-propynyl butylcarbamate [IPBC] (55406-53-6)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor				
worker Long term Systemic health effects	Inhalation	0.023 mg/m³					
worker Short term Systemic health effects	Inhalation	1.16 mg/m³					
worker	Dermal	2 mg/kg bw/d					

United Kingdom - BE Page 5 / 13

SOVEREIGN TIMBER TREAT CLEAR WATER REPELLENT

Revision date 03-Nov-2023 Supercedes Date: 08-Feb-2022 **Revision Number** 2.01

Long term	
Systemic health effects	

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)					
3-lodo-2-propynyl butylcarbamate [IPBC] (55406-53-6)					
Environmental compartment	Predicted No Effect Concentration (PNEC)				
Freshwater	0.001 mg/l				
Sewage treatment plant	0.44 mg/l				
Freshwater sediment	0.017 mg/kg dry weight				
Marine sediment	0.002 mg/kg dry weight				
Soil	0.005 mg/kg dry weight				

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be

exhausted directly at the point of origin.

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Wear protective gloves. The breakthrough time of the gloves depends on the material Hand protection

and the thickness as well as the temperature.

Skin and body protection Suitable protective clothing.

Respiratory protection In case of inadequate ventilation wear respiratory protection. In case of mist, spray or

aerosol exposure wear suitable personal respiratory protection and protective suit.

Recommended filter type: Organic gases and vapours filter conforming to EN 14387.

Do not allow into any sewer, on the ground or into any body of water. Environmental exposure controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid **Appearance** Liquid

Colour Clear, colourless to yellow Odour Petroleum distillates.

Property Values Remarks • Method

< -50 °C Melting point / freezing point

Initial boiling point and boiling

range

Flammability Not applicable for liquids .

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

> 61 °C Flash point

Autoignition temperature No data available None known **Decomposition temperature** None known

pН No data available Not applicable. Insoluble in water.

No data available pH (as aqueous solution) None known Kinematic viscosity No data available None known

Dynamic viscosity No data available

Water solubility No data available. None known Solubility(ies) No data available None known **Partition coefficient** No data available None known

United Kingdom - BE Page 6/13

SOVEREIGN TIMBER TREAT CLEAR WATER REPELLENT

Revision date 03-Nov-2023 Supercedes Date: 08-Feb-2022 **Revision Number** 2.01

<110 kPa None known Vapour pressure

Relative density 0.810

Bulk Density No data available **Density** No data available

No data available None known Relative vapour density

Particle characteristics

Particle Size No information available **Particle Size Distribution** No information available

9.2. Other information

No information available Solid content (%)

No data available **VOC** content

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available. Reactivity

10.2. Chemical stability

Stable under normal conditions. **Stability**

Explosion data

None. Sensitivity to mechanical

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

None known based on information supplied. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition None under normal use conditions. Stable under recommended storage conditions.

products

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Aspiration into lungs can

United Kingdom - BE Page 7/13

SOVEREIGN TIMBER TREAT CLEAR WATER REPELLENT

Revision date 03-Nov-2023 Supercedes Date: 08-Feb-2022 **Revision Number** 2.01

produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be

fatal. May cause irritation of respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. May cause irritation.

Skin contact Repeated exposure may cause skin dryness or cracking.

Specific test data for the substance or mixture is not available. Potential for aspiration if Ingestion

swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary

edema and pneumonitis. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg ATEmix (dermal) >5000 mg/kg ATEmix (inhalation-gas) >20000 ppm ATEmix (inhalation-dust/mist) >5 mg/l ATEmix (inhalation-vapour) >20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Hydrocarbons, C10-C13,	DL50 >5000 mg/kg (Rattus)	DL50 >2000 mg/kg	LC50 (8h) >5000 mg/m3 Rat -	
alkanes, isoalkanes, cyclics,		(Oryctolagus cuniculus)	Vapours	
<2% aromatics				
Dipropylene glycol monomethyl	=5.35 g/kg (Rattus)	= 9500 mg/kg (Oryctolagus	-	
ether		cuniculus)		
Hydrocarbons, C11-C14,	>5000 mg/Kg (Rattus)	-	>4000 mg/m ³ 4h Vapour	
n-alkanes, isoalkanes, cyclics,	(OECD 401)		(Rattus)	
<2% aromatics			(OECD 403)	
Propiconazole	=1517 mg/kg (Rattus)	> 4 g/kg (Rattus) > 4000	=1264 mg/m ³ (Rattus) 4 h >	
		mg/kg (Oryctolagus cuniculus)	5800 mg/m ³ (Rattus) 4 h	
Diethylene glycol monobutyl	=5660 mg/kg (Rattus)	= 2700 mg/kg (Oryctolagus	-	
ether		cuniculus)		
3-lodo-2-propynyl	LD50 =1056 mg/Kg (Rattus)	LD50 >2000 mg/Kg (Rattus)	=0.67 mg/L (Rattus) 4 h	
butylcarbamate [IPBC]	(OECD 401)		- , , ,	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

United Kingdom - BE Page 8 / 13

SOVEREIGN TIMBER TREAT CLEAR WATER REPELLENT

Supercedes Date: 08-Feb-2022 Revision Number 2.01

Revision date 03-Nov-2023

Reproductive toxicityBased on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Propiconazole	Repr. 1B

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard May be fatal if swallowed and enters airways.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Hydrocarbons,	LEO (72h)	LLO (96h) =1000	-	LEO (48h)		
C10-C13, alkanes,	=1000 mg/L	mg/L		=1000 mg/L		
isoalkanes, cyclics,	Algae	(Oncorhynchus		(Daphnia		
<2% aromatics	(Pseudokirchner			magna)		
RR-113412-9	iella subcapitata)					
Dipropylene glycol	-	LC50:	-	LC50:		
monomethyl ether		>10000mg/L		=1919mg/L (48h,		
34590-94-8		(96h,		Daphnia magna)		
		Pimephales				
		promelas)				
Propiconazole	-	-	-	-	1	1
60207-90-1						
Diethylene glycol	EC50: >100mg/L		-	EC50:		
monobutyl ether	(96h,	=1300mg/L (96h,		=2850mg/L (24h,		
112-34-5	Desmodesmus	Lepomis		Daphnia magna)		
	subspicatus)	macrochirus)		EC50: >100mg/L		
				(48h, Daphnia		
				magna)		
3-lodo-2-propynyl	EC50 (72 hrs)	LC50 96 h	-	EC50 (48hrs)	10	1
butylcarbamate [IPBC]	•	0.049 - 0.079		0.16 mg/l -		
55406-53-6	Scenedesmus	mg/L		Daphnia magna		
	subspicatus	(Oncorhynchus				
		mykiss				

United Kingdom - BE Page 9 / 13

SOVEREIGN TIMBER TREAT CLEAR WATER REPELLENT

Supercedes Date: 08-Feb-2022

Revision date 03-Nov-2023

Revision Number 2.01

		flow-through)				
--	--	---------------	--	--	--	--

12.2. Persistence and degradability

Persistence and degradability No information available.

Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2% aromatics (RR-113412-9)

diocarbons, 010 015, anancs, isoanancs, cyclics, <276 aromatics (TTT 115412 5)			
Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days		80 % Readily biodegradable
Biodegradability: Manometric			
Respirometry Test (TG 301 F)			

3-lodo-2-propynyl butylcarbamate [IPBC] (55406-53-6)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days		Not readily biodegradable
Biodegradability: Manometric			
Respirometry Test (TG 301 F)			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient	
Dipropylene glycol monomethyl ether	0.35	
Diethylene glycol monobutyl ether	1	
3-lodo-2-propynyl butylcarbamate [IPBC]	2.88	

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessmentThe product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment	
Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2%	The substance is not PBT / vPvB	
aromatics		
Dipropylene glycol monomethyl ether	The substance is not PBT / vPvB	
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2%	The substance is not PBT / vPvB	
aromatics		
Propiconazole	The substance is not PBT / vPvB	
Diethylene glycol monobutyl ether	The substance is not PBT / vPvB	
3-lodo-2-propynyl butylcarbamate [IPBC]	The substance is not PBT / vPvB	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

United Kingdom - BE Page 10 / 13

SOVEREIGN TIMBER TREAT CLEAR WATER REPELLENT

Revision date 03-Nov-2023 Supercedes Date: 08-Feb-2022 **Revision Number** 2.01

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

European Waste Catalogue 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous

substances

15 01 10*: Packaging containing residues of or contaminated by dangerous substances

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number UN1263

14.2 UN proper shipping name Paint related material

14.3 Transport hazard class(es) Labels 3 Ш 14.4 Packing group

Description UN1263, Paint related material, 3, III, (D/E)

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

163, 650, 367 Special Provisions

Classification code F1 (D/E) **Tunnel restriction code** Limited quantity (LQ) 5 L **ADR Hazard Id (Kemmler** 30

Number)

IMDG

14.1 UN number or ID number UN1263

14.2 UN proper shipping name Paint related material

14.3 Transport hazard class(es) 14.4 Packing group Ш

Description UN1263, Paint related material, 3, III

14.5 Marine pollutant NP

14.6 Special precautions for user

Special Provisions 163, 223, 367, 955

Limited Quantity (LQ) 5 L F-E, S-E EmS-No.

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number UN1263

14.2 UN proper shipping name Paint related material

14.3 Transport hazard class(es) 14.4 Packing group

UN1263, Paint related material, 3, III Description

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions A3, A72, A192

Limited quantity (LQ) 10 L **ERG Code** 3L

Section 15: REGULATORY INFORMATION

United Kingdom - BE Page 11/13

SOVEREIGN TIMBER TREAT CLEAR WATER REPELLENT

Supercedes Date: 08-Feb-2022

Revision date 03-Nov-2023 Revision Number 2.01

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH
		Annex XVII
Propiconazole	60207-90-1	30.
·		75.
Diethylene glycol monobutyl ether	112-34-5	55.
, .,		75.

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex	
	Number	
Propiconazole	l.1	

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

United Kingdom - BE Page 12/13

SOVEREIGN TIMBER TREAT CLEAR WATER REPELLENT

Revision date 03-Nov-2023 Supercedes Date: 08-Feb-2022 Revision Number 2.01

Full text of H-Statements referred to under section 3

EUH066 - Repeated exposure may cause skin dryness or cracking

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H331 - Toxic if inhaled

H360D - May damage the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

TWA (time-weighted average) TWA **STEL** STEL (Short Term Exposure Limit)

Ceiling Limit Value Ceiling Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals Very Persistent and very Bioaccumulative (vPvB) Chemicals vPvB

STOT RE Specific target organ toxicity - Repeated exposure Specific target organ toxicity - Single exposure STOT SE

EWC European Waste Catalogue

European Agreement concerning the International Carriage of Dangerous Goods by **ADR**

Road

IMDG International Maritime Dangerous Goods (IMDG) IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Product Safety & Regulatory Affairs Prepared By

Revision date 03-Nov-2023

Indication of changes

Revision note Not applicable.

Training Advice Provide adequate information, instruction, and training for operator

Further information No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 13/13