

This safety data sheet was created pursuant to the requirements of: Preparation of safety data sheets for hazardous chemicals Code of Practice June 2023

BOSTIK EXPANDA FOAM Revision Number 2

Revision date 21-Jan-2025 Supersedes date 19-Aug-2024

Section 1: Identification: Product	identifier and chemical identity	
Product identifier		
Product Name	BOSTIK EXPANDA FOAM	
Product Code(s) 30610110 30626515; 30626516; 30610110; 30	610226	
Other means of identification		
Proper shipping name	Aerosols	
UN number or ID number	UN1950	
Pure substance/mixture	Mixture	
Recommended use of the chemical and restrictions on use		
Recommended use	Building and construction work	
Uses advised against Details of manufacturer or importe	No information available. <u>er</u>	
Supplier Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia Tel: 613 9279-9333 Fax: 613 9279-9342 ABN: 79 003 893 838	Manufacturer Bostik Romania SRL 51, Rasaritului Street (DN7) 070000 Buftea Ilfov Romania Phone: +40 372 833 300 Fax: +40 372 833 301 www.bostik.com	
E-mail address	au-bostik-sds@bostik.com	
Emergency telephone number		
Emergency telephone number	24-hr Emergency: 1800 033 111	
Section 2: Hazard(s) identification		

GHS Classification

Aerosols	Category 1 - (H222, H229)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Respiratory sensitization	Category 1 - (H334)
Skin sensitization	Category 1 - (H317)
Carcinogenicity	Category 2 - (H351)
Effects on or via lactation	Yes - (H362)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)
Hazardous to the aquatic environment - acute	Not classified for acute

Label elements

Flame Exclamation mark Health hazard



Signal word DANGER

Hazard statements

- H222 Extremely flammable aerosol
- H229 Pressurized container: May burst if heated
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H335 May cause respiratory irritation
- H351 Suspected of causing cancer
- H362 May cause harm to breast-fed children
- H373 May cause damage to organs through prolonged or repeated exposure

Repeated exposure may cause skin dryness or cracking

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Do not breathe dust/fume/gas/mist/vapors/spray Avoid contact during pregnancy and while nursing Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area In case of inadequate ventilation wear respiratory protection Contaminated work clothing should not be allowed out of the workplace Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Do not pierce or burn, even after use Do not spray on an open flame or other ignition source Wear protective gloves Precautionary Statements - Response IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor if you feel unwell If experiencing respiratory symptoms: Call a POISON CENTER or doctor **Precautionary Statements - Storage** Store in a well-ventilated place

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

During transportation by car the cans should stand upright in the cargo space. In case of insufficient ventilation and/or through use, the formation of a explosive/highly flammable mixture is possible. The mentioned hazards are valid for the non-reacted content of the can or of the fresh foam. When foaming the propellants are highly flammable. May cause long lasting harmful effects to aquatic life.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

6

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

Label requirements in accordance with SUSMP POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No.	Weight-%
Diphenylmethane-diisocyanate, isomers and homologues	9016-87-9	15 - 40
Alkanes, C14-17, chloro	85535-85-9	10 - 30
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures		
Emergency telephone number	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766	
Description of first aid measures		
General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.	
Inhalation	Remove to fresh air. May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.	
Skin contact	May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes. Do not use solvents or thinners to dissolve the material.	
Ingestion	May produce an allergic reaction. Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.	
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information. Avoid breathing vapors or mists.	

Most important symptoms and eff	ects, both acute and delayed		
Symptoms	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation. Difficulty in breathing.		
Indication of any immediate medio	cal attention and special treatment needed		
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.		
Section 5: Firefighting measures			
Suitable Extinguishing Media			
Suitable extinguishing media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.		
Unsuitable extinguishing media	DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED. Full water jet.		
Specific hazards arising from the	<u>chemical</u>		
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Product is or contains a sensitizer. May cause sensitization by inhalation. May cause sensitization by skin contact.		
Hazardous combustion products	Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Hydrogen chloride. Nitrogen oxides (NOx). Hydrogen cyanide. Isocyanates.		
Special protective actions for fire-	fighters		
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		
Section 6: Accidental release mea	sures		
Personal precautions, protective e	equipment and emergency procedures		
Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid breathing vapors or mists.		
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.		
For emergency responders	Use personal protection recommended in Section 8.		
Environmental precautions			
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.		
Methods and material for containr	nent and cleaning up		
Methods for containment	Stop leak if you can do it without risk. A vapor suppressing foam may be used to reduce		

Revision Number 2	Supersedes date 19-Aug-2024		
	vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Flood with water to complete polymerization and scrape off floor.		
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.		
Precautions to prevent secondary	hazards		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
Section 7: Handling and storage, i	including how the chemical may be safely used		
Precautions for safe handling			
Advice on safe handling	Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapors or mists. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.		
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use.		
Conditions for safe storage, inclue	Conditions for safe storage, including any incompatibilities		
Storage Conditions	Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals. Store locked up. Keep out of the reach of children. Keep/store only in original container. Store in a dry place. Store in a closed container. Keep from freezing. Protect from moisture.		

 Recommended storage temperature
 Do not freeze.

 Incompatible materials
 Strong acids. Strong bases. Strong oxidizing agents. Incompatible with oxidizing agents. Water. Alcohols. Amines.

This material is a scheduled poison and must be stored, maintained and used in accordance with the relevant regulations

Section 8: Exposure controls and personal protection

Control parameters

BOSTIK EXPANDA FOAM

Exposure Limits

Australia
TWA: 0.02 mg/m ³
STEL: 0.07 mg/m ³

OEL as published by Safe Work Australia

Revision date 21-Jan-2025

Page 6 / 12

Appropriate engineering controls	
Engineering controls	Showers, eyewash stations, and ventilation systems.
Individual protection measures, su	ich as personal protective equipment
Eye/face protection	Tight sealing safety goggles. Safety glasses with side shields are recommended for medical or industrial exposures.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Hand protection	Impervious gloves. Wear suitable gloves.
Respiratory protection	Organic gases and vapors filter conforming to EN 14387. Wear a respirator conforming to EN 140 with Type A filter or better.
Environmental exposure controls	No information available.

Section 9: Physical and chemical properties

Australia - EN

Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Liquid Aerosol Foam Yellow Characteristic Slight No information available	
Property	Values	Remarks • Method
pH	No data available	No data available
pH (as aqueous solution)	No data available	
Melting point / freezing point	No data available	No data available
Initial boiling point and boiling	Not applicable, Aerosol .	Not applicable, Aerosol
range		
Flash point	Not applicable, Aerosol .	Not applicable, Aerosol
Evaporation rate	Not applicable .	•••
Flammability	No data available	Not applicable for liquids
Flammability Limit in Air		
Upper flammability or explosive limits	18.6 Vol%	
Lower flammability or explosive	1.7 Vol%	
limits		
Vapor pressure	6 - 7	bar @ 23 °C
Relative vapor density	No data available	No data available
Relative density	No data available	
Water solubility	Reacts with water	Reacts with water Polymerization can occur
Solubility(ies)	No data available	
Partition coefficient	No data available	No data available
Autoignition temperature		
Decomposition temperature	No data available	No data available
Kinematic viscosity	No data available	No data available
Dynamic viscosity	No data available	No data available
Explosive properties	No information available	
Oxidizing properties	No information available	
Other information	No. 1. Conception on a link to	
Solid content (%)	No information available	
Density	0.9529 g/cm ³	

VOC content Minimum Ignition Temperature (°C)	No information available 235
Section 10: Stability and reactivity	
Reactivity	
Reactivity	No information available.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impact	None.
Sensitivity to static discharge	Yes.
Possibility of hazardous reactions	
Possibility of hazardous reactions	Heating causes rise in pressure with risk of bursting.
Conditions to avoid	
Conditions to avoid	Heat, flames and sparks. Excessive heat. Keep away from open flames, hot surfaces and sources of ignition. Extremes of temperature and direct sunlight. Do not freeze. Protect from moisture. Product cures with moisture.
Incompatible materials	
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents. Incompatible with oxidizing agents. Water. Alcohols. Amines.
Hazardous decomposition product	<u>'s</u>
Hazardous decomposition products	None known based on information supplied.
Section 11: Toxicological informat	ion
Acute toxicity	
Information on likely routes of exp	osure
Product Information	
Inhalation	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. May cause sensitization in susceptible persons. (based on components). May cause irritation of respiratory tract. Harmful by inhalation.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause sensitization by skin contact. Causes skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. May cause additional affects as listed under "Inhalation". Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms

Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	>5000
ATEmix (dermal)	>5000
ATEmix (inhalation-gas)	>20000
ATEmix (inhalation-vapor)	>20
ATEmix (inhalation-dust/mist)	3.08

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Diphenylmethane-diisocyanate,	LD50 > 10000 mg/kg (Rattus)	LD 50 > 9400 mg/kg	1.5 mg/L (Rattus) 4 h
isomers and homologues		(Oryctolagus cuniculus)	
Alkanes, C14-17, chloro	>4000 mg/kg (Rattus)	> 2000 mg/kg (Rattus)	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Component Information					
Diphenylmethane-diisocyanate, isomers and homologues (9016-87-9)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit				Mild skin irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization	May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Diphenylmethane-diisocyanate, isomers and homologues 9016-87-9	Carc. 2		Group 3

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Component Information

Diphenylmethane-diisocyanate, isomers and homologues (9016-87-9)				
Method		Species	Results	
OECD Test No. 453: Combined Chronic Toxicity/Carcinogenicity Studies		Rat	Carcinogenic	
Reproductive toxicity STOT - single exposure	Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May cause harm to breast-fed children. May cause respiratory irritation.			
STOT - repeated exposure Aspiration hazard	May cause damage to organs through prolonged or repeated exposure. Based on available data, the classification criteria are not met.			

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

May cause long lasting harmful effects to aquatic life. Cured foam has no C14-C17 chloroalkanes leaching in water for a maximum 20% C14-C17 chloroalkanes in mixture. Study: "Pulverized PU Foam HM23. Leaching study, Limit test" by Dr. Christine Jahns and sponsored by FEICA AISBL, 09.12.2014.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Diphenylmethane-diisoc	ErC50 (72h) >1640 mg/L	CL50 (96h) >1000 mg/L	-	EC50 (24H) >1000 mg/L
yanate, isomers and	Algae (scenedesmus	Danio rerio		Daphnia magna
homologues	subspicatus) (OECD			
9016-87-9	201)			
Alkanes, C14-17, chloro	-	LC50: >500mg/L (48h,	-	EC50 (48h) = 0.007 mg/l
85535-85-9		Leuciscus idus)		(Daphnia magna) OECD
				202

Persistence and degradability

Persistence and degradability No information available.

Component Information					
Diphenylmethane-diisocyanate, isomers and homologues (9016-87-9)					
Method	Exposure time	Value	Results		
OECD Test No. 302C: Inherent	28 days	0% biodegradation	Not readily biodegradable		
Biodegradability: Modified MITI Test		-			
(11)					

Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Alkanes, C14-17, chloro	7
85535-85-9	

Mobility

Mobility in soil	No information available.
Mobility	No information available.
Other adverse effects	
Other adverse effects	No information available.

Section 13: Disposal considerations		
Disposal methods		
Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.	
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.	

Section 14: Transport information

UN1950 Aerosols 2.1 63, 190, 277, 327, 344, 381 See SP 277 UN1950, Aerosols, 2.1
UN1950 2.1 10L A145, A167, A802 30 kg G UN1950, Aerosols, flammable, 2.1
UN1950 2.1 F-D, S-U See SP277 63,190, 277, 327, 344, 381, 959 UN1950, Aerosols, 2.1

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u> See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) **Poison Schedule Number** 6

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

International Inventories	
AIIC	Complies
NZIoC	Complies
ENCS	Not Listed
IECSC	Complies
KECL	Complies
PICCS	Complies

Legend:

- AIIC Australian Inventory of Industrial Chemicals
- **NZIOC** New Zealand Inventory of Chemicals
- **ENCS** Japan Existing and New Chemical Substances
- **IECSC** China Inventory of Existing Chemical Substances
- **KECL** Korean Existing Chemicals Inventory
- **PICCS** Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59) >=0.1%

Chemical name	SVHC candidates
Alkanes, C14-17, chloro	Х
85535-85-9	

Directive 2011/65/EU (EU RoHS 2), as amended by the Delegated Directive (EU) 2015/863 (EU RoHS 3)

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information

Revision date

21-Jan-2025

Revision Note

***Indicates updated data since last publication.

BOSTIK EXPANDA FOAM Revision Number 2

Revision date 21-Jan-2025 Supersedes date 19-Aug-2024

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average) Ceiling Maximum limit value С Carcinogen Section 11: TOXICOLOGICAL INFORMATION LD50 (lethal dose) Section 12: Ecological information EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

TWA

STEL Sk*

STEL (Short Term Exposure Limit) Skin designation