

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

BOSTIK S115 SIL SEAL BEIGE Supercedes Date: 16-Sep-2021 Revision date 02-Feb-2023 Revision Number 2.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name BOSTIK S115 SIL SEAL BEIGE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Chronic aquatic toxicity Category 3 - (H412)

2.2. Label elements

Signal word

None

Hazard statements

H412 - Harmful to aquatic life with long lasting effects.

EU Specific Hazard Statements

EUH208 - Contains Trimethoxyvinylsilane & 2-octyl-2H-isothiazol-3-one [OIT]. May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P273 - Avoid release to the environment

United Kingdom - BE Page 1 / 17

Revision date 02-Feb-2023

Supercedes Date: 16-Sep-2021 Revision Number 2.01

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

BOSTIK S115 SIL SEAL BEIGE

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Harmful to aquatic life.

PBT & vPvB

This mixture contains substances considered to be persistent, bio-accumulating and toxic (PBT). This mixture contains substances considered to be very persistent and very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Silica, amorphous	231-545-4	7631-86-9	5 - <10	[B]	-	01-2119379499- 16-XXXX
Trimethoxyvinylsilane	(014-049-00- 0) 220-449-8	2768-02-7	1 - <3	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	-	01-2119513215- 52-XXXX
Titanium dioxide	(022-006-00- 2) 236-675-5	13463-67-7	0.1 - <0.5	[C]	-	01-2119489379- 17-XXXX
Methyl alcohol	(603-001-00- X) 200-659-6	67-56-1	0.1 - <0.3	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	01-2119433307- 44-XXXX
Dioctyltin oxide	212-791-1	870-08-6	0.1 - <0.3	STOT SE 2 (H371)	-	01-2119971268- 27-xxxx
Octamethylcyclotetrasilo xane [D4]	1) 209-136-7	556-67-2	0.01 - <0.1	Repr. 2 (H361f) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226) [G]	-	01-2119529238- 36-XXXX
2-octyl-2H-isothiazol-3-o ne [OIT]	(613-112-00- 5) 247-761-7	26530-20-1	0.0025 - <0.01	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1B	Skin Sens. 1A :: C>=0.0015%	-

United Kingdom - BE Page 2 / 17

Supercedes Date: 16-Sep-2021 Revision Number 2.01

Revision date 02-Feb-2023

(H314)
Eye Dam 1
(H318)
Skin Sens. 1A
(H317)
Aquatic Acute 1
(H400)
Aquatic Chronic 1 (H410)
(H410)

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

- [B] Substance with a Community workplace exposure limit
- [C] Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring
- [G] This substance meets the PBT criteria of REACH, annex XIII
- This substance meets the vPvB criteria of REACH, annex XIII

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Notes

See section 16 for more information

BOSTIK S115 SIL SEAL BEIGE

Chemical name	Notes
Titanium dioxide - 13463-67-7	V,W,10

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation IF exposed or concerned: Get medical advice/attention. Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

Skin contact In the case of skin irritation or allergic reactions see a doctor. Wash skin with soap and

water.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

United Kingdom - BE Page 3 / 17

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide. Thermal **Hazardous combustion products**

decomposition can lead to release of irritating and toxic gases and vapours.

5.3. Advice for firefighters

BOSTIK S115 SIL SEAL BEIGE

Supercedes Date: 16-Sep-2021

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

Revision date 02-Feb-2023

Revision Number 2.01

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Take up mechanically, placing in appropriate containers for disposal. Methods for cleaning up

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation. Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. General hygiene considerations

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Specific use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

United Kingdom - BE Page 4 / 17

Supercedes Date: 16-Sep-2021 Revision Number 2.01

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

BOSTIK S115 SIL SEAL BEIGE

Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product

Revision date 02-Feb-2023

Chemical name	European Union	United Kingdom
Silica, amorphous	TWA: 0.1 mg/m ³	TWA: 6 mg/m ³
7631-86-9		TWA: 2.4 mg/m ³
		TWA: 0.1 mg/m ³
		STEL: 18 mg/m ³
		STEL: 7.2 mg/m ³
		STEL: 0.3 mg/m ³
Titanium dioxide	-	TWA: 10 mg/m ³
13463-67-7		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³	TWA: 266 mg/m ³
	*	STEL: 250 ppm
		STEL: 333 mg/m ³
		Sk*
Dioctyltin oxide	-	TWA: 0.1 mg/m ³
870-08-6		STEL: 0.2 mg/m ³
		Sk*

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL) Trimethoxyvinylsilane (2768-02-7)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Systemic health effects Long term	Inhalation	27,6 mg/m³	
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d	

Titanium dioxide (13463-67-7)			
Type	Exposure route	Derived No Effect Level	Safety factor
		(DNEL)	
worker	Inhalation	10 mg/m ³	
Long term			
Local health effects			

Methyl alcohol (67-56-1)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Short term Systemic health effects worker	Dermal	40 mg/kg bw/d	
Short term Systemic health effects	Inhalation	260 mg/m³	

United Kingdom - BE Page 5 / 17

BOSTIK S115 SIL SEAL BEIGE Supercedes Date: 16-Sep-2021 Revision date 02-Feb-2023 Revision Number 2.01

vorker			
Short term	Inhalation	260 mg/m³	
Local health effects		_	
worker			
Long term	Dermal	40 mg/kg bw/d	
Systemic health effects			
worker			
worker	Inhalation	260 mg/m³	
Long term			
Systemic health effects			
Long term	Inhalation	260 mg/m³	
Local health effects			
worker			
Dioctyltin oxide (870-08-6)			
Гуре	Exposure route	Derived No Effect Level	Safety factor
		(DNEL)	
worker	Dermal	0.05 mg/kg bw/d	
Long term		-	
Systemic health effects			
worker	Inhalation	0.004 mg/m ³	
Long term		J	
Systemic health effects			
Octamethylcyclotetrasiloxar			
Туре	Exposure route	Derived No Effect Level	Safety factor
		(DNEL)	
worker	Inhalation	70 / 2	
	Inhalation	73 mg/m³	
Long term	innaiation	/3 mg/m³	
	innalation	73 mg/m³	
Long term	innaiauon	/3 mg/m³	
Long term Systemic health effects		/3 mg/m³	
Long term Systemic health effects Derived No Effect Level (DN	EL)	/3 mg/m³	
Long term Systemic health effects Derived No Effect Level (DN	EL)	/3 mg/m³	
Long term Systemic health effects Derived No Effect Level (DN Trimethoxyvinylsilane (2768)	EL) -02-7)	Derived No Effect Level	Safety factor
Long term Systemic health effects Derived No Effect Level (DN Trimethoxyvinylsilane (2768)	EL)	Derived No Effect Level	Safety factor
Long term Systemic health effects Derived No Effect Level (DN Trimethoxyvinylsilane (2768) Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Long term Systemic health effects Derived No Effect Level (DN Trimethoxyvinylsilane (2768) Type Consumer	EL) -02-7)	Derived No Effect Level	Safety factor
Long term Systemic health effects Derived No Effect Level (DN Trimethoxyvinylsilane (2768 Type Consumer Systemic health effects	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Long term Systemic health effects Derived No Effect Level (DN Trimethoxyvinylsilane (2768 Type Consumer Systemic health effects Long term	EL) B-02-7) Exposure route Inhalation	Derived No Effect Level (DNEL) 18,9 mg/m³	Safety factor
Long term Systemic health effects Derived No Effect Level (DN Trimethoxyvinylsilane (2768 Type Consumer Systemic health effects Long term Consumer	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Long term Systemic health effects Derived No Effect Level (DN Trimethoxyvinylsilane (2768 Type Consumer Systemic health effects Long term Consumer Systemic health effects	EL) B-02-7) Exposure route Inhalation	Derived No Effect Level (DNEL) 18,9 mg/m³	Safety factor
Long term Systemic health effects Derived No Effect Level (DN Trimethoxyvinylsilane (2768 Type Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Systemic health effects Long term	EL) E-02-7) Exposure route Inhalation Dermal	Derived No Effect Level (DNEL) 18,9 mg/m³ 7,8 mg/kg bw/d	Safety factor
Long term Systemic health effects Derived No Effect Level (DN Trimethoxyvinylsilane (2768 Type Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Consumer Consumer Consumer	EL) B-02-7) Exposure route Inhalation	Derived No Effect Level (DNEL) 18,9 mg/m³	Safety factor
Derived No Effect Level (DN TrimethoxyvinyIsilane (2768 Type Consumer Systemic health effects Long term Consumer Systemic health effects	EL) E-02-7) Exposure route Inhalation Dermal	Derived No Effect Level (DNEL) 18,9 mg/m³ 7,8 mg/kg bw/d	Safety factor
Derived No Effect Level (DN TrimethoxyvinyIsilane (2768 Type Consumer Systemic health effects Long term Consumer Systemic health effects	EL) E-02-7) Exposure route Inhalation Dermal	Derived No Effect Level (DNEL) 18,9 mg/m³ 7,8 mg/kg bw/d	Safety factor
Derived No Effect Level (DN TrimethoxyvinyIsilane (2768 Type Consumer Systemic health effects Long term	EL) E-02-7) Exposure route Inhalation Dermal Oral	Derived No Effect Level (DNEL) 18,9 mg/m³ 7,8 mg/kg bw/d	Safety factor
Derived No Effect Level (DN FrimethoxyvinyIsilane (2768) Type Consumer Systemic health effects Long term Titanium dioxide (13463-67-	EL) Exposure route Inhalation Dermal Oral	Derived No Effect Level (DNEL) 18,9 mg/m³ 7,8 mg/kg bw/d 0,3 mg/kg bw/d	
Derived No Effect Level (DN TrimethoxyvinyIsilane (2768 Type Consumer Systemic health effects Long term Titanium dioxide (13463-67-	EL) E-02-7) Exposure route Inhalation Dermal Oral	Derived No Effect Level (DNEL) 18,9 mg/m³ 7,8 mg/kg bw/d 0,3 mg/kg bw/d Derived No Effect Level	Safety factor Safety factor
Derived No Effect Level (DN TrimethoxyvinyIsilane (2768 Type Consumer Systemic health effects Long term Titanium dioxide (13463-67-Type	EL) Exposure route Inhalation Dermal Oral Exposure route	Derived No Effect Level (DNEL) 18,9 mg/m³ 7,8 mg/kg bw/d 0,3 mg/kg bw/d Derived No Effect Level (DNEL)	
Derived No Effect Level (DN TrimethoxyvinyIsilane (2768) Type Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Titanium dioxide (13463-67-Type) Consumer	EL) Exposure route Inhalation Dermal Oral	Derived No Effect Level (DNEL) 18,9 mg/m³ 7,8 mg/kg bw/d 0,3 mg/kg bw/d Derived No Effect Level	
Derived No Effect Level (DN FrimethoxyvinyIsilane (2768) Type Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Titanium dioxide (13463-67-Type Consumer Long term	EL) Exposure route Inhalation Dermal Oral Exposure route	Derived No Effect Level (DNEL) 18,9 mg/m³ 7,8 mg/kg bw/d 0,3 mg/kg bw/d Derived No Effect Level (DNEL)	
Derived No Effect Level (DN FrimethoxyvinyIsilane (2768 Type Consumer Systemic health effects Long term Consumer Long term Consumer Long term	EL) Exposure route Inhalation Dermal Oral Exposure route	Derived No Effect Level (DNEL) 18,9 mg/m³ 7,8 mg/kg bw/d 0,3 mg/kg bw/d Derived No Effect Level (DNEL)	
Derived No Effect Level (DN TrimethoxyvinyIsilane (2768) Type Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Titanium dioxide (13463-67-Type) Consumer Consumer Systemic health effects Long term	EL) Exposure route Inhalation Dermal Oral Exposure route	Derived No Effect Level (DNEL) 18,9 mg/m³ 7,8 mg/kg bw/d 0,3 mg/kg bw/d Derived No Effect Level (DNEL)	
Derived No Effect Level (DN TrimethoxyvinyIsilane (2768 Type Consumer Systemic health effects Long term Titanium dioxide (13463-67-Type Consumer Long term Systemic health effects Long term Consumer Long term Consumer Long term Consumer Long term Systemic health effects	EL) i-02-7) Exposure route Inhalation Dermal Oral 7) Exposure route Oral	Derived No Effect Level (DNEL) 18,9 mg/m³ 7,8 mg/kg bw/d 0,3 mg/kg bw/d Derived No Effect Level (DNEL) 700 mg/kg bw/d	Safety factor
Derived No Effect Level (DN TrimethoxyvinyIsilane (2768) Type Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Long term Systemic health effects	EL) Exposure route Inhalation Dermal Oral Exposure route	Derived No Effect Level (DNEL) 18,9 mg/m³ 7,8 mg/kg bw/d 0,3 mg/kg bw/d Derived No Effect Level (DNEL) 700 mg/kg bw/d Derived No Effect Level	
Derived No Effect Level (DN TrimethoxyvinyIsilane (2768) Type Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Long term Systemic health effects Methyl alcohol (67-56-1) Type	EL) i-02-7) Exposure route Inhalation Dermal Oral 7) Exposure route Oral Exposure route	Derived No Effect Level (DNEL) 18,9 mg/m³ 7,8 mg/kg bw/d 0,3 mg/kg bw/d Derived No Effect Level (DNEL) 700 mg/kg bw/d Derived No Effect Level (DNEL)	Safety factor
Derived No Effect Level (DN TrimethoxyvinyIsilane (2768) Type Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Long term Systemic health effects Methyl alcohol (67-56-1) Type Consumer	EL) i-02-7) Exposure route Inhalation Dermal Oral 7) Exposure route Oral	Derived No Effect Level (DNEL) 18,9 mg/m³ 7,8 mg/kg bw/d 0,3 mg/kg bw/d Derived No Effect Level (DNEL) 700 mg/kg bw/d Derived No Effect Level	Safety factor
Derived No Effect Level (DN TrimethoxyvinyIsilane (2768) Type Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Systemic health effects Long term Consumer Systemic health effects Long term Titanium dioxide (13463-67-Type Consumer Systemic health effects Long term Titanium dioxide (13463-67-Type Consumer Long term Systemic health effects Methyl alcohol (67-56-1) Type Consumer Short term	EL) i-02-7) Exposure route Inhalation Dermal Oral 7) Exposure route Oral Exposure route	Derived No Effect Level (DNEL) 18,9 mg/m³ 7,8 mg/kg bw/d 0,3 mg/kg bw/d Derived No Effect Level (DNEL) 700 mg/kg bw/d Derived No Effect Level (DNEL)	Safety factor
Long term Systemic health effects Derived No Effect Level (DN Trimethoxyvinylsilane (2768 Type Consumer Systemic health effects Long term Consumer Systemic health effects	EL) i-02-7) Exposure route Inhalation Dermal Oral 7) Exposure route Oral Exposure route	Derived No Effect Level (DNEL) 18,9 mg/m³ 7,8 mg/kg bw/d 0,3 mg/kg bw/d Derived No Effect Level (DNEL) 700 mg/kg bw/d Derived No Effect Level (DNEL)	Safety factor

United Kingdom - BE Page 6 / 17

BOSTIK S115 SIL SEAL BEIGE Supercedes Date: 16-Sep-2021 Revision date 02-Feb-2023 Revision Number 2.01

Short term			
Systemic health effects			
Consumer	Inhalation	50 mg/m ³	
Long term			
Local health effects			
Consumer	Oral	8 mg/kg bw/d	
Long term			
Systemic health effects			
Consumer	Inhalation	50 mg/m ³	
Long term			
Systemic health effects			
Consumer	Dermal	50 mg/kg bw/d	
Long term			
Systemic health effects			

Dioctyltin oxide (870-08-6)	Dioctyltin oxide (870-08-6)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer	Oral	0.0005 mg/kg bw/d		
Long term Systemic health effects				
Consumer Long term	Dermal	0.025 mg/kg bw/d		
Systemic health effects				
Consumer	Inhalation	0.0009 mg/m ³		
Long term				
Systemic health effects				

Octamethylcyclotetrasiloxane [D4] (556-67-2)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	13 mg/m³	
Consumer Long term Systemic health effects	Oral	3.7 mg/kg bw/d	

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)				
Trimethoxyvinylsilane (2768-02-7)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.34 mg/l			
Marine water	0.034 mg/l			
Microorganisms in sewage treatment	110 mg/l			

Titanium dioxide (13463-67-7)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Marine water	0.0184 mg/l			
Freshwater sediment	1000 mg/kg			
Freshwater	0.184 mg/l			
Marine sediment	100 mg/kg			
Soil	100 mg/kg			
Microorganisms in sewage treatment	100 mg/l			
Freshwater - intermittent	0.193 mg/l			

Dioctyltin oxide (870-08-6)	
Environmental compartment	Predicted No Effect Concentration (PNEC)

United Kingdom - BE Page 7 / 17

Supercedes Date: 16-Sep-2021 Revision Number 2.01

Freshwater sediment	0.02798 mg/kg dry weight
Marine sediment	0.002798 mg/kg dry weight
Microorganisms in sewage treatment	100 mg/l

Octamethylcyclotetrasiloxane [D4] (556-67-2)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.0015 mg/l			
Marine water	0.00015 mg/l			
Freshwater sediment	3 mg/kg			
Marine sediment	0.3 mg/kg			
Soil	0.54 mg/kg			
Sewage treatment plant	10 mg/l			

8.2. Exposure controls

BOSTIK S115 SIL SEAL BEIGE

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the

breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves

Revision date 02-Feb-2023

depends on the material and the thickness as well as the temperature.

Skin and body protection Suitable protective clothing.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Paste / Gel Liquid

AppearancePasteColourBeige

Odour Characteristic.

Odour threshold No information available

Property Values Remarks • Method

Melting point / freezing point No data available None known

Initial boiling point and boiling = 301 °C

range

Flammability Not applicable for liquids .

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point > 100 °C

 Autoignition temperature
 No data available
 None known

Decomposition temperatureNo data availableNone knownpHNo data availableNone known.

pH No data available None known.
pH (as aqueous solution) No data available None known
Kinematic viscosity No data available None known

Dynamic viscosity

No data available

Water solubility

Immiscible in water.

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownVapour pressureNo data availableNone knownRelative densityNo data availableNone known

Bulk Density

No data available
Density

1.03 g/cm³

Relative vapour density No data available None known

Particle characteristics

United Kingdom - BE Page 8 / 17

Revision date 02-Feb-2023

Supercedes Date: 16-Sep-2021 Revision Number 2.01

Particle Size No information available
Particle Size Distribution No information available

9.2. Other information

BOSTIK S115 SIL SEAL BEIGE

Solid content (%) No information available

VOC content No data available

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoidNone known based on information supplied.

None.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met. May cause sensitisation in

susceptible persons.

United Kingdom - BE Page 9 / 17

BOSTIK S115 SIL SEAL BEIGE Supercedes Date: 16-Sep-2021 Revision date 02-Feb-2023 Revision Number 2.01

__

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 38,820.20 mg/kg ATEmix (inhalation-dust/mist) 86.10 mg/l ATEmix (inhalation-vapour) 177.30 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Silica, amorphous	=7900 mg/kg (Rattus)	> 5000 mg/kg (Oryctolagus cuniculus)	>2.2 mg/L (Rattus) 1 h
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3540 mg/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus) 4 h
Methyl alcohol	=2500 mg/kg (Rattus)	200-1000 mg/kg (Oryctolagus cuniculus)	=22500 ppm (Rattus) 8 h = 64000 ppm (Rattus) 4 h
Dioctyltin oxide	=2500 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus) OECD 402	-
Octamethylcyclotetrasiloxane [D4]	LD50 > 4800 mg/kg (Rattus) OECD 401	LD50 > 2400 mg/kg (Rattus) OECD 402	=36 g/m³ (Rattus) 4 h
2-octyl-2H-isothiazol-3-one [OIT]	=125 mg/kg (Rattus)	= 690 mg/kg (Oryctolagus cuniculus)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Corrosive
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Trimethoxyvinvlsilane (2768-02-7)

Method S	Species E	Exposure route	Effective dose	Exposure time	Results
----------	-----------	----------------	----------------	---------------	---------

United Kingdom - BE Page 10 / 17

BOSTIK S115 SIL SEAL BEIGE Revision date 02-Feb-2023 Supercedes Date: 16-Sep-2021 Revision Number 2.01 OECD Test No. 405: Rabbit 24 hours Non-irritant eye Acute Eve Irritation/Corrosion Titanium dioxide (13463-67-7) Method Species Exposure route Effective dose **Exposure time** Results OECD Test No. 405: Rabbit Eye Non-irritant Acute Eve Irritation/Corrosion 2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1) Respiratory or skin sensitisation OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons. Method Species Exposure route Results OECD Test No. 406: Skin Guinea pig Dermal No sensitisation responses Sensitisation were observed Trimethoxyvinylsilane (2768-02-7) Method **Species** Exposure route Results OECD Test No. 406: Skin Guinea pig Dermal sensitising Sensitisation, Buehler test Titanium dioxide (13463-67-7) Method **Exposure route** Results Species OECD Test No. 406: Skin Dermal Not a skin sensitiser Guinea pig Sensitisation OECD Test No. 429: Skin Mouse Dermal Not a skin sensitiser Sensitisation: Local Lymph Node Octamethylcyclotetrasiloxane [D4] (556-67-2) 2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1) Method Species **Exposure route** Results OECD Test No. 429: Skin Mouse sensitising Sensitisation: Local Lymph Node Assay Germ cell mutagenicity Based on available data, the classification criteria are not met. Component Information Trimethoxyvinylsilane (2768-02-7) Method Species Results OECD Test No. 471: Bacterial Reverse in vitro Not mutagenic Mutation Test

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicityBased on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Octamethylcyclotetrasiloxane [D4]	Repr. 2

Trimethoxyvinylsilane (2768-02-7)

United Kingdom - BE Page 11 / 17

Supercedes Date: 16-Sep-2021 Revision Number 2.01

Method	Species	Results
OECD Test No. 422: Combined Repeated Dose	Rat	Not Classifiable
Toxicity Study with the		
Reproduction/Developmental Toxicity Screening		
Test		

STOT - single exposure

BOSTIK S115 SIL SEAL BEIGE

Based on available data, the classification criteria are not met.

Revision date 02-Feb-2023

Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Oral	5 mg/kg	28 days	0.3 - 0.5 mg/kg
Combined Repeated Dose				-	bw/d May cause
Toxicity Study with the					damage to the
Reproduction/Developme					following organs:
ntal Toxicity Screening					Immune system
Test					-

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rat Rabbit			28 days	0.3 -0.5 mg/kg bw/d

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Silica, amorphous	EC50: =440mg/L	LC50:	-	EC50:		
7631-86-9	(72h,	=5000mg/L (96h,		=7600mg/L (48h,		
	Pseudokirchneri	Brachydanio		Ceriodaphnia		
	ella subcapitata)	rerio)		dubia)		
Trimethoxyvinylsilane	EC 50 (72h) >	LC50 (96h) =	-	EC50(48hr)		
2768-02-7	957 mg/l	191 mg/l		168.7mg/l		
	(Desmodesmus	(Oncorhynchus		(Daphnia		
	subspicatus)	mykiss)		magna)		

United Kingdom - BE Page 12 / 17

BOSTIK S115 SIL SEAL BEIGE Supercedes Date: 16-Sep-2021 Revision date 02-Feb-2023 Revision Number 2.01

	EU Method C.3					
Titanium dioxide	LC50 (96h)	-	-	-		
13463-67-7	>10000 mg/l					
	(Cyprinodon					
	variegatus)					
	OECD 203					
Methyl alcohol	-	LC50 96 h > 100	EC50 = 39000	-		
67-56-1		mg/L	mg/L 25 min			
		(Pimephales	EC50 = 40000			
		promelas static)	mg/L 15 min			
			EC50 = 43000			
			mg/L 5 min			
Dioctyltin oxide	EC50 (3hr)	LC50 (96hr)	-	EC50 (48Hr)		
870-08-6	>1.000 mg/l	>0,09 mg/l		>0,21 mg/l		
	(bacteria)	(Brachydanio		(Daphnia magna		
	(Activated	rerio (zebra))		(Dappnia		
	Sludge,	(Acute Toxicity		magna))		
	Respiration	Test)		(Daphnia sp.		
	Inhibition Test)			Acute		
				Immobilisation		
				Test)		
Octamethylcyclotetrasil	-	LC50:	-	EC50:		10
oxane [D4]		>1000mg/L (96h,		=25.2mg/L (24h,		
556-67-2		Lepomis		Daphnia magna)		
		macrochirus)				
		LC50: >500mg/L				
		(96h,				
		Brachydanio				
		rerio)				
2-octyl-2H-isothiazol-3-	` '	LC50 (96h) =	-	EC50 (48h)	100	100
one [OIT]	0.084 mg/L	0.036 mg/L		=0.42 mg/L		
26530-20-1	(Scenedesmus	(Oncorhynchus		(OECD 202)		
	subspicatus)	mykiss) (OECD				
	(OECD 201)	203)				

12.2. Persistence and degradability

Persistence and degradability No information available.

Silica, amorphous (7631-86-9)

Method	Exposure time	Value	Results
			The methods for determining
			biodegradability are not
			applicable to inorganic
			substances

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric	-		biodegradable
Respirometry Test (TG 301 F)			-

Dioctyltin oxide (870-08-6)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	755 hours	biodegradation	Not readily biodegradable 2
Biodegradability: Manometric		_	%
Respirometry Test (TG 301 F)			

Octamethylcyclotetrasiloxane [D4] (556-67-2) 2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1)

Method	Exposure time	Value	Results

United Kingdom - BE Page 13 / 17

BOSTIK S115 SIL SEAL BEIGE Supercedes Date: 16-Sep-2021 Revision date 02-Feb-2023 Revision Number 2.01

OECD Test No. 309: Aerobic	Half-life 0.6-1.4 d	Readily biodegradable
Mineralization in Surface Water -		-
Simulation Biodegradation Test		

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Component information				
Chemical name	Partition coefficient			
Trimethoxyvinylsilane	1.1			
Methyl alcohol	-0.77			
Dioctyltin oxide	6			
Octamethylcyclotetrasiloxane [D4]	6.49			
2-octyl-2H-isothiazol-3-one [OIT]	2.92			

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product contains substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment	
Silica, amorphous	The substance is not PBT / vPvB PBT assessment does	
	not apply	
Trimethoxyvinylsilane	The substance is not PBT / vPvB	
Titanium dioxide	The substance is not PBT / vPvB PBT assessment does	
	not apply	
Methyl alcohol	The substance is not PBT / vPvB PBT assessment does	
	not apply Further information relevant for the PBT	
	assessment is necessary	
Dioctyltin oxide	The substance is not PBT / vPvB	
Octamethylcyclotetrasiloxane [D4]	PBT & vPvB	
2-octyl-2H-isothiazol-3-one [OIT]	The substance is not PBT / vPvB	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

Component Information				
Octamethylcyclotetrasiloxane [D4] (556-67-2)				
Method	Results	Species		
Endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100(3) or Commission Regulation (EU) 2018/605(4).	Negative.			

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused Dispose of waste in accordance with environmental legislation. Dispose of in accordance

United Kingdom - BE Page 14/17

Revision date 02-Feb-2023

Supercedes Date: 16-Sep-2021 Revision Number 2.01

products with local regulations.

Contaminated packaging Do not reuse empty containers.

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

BOSTIK S115 SIL SEAL BEIGE

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable14.6 Special ProvisionsNone

IMDG

14.1UN number or ID numberNot regulated14.2Proper Shipping NameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot regulated14.5Marine pollutantNP

14.5 Marine pollutantNP14.6 Special ProvisionsNone

14.7 Maritime transport in bulk Not applicable

according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Methyl alcohol	67-56-1	69.
·		75.
Dioctyltin oxide	870-08-6	20.

Substance subject to authorisation per REACH Annex XIV

United Kingdom - BE Page 15/17

BOSTIK S115 SIL SEAL BEIGE Supercedes Date: 16-Sep-2021 Revision date 02-Feb-2023 Revision Number 2.01

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex Number
Dioctyltin oxide	1.1

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Methyl alcohol - 67-56-1	500	5000

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H226 - Flammable liquid and vapour

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H331 - Toxic if inhaled

H332 - Harmful if inhaled

H361f - Suspected of damaging fertility

H370 - Causes damage to organs

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note V: If the substance is to be placed on the market as fibres (with diameter < 3 μm, length > 5 μm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung

Notes relating to the classification and labelling of mixtures

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of

United Kingdom - BE Page 16 / 17

Revision date 02-Feb-2023

Revision Number 2.01

titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm

Legend

BOSTIK S115 SIL SEAL BEIGE

Supercedes Date: 16-Sep-2021

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value

* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 02-Feb-2023

Indication of changes

Revision note SDS sections updated, 2, 3, 8, 10, 11, 12, 16.

Training Advice No information available

Further information No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 17 / 17