

This safety data sheet was created pursuant to the requirements of: Preparation of safety data sheets for hazardous chemicals Code of Practice June 2023

XTREME FLEX BLACK Revision Number 2

Revision date 15-Jul-2025 Supersedes date 07-Nov-2022

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name XTREME FLEX BLACK

Product Code(s)

30610681

30612872; 30610681; 30627177

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Sealant

Uses advised against No information available.

Details of manufacturer or importer

SupplierManufacturerBostik Australia Pty LtdBostik Benelux B.V.51-71 High Street,Denariusstraat 11Thomastown Victoria4903 RC OosterhoutAustraliaThe NetherlandsTel: 613 9279-9333Tel: + 31 162 491 000

Fax: 613 9279-9342

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS) Not classified

Label elements

Hazard statements

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS) Not classified

Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Australia - EN Page 1 / 10

XTREME FLEX BLACK **Revision Number** 2

Revision date 15-Jul-2025 Supersedes date 07-Nov-2022

No poisons schedule number allocated

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

<u>Mixture</u>

Chemical name	CAS No.	Weight-%
Trimethoxyvinylsilane	2768-02-7	1 - 5
Carbon black	1333-86-4	0.1 - 1
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	0.1 - 1
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Poisons Information Center, Australia: 13 11 26 **Emergency telephone number**

Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash skin with soap and water.

Small amounts of toxic methanol are released by hydrolysis. Call a physician Ingestion

immediately. Never give anything by mouth to an unconscious person. Rinse mouth

thoroughly with water.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon Note to physicians

curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Suitable extinguishing media

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the chemical

chemical

Specific hazards arising from the Thermal decomposition can lead to release of irritating gases and vapors.

Australia - EN Page 2 / 10

XTREME FLEX BLACK **Revision Number** 2

Revision date 15-Jul-2025 Supersedes date 07-Nov-2022

Hazardous combustion products Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide.

Special protective actions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

precautions for fire-fighters

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section **Environmental precautions**

12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture.

Keep away from food, drink and animal feeding stuffs.

Recommended storage

temperature

Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

Section 8: Exposure controls and personal protection

Control Parameters

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon **Exposure Limits**

curing.

Chemical name	Australia
Carbon black	TWA: 3 mg/m³;
1333-86-4	

3 / 10 Australia - EN Page

XTREME FLEX BLACK Revision Number 2

Revision date 15-Jul-2025 Supersedes date 07-Nov-2022

Chemical name	Australia
Methyl alcohol	TWA: 200 ppm;
67-56-1	TWA: 262 mg/m ³ ;
	STEL: 250 ppm;
	STEL: 328 mg/m³;

OEL as published by Safe Work Australia

Appropriate engineering controls

Engineering controls Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protectionNo special protective equipment required.

Respiratory protection Organic gases and vapors filter conforming to EN 14387. White. Brown.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid
Appearance Paste
Color Black
Charact

Odor Characteristic

Odor threshold No information available

Property Values Remarks • Method

pH No data available
pH (as aqueous solution) No data available
Melting point / freezing point No data available
Initial boiling point and boiling No data available

range

Flash point

Evaporation rate

Flammability

No data available
No data available
No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableRelative vapor densityNo data availableRelative densityNo data availableWater solubilityReacts with water

Water solubility Reacts with water Reacts with water

No data available Solubility(ies) Partition coefficient No data available **Autoignition temperature** No data available No data available **Decomposition temperature** Kinematic viscosity > 21 mm²/s **Dynamic viscosity** No data available No information available **Explosive properties** No information available Oxidizing properties

Australia - EN Page 4 / 10

XTREME FLEX BLACK Revision Number 2

Revision date 15-Jul-2025 Supersedes date 07-Nov-2022

Other information

Solid content (%) No information available

Liquid Density 1.55

VOC content No information available

Section 10: Stability and reactivity

Reactivity

Reactivity Product cures with moisture.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze.

Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products

Hazardous decomposition Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing.

Section 11: Toxicological information

Acute toxicity

products

Information on likely routes of exposure

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met. May cause sensitization in

susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

Symptoms No information available.

Numerical measures of toxicity - Product Information

The following ATE values have been calculated for the mixture

ATEmix (oral) >5000 ATEmix (dermal) >5000

Australia - EN Page 5 / 10

XTREME FLEX BLACK Revision Number 2

Revision date 15-Jul-2025 Supersedes date 07-Nov-2022

ATEmix (inhalation-gas) >20000 ATEmix (inhalation-vapor) 441.70 ATEmix (inhalation-dust/mist) >5

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
Carbon black	> 8000 mg/kg (Rat) OECD 401	LD50 > 2000 mg/kg	LC0 > 4.6 mg/m ³ (Rat) 4 h
N-(3-(trimethoxysilyl)propyl)eth	V = V = . V .	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44
ylenediamine	-2295 Hig/kg (Natius)	>2000 mg/kg (Kallus)	mg/L air

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Component Information					
Trimethoxyvinylsilane (2768-02-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit				Mild skin irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Component Information					
Trimethoxyvinylsilane (2768-02-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant
Acute Eye		-			
Irritation/Corrosion					

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye			Eye Damage
Acute Eye		1			
Irritation/Corrosion					

Respiratory or skin sensitization

OECD Test No. 406: Skin Sensitization. No sensitization responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitization in susceptible persons.

Product Information			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitization responses
Sensitization	-		were observed

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Component Information

Australia - EN Page 6 / 10

XTREME FLEX BLACK Revision Number 2

Revision date 15-Jul-2025 Supersedes date 07-Nov-2022

Trimethoxyvinylsilane (2768-02-7)			
Method	Species	Results	
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic	
Mutation Test		-	

N-(3-(trimethoxysilyI)propyI)ethylenediamine (1760-24-3)				
Method	Species	Results		
OECD Test No. 471: Bacterial Reverse	Mammalian cells in vitro	Negative		
Mutation Test				
OECD Test No. 476: In Vitro Mammalian Cell	Mammalian cells in vitro	Negative		
Gene Mutation Tests using the Hprt and xprt				
genes				

Carcinogenicity

Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Carbon black			Group 2B
1333-86-4			-

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly carcinogenic to humans

Reproductive toxicity

Based on available data, the classification criteria are not met.

Component Information			
Trimethoxyvinylsilane (2768-02-7)			
Method	Species	Results	
OECD Test No. 422: Combined Repeated Dose	Rat	Not Classifiable	
Toxicity Study with the			
Reproduction/Developmental Toxicity Screening			
Test			

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)			
Method	Species	Results	
OECD Test No. 422: Combined Repeated Dose Rat NOAEL >500 mg/Kg			
Toxicity Study with the	Oral		
Reproduction/Developmental Toxicity Screening			
Test			

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Component Information					
Trimethoxyvinylsilane (27	68-02-7)				
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapor		90 days	0.058 NOAEL
Subchronic Inhalation		·			
Toxicity: 90-day Study					

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Subacute oral		28 days	NOAEL >500 mg/kg
Combined Repeated Dose)	toxicity gavage			
Toxicity Study with the					

Australia - EN Page 7 / 10

XTREME FLEX BLACK Revision Number 2

Revision date 15-Jul-2025 Supersedes date 07-Nov-2022

Reproduction/Developme ntal Toxicity Screening			
Test			

Aspiration hazard Based on available data, the classification criteria are not met.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Based on available data, the classification criteria are not met.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Trimethoxyvinylsilane	EC 50 (72h) > 957 mg/l	LC50 (96h) = 191 mg/l	-	EC50(48hr) 168.7mg/l
2768-02-7	(Desmodesmus subspicatus) EU Method C.3	(Oncorhynchus mykiss)		(Daphnia magna)
Carbon black 1333-86-4	EC50 (72h) > 10.000 mg/l (scenedesmus subspicatus) OECD 201	LC0 (96h): 1.000 mg/l (Brachydanio rerio) OECD 203	-	EC50 (24h) > 5.600 mg/l (Daphnia magna) OECD 202
N-(3-(trimethoxysilyl)pro pyl)ethylenediamine 1760-24-3	-	LC50 (96H) =597 mg/L (Danio rerio)Semi-static	-	EC50 (48h) =81mg/L Daphnia magna Static

Persistence and degradability

Persistence and degradability No information available.

Component Information				
Trimethoxyvinylsilane (2768-02-7)				
Method	Exposure time	Value	Results	
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily	
Biodegradability: Manometric	-		biodegradable	
Respirometry Test (TG 301 F)			-	

Bioaccumulative potential

Bioaccumulation No information available.

Component Information

Chemical name	Partition coefficient
Trimethoxyvinylsilane	1.1
2768-02-7	
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3
1760-24-3	

Mobility

Mobility in soilNo information available.MobilityNo information available.

Other adverse effects

Other adverse effects No information available.

Australia - EN Page 8 / 10

XTREME FLEX BLACK Revision Number 2

Revision date 15-Jul-2025 Supersedes date 07-Nov-2022

Section 13: Disposal considerations

Disposal methods

products

Waste from residues/unused

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

Section 14: Transport information

ADG Not regulated

IMDG Not regulated

Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

International Inventories

AIIC Complies
NZIOC Complies
ENCS Not Listed
IECSC Complies
KECL Complies
PICCS Not Listed

Legend:

AIIC - Australian Inventory of Industrial Chemicals **NZIOC** - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

Australia - EN Page 9 / 10

XTREME FLEX BLACK Revision Number 2 Revision date 15-Jul-2025 Supersedes date 07-Nov-2022

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Directive 2011/65/EU (EU RoHS 2), as amended by the Delegated Directive (EU) 2015/863 (EU RoHS 3)

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information

Revision date 15-Jul-2025

Revision Note

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information

EC50 (effective concentration)

<u>Disclaime</u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Australia - EN Page 10 / 10

^{***}Indicates updated data since last publication.