



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

EVO-STIK SUPER CONCENTRATE PVA
Supersedes date 05-May-2023

Revision date 25-Nov-2025
Revision Number 1.03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name EVO-STIK SUPER CONCENTRATE PVA
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants
Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited
Common Rd
ST16 3EH
Stafford UK
Tel: +44 (1785) 27 26 25
Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)
NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains tert-Butyl hydroperoxide & reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]. May produce an allergic reaction
EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

SAFETY DATA SHEET

EVO-STIK SUPER CONCENTRATE PVA
Supersedes date 05-May-2023

Revision date 25-Nov-2025
Revision Number 1.03

P101 - If medical advice is needed, have product container or label at hand
P102 - Keep out of reach of children

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical name | Weight-% | REACH registration number | EC No. (Index No.) | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | M-Factor | M-Factor (long-term) | Notes |
|---|-----------------|----------------------------|-----------------------------|--|--|----------|----------------------|-------|
| Vinyl acetate 108-05-4 | 0.1 - <0.3 | 01-2119471301-50-XXXX | 203-545-4 (607-023-00-0) | Flam. Liq. 2 (H225) Acute Tox. 4 (H332) Carc. 2 (H351) STOT SE 3 (H335) STOT SE 3 (H336) STOT RE 2 (H373) Aquatic Chronic 3 (H412) | - | - | - | D |
| Methyl alcohol 67-56-1 | 0.1 - <0.3 | # 01-2119433307-44-XXXX | 200-659-6 (603-001-00-X) | Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225) | STOT SE 2 :: 3%≤C<10% STOT SE 1 :: C≥10% | - | - | - |
| tert-Butyl hydroperoxide 75-91-2 | 0.01 < 0.036 | 01-2119446670-40-XXXX | 200-915-7 (617-023-00-2) | Acute Tox. 4 (H302) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Muta. 2 (H341) 2 (H351) STOT SE 3 (H335) Aquatic Chronic 2 (H411) Org. Perox. F (H242) Flam. Liq. 3 (H226) | - | - | - | - |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiaz | <0.0015 | No data available | 611-341-5 | Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) | Eye Dam. 1 :: C≥0.6% Eye Irrit. 2 :: 0.06%≤C<0.6% | 100 | 100 | B |

SAFETY DATA SHEET

EVO-STIK SUPER CONCENTRATE PVA
Supercedes date 05-May-2023

Revision date 25-Nov-2025
Revision Number 1.03

| | | | | | | | | |
|--|--|--|--|--|---|--|--|--|
| ol-3-one (3:1) [C(M)IT/MIT] 55965-84-9 | | | | Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071) | Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0 .6% Skin Sens. 1A :: C>=0.0015% | | | |
|--|--|--|--|--|---|--|--|--|

The substance does not require registration according to REACH

#: Exempt, Hazardous impurities

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Note D - Certain substances which are susceptible to spontaneous polymerization or decomposition are generally placed on the market in a stabilized form. It is in this form that they are listed in Part 3 of Annex VI to Regulation (EC) No 1272/2008. However, such substances are sometimes placed on the market in a non-stabilized form. In this case, the supplier who places such a substance on the market must state on the label the name of the substance followed by the words "non-stabilized".

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

| Chemical name | EC No. (Index No.) | CAS No. | Oral LD50 mg/kg | Dermal LD50 mg/kg | Inhalation LC50 - 4 hour - dust/mist - mg/L | Inhalation LC50 - 4 hour - vapour - mg/L | Inhalation LC50 - 4 hour - gas - ppm |
|--|-----------------------------|------------|-----------------|-------------------|---|--|--------------------------------------|
| Vinyl acetate | 203-545-4 (607-023-00-0) | 108-05-4 | - | - | - | 12.956 | - |
| Methyl alcohol | 200-659-6 (603-001-00-X) | 67-56-1 | 100 | 300 | - | 3 | - |
| tert-Butyl hydroperoxide | 200-915-7 (617-023-00-2) | 75-91-2 | 560 | 440 | - | 1.85 | - |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | 611-341-5 | 55965-84-9 | 66 | 141 | 0.17 | - | - |

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand. Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

SAFETY DATA SHEET

EVO-STIK SUPER CONCENTRATE PVA
Supersedes date 05-May-2023

Revision date 25-Nov-2025
Revision Number 1.03

| | |
|--------------|---|
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor. |
| Skin contact | Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor. |
| Ingestion | Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. |

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical No information available.

Hazardous combustion products Carbon oxides.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

SAFETY DATA SHEET

EVO-STIK SUPER CONCENTRATE PVA
Supersedes date 05-May-2023

Revision date 25-Nov-2025
Revision Number 1.03

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.

Recommended storage temperature Do not freeze. Keep at temperatures between 5 and 35 °C.

7.3. Specific end use(s)

Specific use(s)
Adhesives and/or sealants.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

| Chemical name | European Union | United Kingdom |
|---------------------------|---|---|
| Vinyl acetate 108-05-4 | TWA: 5 ppm; TWA: 17.6 mg/m ³ ; STEL: 10 ppm; STEL: 35.2 mg/m ³ ; | TWA: 5 ppm; TWA: 17.6 mg/m ³ ; STEL: 10 ppm; STEL: 35.2 mg/m ³ ; |
| Methyl alcohol 67-56-1 | TWA: 200 ppm; TWA: 260 mg/m ³ ; pSk | TWA: 200 ppm; TWA: 266 mg/m ³ ; STEL: 250 ppm; STEL: 333 mg/m ³ ; pSk |

| Chemical name | European Union | Ireland | United Kingdom |
|---------------------------|----------------|---|----------------|
| Methyl alcohol 67-56-1 | - | 15 mg/L (urine - Methanol end of shift) | - |

Derived No Effect Level (DNEL) No information available

| Derived No Effect Level (DNEL) | | | |
|---|----------------|--------------------------------|---------------|
| Vinyl acetate (108-05-4) | | | |
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker Long term Systemic health effects | Inhalation | 17.6 mg/m ³ | |
| worker Short term Systemic health effects | Inhalation | 35.2 mg/m ³ | |
| worker Long term | Inhalation | 17.6 mg/m ³ | |

SAFETY DATA SHEET

EVO-STIK SUPER CONCENTRATE PVA
Supersedes date 05-May-2023

Revision date 25-Nov-2025
Revision Number 1.03

| | | | |
|-------------------------|------------|------------------------|--|
| Local health effects | | | |
| worker | Inhalation | 35.2 mg/m ³ | |
| Short term | | | |
| Local health effects | | | |
| worker | Dermal | 0.42 mg/kg bw/d | |
| Long term | | | |
| Systemic health effects | | | |

| tert-Butyl hydroperoxide (75-91-2) | | | |
|---|----------------|--------------------------------|---------------|
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker | Inhalation | 3.08 mg/m ³ | |
| Long term | | | |
| Systemic health effects | | | |
| worker | Inhalation | 10.37 mg/m ³ | |
| Short term | | | |
| Systemic health effects | | | |
| worker | Inhalation | 3.69 mg/m ³ | |
| Long term | | | |
| Local health effects | | | |
| worker | Inhalation | 21.34 mg/m ³ | |
| Short term | | | |
| Local health effects | | | |
| worker | Dermal | 12.5 mg/kg bw/d | |
| Long term | | | |
| Systemic health effects | | | |

| Derived No Effect Level (DNEL) | | | |
|---|----------------|--------------------------------|---------------|
| tert-Butyl hydroperoxide (75-91-2) | | | |
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| Consumer | Inhalation | 0.91 mg/m ³ | |
| Long term | | | |
| Systemic health effects | | | |
| Consumer | Inhalation | 3.22 mg/m ³ | |
| Short term | | | |
| Systemic health effects | | | |
| Consumer | Inhalation | 0.75 mg/m ³ | |
| Long term | | | |
| Local health effects | | | |
| Consumer | Inhalation | 12.81 mg/m ³ | |
| Short term | | | |
| Local health effects | | | |
| Consumer | Dermal | 7.5 mg/kg bw/d | |
| Long term | | | |
| Systemic health effects | | | |
| Consumer | Oral | 0.26 mg/kg bw/d | |
| Long term | | | |
| Systemic health effects | | | |

Predicted No Effect Concentration (PNEC)

| Predicted No Effect Concentration (PNEC) | |
|---|--|
| Vinyl acetate (108-05-4) | |
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 0.016 mg/l |
| Marine water | 0.002 mg/l |
| Microorganisms in sewage treatment | 6 mg/l |

SAFETY DATA SHEET

EVO-STIK SUPER CONCENTRATE PVA
Supersedes date 05-May-2023

Revision date 25-Nov-2025
Revision Number 1.03

| | |
|---------------------|------------------------|
| Freshwater sediment | 0.067 mg/kg dry weight |
| Marine sediment | 0.007 mg/kg dry weight |
| Soil | 0.004 mg/kg dry weight |

| tert-Butyl hydroperoxide (75-91-2) | |
|------------------------------------|--|
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 0.0015 mg/l |
| Marine water | 0.00015 mg/l |
| Freshwater - intermittent | 0.015 mg/l |
| Microorganisms in sewage treatment | 0.17 mg/l |
| Freshwater sediment | 0.00621 mg/kg dry weight |
| Marine sediment | 0.000621 mg/kg dry weight |
| Soil | 0.00036 mg/kg dry weight |

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Avoid contact with eyes.
Hand protection Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature.
Skin and body protection Wear protective gloves and protective clothing. Avoid contact with skin, eyes or clothing.
Respiratory protection During spraying wear suitable respiratory equipment.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance Liquid
Colour White
Odour Slight. Petroleum.

| Property | Values | Remarks • Method |
|--|-------------------|------------------|
| Melting point / freezing point | 0 °C | |
| Initial boiling point and boiling range | 100 °C | |
| Flammability | No data available | None known |
| Flammability Limit in Air | | None known |
| Upper flammability or explosive limits | No data available | |
| Lower flammability or explosive limits | No data available | |
| Flash point | No data available | None known |
| Autoignition temperature | No data available | None known |
| Decomposition temperature | | None known |
| pH | 4 - 6 | |
| pH (as aqueous solution) | No data available | |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | |
| Water solubility | Dispersible. | |
| Solubility(ies) | No data available | None known |
| Partition coefficient | No data available | None known |
| Vapour pressure | No data available | None known |
| Relative density | No data available | None known |
| Bulk density | No data available | |
| Density | 1.08 g/mL | |
| Relative vapour density | No data available | None known |

SAFETY DATA SHEET

EVO-STIK SUPER CONCENTRATE PVA
Supersedes date 05-May-2023

Revision date 25-Nov-2025
Revision Number 1.03

Particle characteristics

| | |
|----------------------------|--------------------------|
| Particle Size | No information available |
| Particle Size Distribution | No information available |

9.2. Other information

| | | |
|-------------------|-----------|-------------------|
| Solid content (%) | approx 44 | |
| VOC content | | No data available |

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

| | |
|------------|---------------------------|
| Reactivity | No information available. |
|------------|---------------------------|

10.2. Chemical stability

| | |
|-----------|---------------------------------|
| Stability | Stable under normal conditions. |
|-----------|---------------------------------|

Explosion data

| | |
|----------------------------------|-------|
| Sensitivity to mechanical impact | None. |
| Sensitivity to static discharge | None. |

10.3. Possibility of hazardous reactions

| | |
|------------------------------------|-------------------------------|
| Possibility of hazardous reactions | None under normal processing. |
|------------------------------------|-------------------------------|

10.4. Conditions to avoid

| | |
|---------------------|----------------|
| Conditions to avoid | Do not freeze. |
|---------------------|----------------|

10.5. Incompatible materials

| | |
|------------------------|---|
| Incompatible materials | None known based on information supplied. |
|------------------------|---|

10.6. Hazardous decomposition products

| | |
|----------------------------------|---|
| Hazardous decomposition products | Carbon monoxide. Carbon dioxide (CO ₂). |
|----------------------------------|---|

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

| | |
|--------------|---|
| Inhalation | Based on available data, the classification criteria are not met. |
| Eye contact | Based on available data, the classification criteria are not met. |
| Skin contact | Based on available data, the classification criteria are not met. |

SAFETY DATA SHEET

EVO-STIK SUPER CONCENTRATE PVA
Supersedes date 05-May-2023

Revision date 25-Nov-2025
Revision Number 1.03

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

| | |
|-------------------------------|------------------|
| ATEmix (oral) | 90,532.60 mg/kg |
| ATEmix (dermal) | 175,805.30 mg/kg |
| ATEmix (inhalation-gas) | >20000 ppm |
| ATEmix (inhalation-dust/mist) | >5 mg/L |
| ATEmix (inhalation-vapour) | 1,758.053 mg/L |

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|--------------------------------|--|---|
| Vinyl acetate | =2900 mg/kg (Rattus) | = 2335 mg/kg (Oryctolagus cuniculus) | =11.4 mg/L (Rattus) 4 h = 3680 ppm (Rattus) 4 h |
| Methyl alcohol | =2500 mg/kg (Rattus) | 200-1000 mg/kg (Oryctolagus cuniculus) | =22500 ppm (Rattus) 8 h = 64000 ppm (Rattus) 4 h |
| tert-Butyl hydroperoxide | =560 mg/kg (Rattus) (OECD 401) | = 440 mg/kg (Oryctolagus cuniculus) (OECD 402) | LC50 (4h) =1.85 mg/L (Rattus) (OECD 403) 4 h = 500 ppm (Rattus) 4 h |
| reaction mass of 5-chloro-2-methyl-2H-isothiazolo 1-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | 66 mg/kg (Rat) | LD50 = 8141 mg/kg (Rat) OECD 402 | = 0.33 mg/L (Rat) 4h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

| Vinyl acetate (108-05-4) | | | | | |
|--|---------|----------------|----------------|---------------|--------------|
| Method | Species | Exposure route | Effective dose | Exposure time | Results |
| OECD Test No. 404: Acute Dermal Irritation/Corrosion | Rabbit | Dermal | | | Non-irritant |

| tert-Butyl hydroperoxide (75-91-2) | | | | | |
|------------------------------------|---------|----------------|----------------|---------------|-----------|
| Method | Species | Exposure route | Effective dose | Exposure time | Results |
| Not specified | Rabbit | Dermal | 0.5 g | 24 hours | Corrosive |

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

| Vinyl acetate (108-05-4) | | | | | |
|---|---------|----------------|----------------|---------------|--------------|
| Method | Species | Exposure route | Effective dose | Exposure time | Results |
| OECD Test No. 405: Acute Eye Irritation/Corrosion | Rabbit | eye | | | Non-irritant |

| tert-Butyl hydroperoxide (75-91-2) | | | | | |
|------------------------------------|--|--|--|--|--|
|------------------------------------|--|--|--|--|--|

SAFETY DATA SHEET

EVO-STIK SUPER CONCENTRATE PVA
Supersedes date 05-May-2023

Revision date 25-Nov-2025
Revision Number 1.03

| Method | Species | Exposure route | Effective dose | Exposure time | Results |
|---------------|---------|----------------|----------------|---------------|--|
| Not specified | Rabbit | Eye | 0.1 mL | 24 hour | Corrosive - causes irreversible eye damage |

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

| Vinyl acetate (108-05-4) | | | | | |
|---------------------------------------|------------|----------------|-------------|--|--|
| tert-Butyl hydroperoxide (75-91-2) | | | | | |
| Method | Species | Exposure route | Results | | |
| OECD Test No. 406: Skin Sensitisation | Guinea pig | Dermal | Sensitising | | |

Germ cell mutagenicity Based on available data, the classification criteria are not met.

| Component Information | | |
|--|-----------------------------|----------------------------|
| Vinyl acetate (108-05-4) | | |
| Method | Species | Results |
| OECD Test No. 473: In vitro Mammalian Chromosome Aberration Test | Human lymphocytes, in vitro | Mutagenic |
| OECD Test No. 471: Bacterial Reverse Mutation Test | | Not mutagenic in AMES Test |

| tert-Butyl hydroperoxide (75-91-2) | | |
|--|----------|-----------|
| Method | Species | Results |
| OECD Test No. 471: Bacterial Reverse Mutation Test | in vitro | Mutagenic |
| OECD Test No. 473: In vitro Mammalian Chromosome Aberration Test | in vitro | Mutagenic |

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

| Chemical name | European Union |
|--------------------------|----------------|
| tert-Butyl hydroperoxide | Muta. 2 |

Carcinogenicity Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component Information | | |
|--|---------|--------------|
| Vinyl acetate (108-05-4) | | |
| Method | Species | Results |
| OECD Test No. 453: Combined Chronic Toxicity/Carcinogenicity Studies | Rat | Carcinogenic |

| tert-Butyl hydroperoxide (75-91-2) | | |
|------------------------------------|---------|---|
| Method | Species | Results |
| OECD 451 | Rat | Limited evidence of a carcinogenic effect |

| Chemical name | European Union |
|---------------|----------------|
| Vinyl acetate | Carc. 2 |

Reproductive toxicity Based on available data, the classification criteria are not met.

| | | |
|--------------------------|--|--|
| Vinyl acetate (108-05-4) | | |
|--------------------------|--|--|

SAFETY DATA SHEET

EVO-STIK SUPER CONCENTRATE PVA
Supersedes date 05-May-2023

Revision date 25-Nov-2025
Revision Number 1.03

| Method | Species | Results |
|---|---------|----------------------|
| OECD Test No. 416: Two-Generation Reproduction Toxicity | Rat | NOAEL 100 mg/kg bw/d |

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

| Vinyl acetate (108-05-4) | | | | | |
|--|---------------|----------------|----------------|---------------|------------------|
| Method | Species | Exposure route | Effective dose | Exposure time | Results |
| OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents | Mouse, female | Oral | | 91 days | NOAEL: 281 mg/kg |
| OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents | Mouse, male | Oral | | 91 days | NOAEL 285 mg/kg |
| OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents | Rat, male | Oral | | 91 days | NOAEL 684 mg/kg |
| OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents | Rat, female | Oral | | 91 days | NOAEL 810 mg/kg |

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Based on available data, the classification criteria are not met.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea | M-Factor | M-Factor (long-term) |
|---------------------------|----------------------|---|--|--|----------|----------------------|
| Vinyl acetate 108-05-4 | - | LC50 96 h = 14 mg/L (Pimephales promelas static) | EC50 = 2080 mg/L 5 min | EC50 48 h = 12.6 mg/L (Daphnia magna) | | |
| Methyl alcohol 67-56-1 | - | LC50: >100mg/L (96h, Pimephales) | EC50 = 39000 mg/L 25 min EC50 = 40000 | - | | |

SAFETY DATA SHEET

EVO-STIK SUPER CONCENTRATE PVA
Supersedes date 05-May-2023

Revision date 25-Nov-2025
Revision Number 1.03

| | | | | | | |
|---|--|--|---|--|-----|-----|
| | | promelas) LC50: 18 - 20mL/L (96h, Oncorhynchus mykiss) LC50: =28200mg/L (96h, Pimephales promelas) LC50: 13500 - 17600mg/L (96h, Lepomis macrochirus) LC50: 19500 - 20700mg/L (96h, Oncorhynchus mykiss) | mg/L 15 min EC50 = 43000 mg/L 5 min | | | |
| tert-Butyl hydroperoxide 75-91-2 | EC50: =2.1mg/L (72h, Pseudokirchneri ella subcapitata) | LC50 (96h)=29.61 mg/L (Pimephales promelas) (OECD 203) | - | EC50: =14.07 mg/L (48h, Daphnia magna) (OECD 202) | | |
| reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT] 55965-84-9 | EC50 (72h) =0.048 mg/L (Pseudokirchner iella subcapitata) (OECD 201) | EC50 (96h) = 0.22 mg/L (Oncorhynchus mykiss) (OECD 211) | - | EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202) | 100 | 100 |

12.2. Persistence and degradability

Persistence and degradability No information available.

| Vinyl acetate (108-05-4) | | | |
|---|---------------|-----------------------|-----------------------|
| Method | Exposure time | Value | Results |
| OECD Test No. 301C: Ready Biodegradability: Modified MITI Test (I) (TG 301 C) | 14 days | 82-92% biodegradation | Readily biodegradable |

| tert-Butyl hydroperoxide (75-91-2) | | | |
|---|---------------|-------|---------------------------|
| Method | Exposure time | Value | Results |
| OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test (TG 301 B) | 28 days | 0 | Not readily biodegradable |

| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9) | | | |
|---|---------------|----------------|---------------------------|
| Method | Exposure time | Value | Results |
| OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test (TG 301 B) | 28 days | biodegradation | Not readily biodegradable |

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|----------------|-----------------------|
| Vinyl acetate | 0.73 |
| Methyl alcohol | -0.77 |

SAFETY DATA SHEET

EVO-STIK SUPER CONCENTRATE PVA
Supersedes date 05-May-2023

Revision date 25-Nov-2025
Revision Number 1.03

| | |
|--|-------|
| tert-Butyl hydroperoxide | 0.846 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | 0.7 |

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

| Chemical name | PBT and vPvB assessment |
|--|-------------------------|
| Vinyl acetate | Not PBT/vPvB |
| Methyl alcohol | Not PBT/vPvB |
| tert-Butyl hydroperoxide | Not PBT/vPvB |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | Not PBT/vPvB |

12.6. Endocrine disrupting properties Endocrine disrupting properties

Endocrine disruption for the environment Based on available data, the classification criteria are not met.

12.7. Other adverse effects Other adverse effects

Other adverse effects No information available.
PMT or vPvM properties The product contains substance(s) classified as PMT or vPvM.

| Chemical name | PMT and vPvM assessment |
|--------------------------|-------------------------|
| tert-Butyl hydroperoxide | PMT & vPvM |

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

Other information Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note: Keep from freezing.

Land transport (ADR/RID)

14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None

SAFETY DATA SHEET

EVO-STIK SUPER CONCENTRATE PVA
Supersedes date 05-May-2023

Revision date 25-Nov-2025
Revision Number 1.03

IMDG

14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Marine pollutant NP
14.6 Special precautions for user
Special Provisions None
14.7 Maritime transport in bulk
according to IMO instruments
Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

| Chemical name | CAS No. | Restricted substance per REACH Annex XVII |
|----------------|---------|---|
| Methyl alcohol | 67-56-1 | 69 75 |

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European

SAFETY DATA SHEET

EVO-STIK SUPER CONCENTRATE PVA
Supersedes date 05-May-2023

Revision date 25-Nov-2025
Revision Number 1.03

parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Named dangerous substances per Seveso Directive (2012/18/EU)

| Chemical name | Lower-tier requirements (tons) | Upper-tier requirements (tons) |
|--------------------------|--------------------------------|--------------------------------|
| Methyl alcohol - 67-56-1 | 500 | 5000 |

Ozone-depleting substances (ODS) regulation (EC) 2024/590

Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

Regulations on drug precursors (EC) No 111/2005 (export) and 273/2004 (internal trade)

This product does not contain any substance(s) on the Drug Precursors list.

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

EUH071 - Corrosive to the respiratory tract
H225 - Highly flammable liquid and vapour
H226 - Flammable liquid and vapour
H242 - Heating may cause a fire
H301 - Toxic if swallowed
H302 - Harmful if swallowed
H310 - Fatal in contact with skin
H311 - Toxic in contact with skin
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H330 - Fatal if inhaled
H331 - Toxic if inhaled
H332 - Harmful if inhaled
H335 - May cause respiratory irritation
H336 - May cause drowsiness or dizziness
H341 - Suspected of causing genetic defects
H351 - Suspected of causing cancer
H370 - Causes damage to organs
H373 - May cause damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H411 - Toxic to aquatic life with long lasting effects
H412 - Harmful to aquatic life with long lasting effects

SAFETY DATA SHEET

EVO-STIK SUPER CONCENTRATE PVA
Supersedes date 05-May-2023

Revision date 25-Nov-2025
Revision Number 1.03

Notes relating to the identification, classification and labelling of substances

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Note D - Certain substances which are susceptible to spontaneous polymerization or decomposition are generally placed on the market in a stabilized form. It is in this form that they are listed in Part 3 of Annex VI to Regulation (EC) No 1272/2008. However, such substances are sometimes placed on the market in a non-stabilized form. In this case, the supplier who places such a substance on the market must state on the label the name of the substance followed by the words "non-stabilized"

Legend

| | |
|---------|---|
| TWA | TWA (time-weighted average) |
| STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Ceiling Limit Value |
| Sk* | Skin designation |
| SVHC | Substance(s) of Very High Concern |
| PBT | Persistent, Bioaccumulative, and Toxic (PBT) Chemicals |
| vPvB | Very Persistent and very Bioaccumulative (vPvB) Chemicals |
| STOT RE | Specific target organ toxicity - Repeated exposure |
| STOT SE | Specific target organ toxicity - Single exposure |
| EWC | European Waste Catalogue |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| IMDG | International Maritime Dangerous Goods (IMDG) |
| IATA | International Air Transport Association (IATA) |
| RID | Regulations concerning the International Transport of Dangerous Goods by Rail |

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs
Revision date 25-Nov-2025

Indication of changes

Revision Note Not applicable.
Training Advice No information available
Further information No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet