



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

BOSTIK ARDACOLOR PREMIUM+ CAMEL
Supersedes date 02-May-2023

Revision date 17-Sep-2024
Revision Number 1.03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name BOSTIK ARDACOLOR PREMIUM+ CAMEL

Other means of identification

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Fillers, putties, plasters, modelling clay Joint sealants

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik GmbH
Industriestrasse 3 – 11
33829 Borgholzhausen, Germany
Tel: +49 (0) 5425 / 801 0
Fax: +49 (0) 5425 / 801 140

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Ireland **NPIC - National Poison Information Centre**
Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)
Healthcare Professionals: +353 (01) 8092566 (24 hour service)

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

Europe 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to
Regulation (EC) No. 1272/2008
[CLP]

| | |
|------------------------|---------------------|
| Carcinogenicity | Category 2 - (H351) |
|------------------------|---------------------|

2.2. Label elements

Contains Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]



SAFETY DATA SHEET

BOSTIK ARDACOLOR PREMIUM+ CAMEL
Supercedes date 02-May-2023

Revision date 17-Sep-2024
Revision Number 1.03

Signal word

Warning

Hazard statements

H351 - Suspected of causing cancer

EU Specific Hazard Statements

EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe dust

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P201 - Obtain special instructions before use

P260 - Do not breathe dust

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

No information available.

PBT & vPvB

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical name | EC No (EU Index No). | CAS No.. | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | M-Factor | M-Factor (long-term) | REACH registration number |
|--|-----------------------------|------------|---|------------------------------------|----------|----------------------|---------------------------|
| Quartz 20 - <25 % | 238-878-4 | 14808-60-7 | [B] | - | - | - | [5] |
| Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] 1 - <2.5 % | 236-675-5 (022-006-00-2) | 13463-67-7 | Carc. 2 (H351i) | - | - | - | 01-2119489379-17-XXXX |

Full text of H- and EUH-phrases: see section 16

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[B] - Substance with a Community workplace exposure limit

Acute Toxicity Estimate

SAFETY DATA SHEET

BOSTIK ARDACOLOR PREMIUM+ CAMEL
Supersedes date 02-May-2023

Revision date 17-Sep-2024
Revision Number 1.03

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE_{mix}) for classifying a mixture based on its components

| Chemical name | EC No (EU Index No) | CAS No. | Oral LD50 mg/kg | Dermal LD50 mg/kg | Inhalation LC50 - 4 hour - dust/mist - mg/L | Inhalation LC50 - 4 hour - vapour - mg/L | Inhalation LC50 - 4 hour - gas - ppm |
|--|--------------------------|------------|-----------------|-------------------|---|--|--------------------------------------|
| Quartz | 238-878-4 | 14808-60-7 | - | - | - | - | - |
| Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] | 236-675-5 (022-006-00-2) | 13463-67-7 | - | - | - | - | - |

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Notes

See section 16 for more information

| Chemical name | Notes |
|---|--------|
| Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] - 13463-67-7 | V,W,10 |

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|-----------------------|--|
| General advice | If medical advice is needed, have product container or label at hand. |
| Inhalation | Remove to fresh air. Get medical attention immediately if symptoms occur. |
| Eye contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist. |
| Skin contact | Wash off immediately with soap and plenty of water. If skin irritation or rash occurs: Get medical advice/attention. |
| Ingestion | Do NOT induce vomiting. If swallowed, rinse mouth with water (only if the person is conscious). Drink 1 or 2 glasses of water. Call a doctor or poison control centre immediately. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|----------------------------|--|
| Symptoms | Inhalation of dust in high concentration may cause irritation of respiratory system. |
| Effects of Exposure | No information available. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|------------------------|---------------------------|
| Note to doctors | No information available. |
|------------------------|---------------------------|

SECTION 5: Firefighting measures

5.1. Extinguishing media

SAFETY DATA SHEET

BOSTIK ARDACOLOR PREMIUM+ CAMEL
Supercedes date 02-May-2023

Revision date 17-Sep-2024
Revision Number 1.03

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Product itself does not burn.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid generation of dust. Do not breathe dust. Ensure adequate ventilation. Use personal protective equipment as required. Do not get in eyes, on skin, or on clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Methods for containment Cover powder spill with plastic sheet or tarp to minimise spreading and keep powder dry. Prevent dust cloud.

Methods for cleaning up Vacuum or sweep material and place in a disposal container.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Avoid generation of dust. Ensure adequate ventilation. Do not breathe dust. Use personal protection equipment. Avoid contact with skin, eyes or clothing.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

SAFETY DATA SHEET

BOSTIK ARDACOLOR PREMIUM+ CAMEL
 Supersedes date 02-May-2023

Revision date 17-Sep-2024
 Revision Number 1.03

Specific use(s)

Joint sealants. Fillers, putties, plasters, modelling clay.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

| Chemical name | European Union | Ireland | United Kingdom |
|--|----------------------------|---|---|
| Calcium sulfate 7778-18-9 | - | TWA: 10 mg/m ³ STEL: 30 mg/m ³ | |
| Quartz 14808-60-7 | TWA: 0.1 mg/m ³ | TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³ | TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³ |
| Aluminum oxide (Al ₂ O ₃) 1344-28-1 | - | TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³ | TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³ |
| Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] 13463-67-7 | - | TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³ | TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³ |
| Limestone 1317-65-3 | - | TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³ | TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³ |

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)

Quartz (14808-60-7)

Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)

| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
|---|----------------|--------------------------------|---------------|
| worker Long term Local health effects | Inhalation | 10 mg/m ³ | |

Derived No Effect Level (DNEL)

Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)

| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
|--|----------------|--------------------------------|---------------|
| Consumer Long term Systemic health effects | Oral | 700 mg/kg bw/d | |

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)

Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)

| Environmental compartment | Predicted No Effect Concentration (PNEC) |
|---------------------------|--|
| Marine water | 0.0184 mg/l |
| Freshwater sediment | 1000 mg/kg |
| Freshwater | 0.184 mg/l |
| Marine sediment | 100 mg/kg |

SAFETY DATA SHEET

BOSTIK ARDACOLOR PREMIUM+ CARMEL
Supersedes date 02-May-2023

Revision date 17-Sep-2024
Revision Number 1.03

| | |
|------------------------------------|------------|
| Soil | 100 mg/kg |
| Microorganisms in sewage treatment | 100 mg/l |
| Freshwater - intermittent | 0.193 mg/l |

8.2. Exposure controls

Engineering controls Provide local exhaust ventilation.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166

Hand protection Wear suitable gloves. Recommended Use: Nitrile rubber. Butyl rubber. Glove thickness > 0.4 mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min. Gloves must conform to standard EN 374

Skin and body protection Wear suitable protective clothing.

Respiratory protection Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Particle filter device (DIN EN 143).

Recommended filter type: Wear a respirator conforming to EN 140 with Type P2/P3 filter or better.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid
Appearance Powder
Colour Brown
Odour Slight. Characteristic.

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|--|--------------------------------------|-------------------------|
| Melting point / freezing point | Not applicable . | |
| Initial boiling point and boiling range | Not applicable . | |
| Flammability | No data available | |
| Flammability Limit in Air | | None known |
| Upper flammability or explosive limits | No data available | |
| Lower flammability or explosive limits | No data available | |
| Flash point | Not applicable . | |
| Autoignition temperature | . °C | Not applicable |
| Decomposition temperature | | None known |
| pH | | |
| pH (as aqueous solution) | 9.3 | solution (1 %) |
| Kinematic viscosity | Not applicable . | |
| Dynamic viscosity | Not applicable . | |
| Water solubility | Miscible in water. partially soluble | |
| Solubility(ies) | No data available | |
| Partition coefficient | No data available | |
| Vapour pressure | No data available | |
| Relative density | No data available | |
| Bulk density | 1.3 g/cm ³ | |
| Liquid Density | No data available | |
| Relative vapour density | No data available | None known |
| Particle characteristics | | |
| Particle Size | No information available | |
| Particle Size Distribution | No information available | |

9.2. Other information

Solid content (%) No information available

SAFETY DATA SHEET

BOSTIK ARDACOLOR PREMIUM+ CAMEL
Supercedes date 02-May-2023

Revision date 17-Sep-2024
Revision Number 1.03

Softening point Not relevant
VOC content No data available

9.2.1. Information with regards to physical hazard classes
Not applicable

9.2.2. Other safety characteristics
No information available Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Stability Keep away from Incompatible materials. Stable under recommended storage conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture.

10.5. Incompatible materials

Incompatible materials Strong oxidising agents. Acids. Aluminium.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

SAFETY DATA SHEET

BOSTIK ARDACOLOR PREMIUM+ CAMEL
Supersedes date 02-May-2023

Revision date 17-Sep-2024
Revision Number 1.03

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

| | |
|-------------------------------|-------------|
| ATEmix (oral) | >2000 mg/kg |
| ATEmix (dermal) | >2000 mg/kg |
| ATEmix (inhalation-gas) | >20000 ppm |
| ATEmix (inhalation-dust/mist) | >5 mg/l |
| ATEmix (inhalation-vapour) | >20 mg/l |

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|-------------------------------------|--------------------|----------------------------|
| Quartz | >2000 mg/kg (Rattus) | - | - |
| Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] | > 5000 mg/kg (Rattus) OECD 425 | LD50 > 10000 mg/Kg | = 5.09 mg/L (Rattus) 4 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Component Information

Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)

| Method | Species | Results |
|--|----------------------------|----------------------------|
| OECD Test No. 471: Bacterial Reverse Mutation Test | in vitro | Not mutagenic in AMES Test |
| OECD Test No. 476: In Vitro Mammalian Cell Gene Mutation Tests using the Hprt and xprt genes | Mammalian cells, in vitro | Negative |
| OECD Test No. 473: In vitro Mammalian Chromosome Aberration Test | in vitro | Negative |
| OECD Test No. 474: Mammalian Erythrocyte Micronucleus Test | Mouse, in vivo: Inhalation | Negative |
| OECD Test No. 474: Mammalian Erythrocyte Micronucleus Test | Rat, in vivo: Oral | Negative |

Carcinogenicity Suspected of causing cancer. Contains a known or suspected carcinogen.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | European Union |
|--|----------------|
| Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] | Carc. 2 |

SAFETY DATA SHEET

BOSTIK ARDACOLOR PREMIUM+ CAMEL
Supercedes date 02-May-2023

Revision date 17-Sep-2024
Revision Number 1.03

Reproductive toxicity Based on available data, the classification criteria are not met.

Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$] (13463-67-7)

| Method | Species | Results |
|---|---------|---|
| OECD Test No. 414: Pre-natal Development Toxicity Study | Rat | Based on available data, the classification criteria are not met NOAEL 1000 mg/kg bw/d |

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Based on available data, the classification criteria are not met.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea | M-Factor | M-Factor (long-term) |
|--|---|------|----------------------------|-----------|----------|----------------------|
| Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$] 13463-67-7 | LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203 | - | - | - | | |

12.2. Persistence and degradability

Persistence and degradability No information available.

Quartz (14808-60-7)

Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$] (13463-67-7)

| Method | Exposure time | Value | Results |
|--------|---------------|-------|---|
| | | | The methods for determining biodegradability are not applicable to inorganic substances |

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

SAFETY DATA SHEET

BOSTIK ARDACOLOR PREMIUM+ CAMEL
Supersedes date 02-May-2023

Revision date 17-Sep-2024
Revision Number 1.03

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

| Chemical name | PBT and vPvB assessment |
|---|---------------------------------|
| Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$] | The substance is not PBT / vPvB |

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
10 13 06 particulates and dust (except 10 13 12 and 10 13 13)
Cured product can be treated as construction waste. In the management of larger quantities consult with local authorities and local waste disposal company
10 13 14 waste concrete and concrete sludge

Other information Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number Not regulated
14.2 UN proper shipping name -
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None

IMDG

14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Marine pollutant NP
14.6 Special precautions for user
Special Provisions None

SAFETY DATA SHEET

BOSTIK ARDACOLOR PREMIUM+ CAMEL
Supersedes date 02-May-2023

Revision date 17-Sep-2024
Revision Number 1.03

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

| | |
|-----------------------------------|----------------|
| 14.1 UN number or ID number | Not regulated |
| 14.2 UN proper shipping name | Not regulated |
| 14.3 Transport hazard class(es) | Not regulated |
| 14.4 Packing group | Not regulated |
| 14.5 Environmental hazards | Not applicable |
| 14.6 Special precautions for user | |
| Special Provisions | None |

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SAFETY DATA SHEET

BOSTIK ARDACOLOR PREMIUM+ CAMEL
Supersedes date 02-May-2023

Revision date 17-Sep-2024
Revision Number 1.03

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H351i - Suspected of causing cancer if inhaled

Notes relating to the identification, classification and labelling of substances

Note V - If the substance is to be placed on the market as fibres (with diameter < 3 µm, length > 5 µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

Note W - It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation

Notes relating to the classification and labelling of mixtures

Note 10 - The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

AGW Occupational exposure limit value

BGW

Biological limit value

Ceiling Maximum limit value

SK*

Skin designation

| Classification procedure | |
|---|--------------------|
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | Method Used |
| Acute oral toxicity | Calculation method |
| Acute dermal toxicity | Calculation method |
| Acute inhalation toxicity - gas | Calculation method |
| Acute inhalation toxicity - vapour | Calculation method |
| Acute inhalation toxicity - dust/mist | Calculation method |
| Skin corrosion/irritation | Calculation method |
| Serious eye damage/eye irritation | Calculation method |
| Respiratory sensitisation | Calculation method |
| Skin sensitisation | Calculation method |
| Mutagenicity | Calculation method |
| Carcinogenicity | Calculation method |
| Reproductive toxicity | Calculation method |
| STOT - single exposure | Calculation method |
| STOT - repeated exposure | Calculation method |
| Acute aquatic toxicity | Calculation method |
| Chronic aquatic toxicity | Calculation method |
| Aspiration hazard | Calculation method |
| Ozone | Calculation method |

SAFETY DATA SHEET

BOSTIK ARDACOLOR PREMIUM+ CAMEL
Supersedes date 02-May-2023

Revision date 17-Sep-2024
Revision Number 1.03

Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGl(s))
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
NIOSH (National Institute for Occupational Safety and Health)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set

| | |
|----------------------------|---|
| Prepared By | Product Safety & Regulatory Affairs |
| Revision date | 17-Sep-2024 |
| Revision Note | SDS sections updated 1 15 |
| Training Advice | When working with hazardous materials, regular training of operators is required by law |
| Further information | No information available |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet