



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**BOSTIK ARDACOLOR PREMIUM+ LIGHT BEIGE**  
Supersedes Date: 13-Jan-2023

Revision date 02-May-2023  
Revision Number 1.03

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Name BOSTIK ARDACOLOR PREMIUM+ LIGHT BEIGE

### Other means of identification

Pure substance/mixture Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Fillers, putties, plasters, modelling clay Joint sealants

Uses advised against None known

### 1.3. Details of the supplier of the safety data sheet

#### Company Name

Bostik GmbH  
An der Bundesstrasse 16  
33829 Borgholzhausen, Germany  
Tel: +49 (0) 5425 / 801 0  
Fax: +49 (0) 5425 / 801 140

E-mail address SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

Ireland **NPIC - National Poison Information Centre**  
Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)  
Healthcare Professionals: +353 (01) 8092566 (24 hour service)  
United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)  
Europe 112

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

<b>Carcinogenicity</b>	Category 2 - (H351)
------------------------	---------------------

### 2.2. Label elements

Contains Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq$  10  $\mu$ m]



Signal word  
Warning

# SAFETY DATA SHEET

**BOSTIK ARDACOLOR PREMIUM+ LIGHT BEIGE**  
**Supersedes Date:** 13-Jan-2023

**Revision date** 02-May-2023  
**Revision Number** 1.03

## Hazard statements

H351 - Suspected of causing cancer

## EU Specific Hazard Statements

EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe dust

## Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P201 - Obtain special instructions before use

P260 - Do not breathe dust

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

## Additional information

This product requires tactile warnings if supplied to the general public.

## 2.3. Other hazards

No information available.

## PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	EC No (EU Index No).	CAS No.	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	REACH registration number
Quartz 20 - 25 %	238-878-4	14808-60-7	[B]	-	-	-	[5]
Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] 1 - <2.5 %	(022-006-00-2) 236-675-5	13463-67-7	Carc. 2 (H351i)	-	-	-	01-2119489379-17-XXXX

**Full text of H- and EUH-phrases: see section 16**

*NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH*

*Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes*

*[B] - Substance with a Community workplace exposure limit*

## Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value

# SAFETY DATA SHEET

**BOSTIK ARDACOLOR PREMIUM+ LIGHT BEIGE**  
**Supersedes Date:** 13-Jan-2023

**Revision date** 02-May-2023  
**Revision Number** 1.03

from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No (EU Index No)	CAS No	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Quartz	238-878-4	14808-60-7	-	-	-	-	-
Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	(022-006-00-2) 236-675-5	13463-67-7	-	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Notes

See section 16 for more information

Chemical name	Notes
Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] - 13463-67-7	V,W,10

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General advice</b>	If medical advice is needed, have product container or label at hand.
<b>Inhalation</b>	Remove to fresh air. Get medical attention immediately if symptoms occur.
<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
<b>Ingestion</b>	Do NOT induce vomiting. If swallowed, rinse mouth with water (only if the person is conscious). Drink 1 or 2 glasses of water. Call a doctor or poison control centre immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Inhalation of dust in high concentration may cause irritation of respiratory system.
-----------------	--

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Note to doctors</b>	No information available.
------------------------	---------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
-------------------------------------	---

# SAFETY DATA SHEET

BOSTIK ARDACOLOR PREMIUM+ LIGHT BEIGE  
Supersedes Date: 13-Jan-2023

Revision date 02-May-2023  
Revision Number 1.03

Unsuitable extinguishing media Full water jet.

## 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Product itself does not burn.

## 5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Wear self contained breathing apparatus for fire fighting if necessary.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid generation of dust. Do not breathe dust. Ensure adequate ventilation. Use personal protective equipment as required. Do not get in eyes, on skin, or on clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil.

### 6.3. Methods and material for containment and cleaning up

Methods for containment Cover powder spill with plastic sheet or tarp to minimise spreading and keep powder dry. Prevent dust cloud.

Methods for cleaning up Vacuum or sweep material and place in a disposal container.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Advice on safe handling Avoid generation of dust. Ensure adequate ventilation. Do not breathe dust. Use personal protection equipment. Avoid contact with skin, eyes or clothing.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Keep away from food, drink and animal feedingstuffs.

### 7.3. Specific end use(s)

Specific use(s)  
Joint sealants. Fillers, putties, plasters, modelling clay.

# SAFETY DATA SHEET

**BOSTIK ARDACOLOR PREMIUM+ LIGHT BEIGE**  
**Supersedes Date:** 13-Jan-2023

**Revision date** 02-May-2023  
**Revision Number** 1.03

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

**Other information** Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

Chemical name	European Union	Ireland	United Kingdom
Quartz 14808-60-7	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>
Calcium sulfate 7778-18-9	-	TWA: 10 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup>	
Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> ) 1344-28-1	-	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>
Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] 13463-67-7	-	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>
Limestone 1317-65-3	-	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>

**Derived No Effect Level (DNEL)** No information available

Derived No Effect Level (DNEL)			
Quartz (14808-60-7)			
Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Local health effects	Inhalation	10 mg/m <sup>3</sup>	

Derived No Effect Level (DNEL)			
Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Oral	700 mg/kg bw/d	

#### Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)	
Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

# SAFETY DATA SHEET

BOSTIK ARDACOLOR PREMIUM+ LIGHT BEIGE  
Supersedes Date: 13-Jan-2023

Revision date 02-May-2023  
Revision Number 1.03

## 8.2. Exposure controls

**Engineering controls** Provide local exhaust ventilation.

### Personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166

**Hand protection** Wear suitable gloves. Recommended Use: Nitrile rubber. Butyl rubber. Glove thickness > 0.4 mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min. Gloves must conform to standard EN 374

**Skin and body protection** Wear suitable protective clothing.

**Respiratory protection** Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Particle filter device (DIN EN 143).

**Recommended filter type:** Wear a respirator conforming to EN 140 with Type P2/P3 filter or better.

**Environmental exposure controls** Do not allow uncontrolled discharge of product into the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Physical state** Solid  
**Appearance** Powder  
**Colour** White to Beige  
**Odour** Slight. Characteristic.  
**Odour threshold** No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Melting point / freezing point</b>	Not applicable .	
<b>Initial boiling point and boiling range</b>	Not applicable .	
<b>Flammability</b>	No data available	
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Flash point</b>	Not applicable .	
<b>Autoignition temperature</b>	No data available	
<b>Decomposition temperature</b>		None known
<b>pH</b>	.	
<b>pH (as aqueous solution)</b>	9.3	solution (1 %)
<b>Kinematic viscosity</b>	Not applicable .	
<b>Dynamic viscosity</b>	.	
<b>Water solubility</b>	Partially soluble. Partially miscible	
<b>Solubility(ies)</b>	No data available	
<b>Partition coefficient</b>	No data available	
<b>Vapour pressure</b>	No data available	
<b>Relative density</b>	No data available	
<b>Bulk Density</b>	1.3 g/cm <sup>3</sup>	
<b>Liquid Density</b>	No data available	
<b>Relative vapour density</b>	No data available	
<b>Particle characteristics</b>		
<b>Particle Size</b>	No information available	
<b>Particle Size Distribution</b>	No information available	

### 9.2. Other information

**Solid content (%)** No information available  
**Softening Point** Not relevant

# SAFETY DATA SHEET

**BOSTIK ARDACOLOR PREMIUM+ LIGHT BEIGE**  
Supercedes Date: 13-Jan-2023

Revision date 02-May-2023  
Revision Number 1.03

**VOC content** No data available

9.2.1. Information with regards to physical hazard classes  
Not applicable

9.2.2. Other safety characteristics  
No information available Not applicable .

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

**Reactivity** Product cures with moisture.

### **10.2. Chemical stability**

**Stability** Keep away from Incompatible materials. Stable under recommended storage conditions.

### **Explosion data**

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** None.

### **10.3. Possibility of hazardous reactions**

**Possibility of hazardous reactions** None under normal processing.

### **10.4. Conditions to avoid**

**Conditions to avoid** Protect from moisture. Product cures with moisture.

### **10.5. Incompatible materials**

**Incompatible materials** Strong oxidising agents. Acids. Aluminium.

### **10.6. Hazardous decomposition products**

**Hazardous decomposition products** None under normal use conditions. Stable under recommended storage conditions.

## **SECTION 11: Toxicological information**

### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

#### **Information on likely routes of exposure**

#### **Product Information**

**Inhalation** Based on available data, the classification criteria are not met.

**Eye contact** Based on available data, the classification criteria are not met.

**Skin contact** Based on available data, the classification criteria are not met.

**Ingestion** Based on available data, the classification criteria are not met.

#### **Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** No information available.

# SAFETY DATA SHEET

BOSTIK ARDACOLOR PREMIUM+ LIGHT BEIGE  
Supersedes Date: 13-Jan-2023

Revision date 02-May-2023  
Revision Number 1.03

## Acute toxicity

### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	>5000 mg/kg
ATEmix (dermal)	>5000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapour)	>20 mg/l

### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz	>2000 mg/kg (Rattus)	-	-
Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	> 5000 mg/kg ( Rattus ) OECD 425	LD50 > 10000 mg/Kg	= 5.09 mg/L ( Rattus ) 4 h

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

### Component Information

Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse Mutation Test	in vitro	Not mutagenic in AMES Test
OECD Test No. 476: In vitro Mammalian Cell Gene Mutation Test	Mammalian cells, in vitro	Negative
OECD Test No. 473: In vitro Mammalian Chromosome Aberration Test	in vitro	Negative
OECD Test No. 474: Mammalian Erythrocyte Micronucleus Test	Mouse, in vivo: Inhalation	Negative
OECD Test No. 474: Mammalian Erythrocyte Micronucleus Test	Rat, in vivo: Oral	Negative

**Carcinogenicity** Suspected of causing cancer. Contains a known or suspected carcinogen. Classification based on data available for ingredients.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	Carc. 2



# SAFETY DATA SHEET

BOSTIK ARDACOLOR PREMIUM+ LIGHT BEIGE  
Supersedes Date: 13-Jan-2023

Revision date 02-May-2023  
Revision Number 1.03

**Reproductive toxicity** Based on available data, the classification criteria are not met.

Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ] (13463-67-7)

Method	Species	Results
OECD Test No. 414: Pre-natal Development Toxicity Study	Rat	Based on available data, the classification criteria are not met NOAEL 1000 mg/kg bw/d

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

### 11.2.2. Other information

**Other adverse effects** No information available.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

#### Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ ] (13463-67-7)	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-		

### 12.2. Persistence and degradability

**Persistence and degradability** No information available.

Quartz (14808-60-7)

Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ] (13463-67-7)

Method	Exposure time	Value	Results
			The methods for determining biodegradability are not applicable to inorganic substances

### 12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

# SAFETY DATA SHEET

BOSTIK ARDACOLOR PREMIUM+ LIGHT BEIGE  
Supersedes Date: 13-Jan-2023

Revision date 02-May-2023  
Revision Number 1.03

## 12.4. Mobility in soil

Mobility in soil No information available.

## 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Titanium Dioxide[in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ ]	The substance is not PBT / vPvB PBT assessment does not apply

## 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

## 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

**Waste from residues/unused products** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

**Contaminated packaging** Handle contaminated packages in the same way as the product itself.

**European Waste Catalogue** 17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03  
10 13 06 particulates and dust (except 10 13 12 and 10 13 13)  
Cured product can be treated as construction waste. In the management of larger quantities consult with local authorities and local waste disposal company  
10 13 14 waste concrete and concrete sludge

**Other information** Waste codes should be assigned by the user based on the application for which the product was used.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1 UN number or ID number Not regulated  
14.2 UN proper shipping name Not regulated  
14.3 Transport hazard class(es) Not regulated  
14.4 Packing group Not regulated  
14.5 Environmental hazards Not applicable  
14.6 Special precautions for user  
Special Provisions None

### IMDG

14.1 UN number or ID number Not regulated  
14.2 UN proper shipping name Not regulated  
14.3 Transport hazard class(es) Not regulated  
14.4 Packing group Not regulated  
14.5 Marine pollutant NP  
14.6 Special precautions for user

# SAFETY DATA SHEET

BOSTIK ARDACOLOR PREMIUM+ LIGHT BEIGE  
Supersedes Date: 13-Jan-2023

Revision date 02-May-2023  
Revision Number 1.03

Special Provisions None  
14.7 Maritime transport in bulk according to IMO instruments  
Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

## Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated  
14.2 UN proper shipping name Not regulated  
14.3 Transport hazard class(es) Not regulated  
14.4 Packing group Not regulated  
14.5 Environmental hazards Not applicable  
14.6 Special precautions for user  
Special Provisions None

## **Section 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

##### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

##### **EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction**

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

##### **Substance subject to authorisation per REACH Annex XIV**

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

##### **Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable

##### **Persistent Organic Pollutants**

Not applicable

#### National regulations

### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at  $>10$  tpa. No Chemical Safety Assessment has been carried out for this mixture

## **SECTION 16: Other information**

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### **Full text of H-Statements referred to under section 3**

H351i - Suspected of causing cancer if inhaled

# SAFETY DATA SHEET

**BOSTIK ARDACOLOR PREMIUM+ LIGHT BEIGE**  
**Supersedes Date:** 13-Jan-2023

**Revision date** 02-May-2023  
**Revision Number** 1.03

## Notes relating to the identification, classification and labelling of substances

**Note V:** If the substance is to be placed on the market as fibres (with diameter < 3 µm, length > 5 µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

**Note W:** It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung

## Notes relating to the classification and labelling of mixtures

**Note 10:** The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

## Legend SECTION 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
AGW	Occupational exposure limit value	BGW	Biological limit value
Ceiling	Maximum limit value	*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

## Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

European Chemicals Agency (ECHA) (ECHA\_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGl(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

# SAFETY DATA SHEET

**BOSTIK ARDACOLOR PREMIUM+ LIGHT BEIGE**  
**Supersedes Date:** 13-Jan-2023

**Revision date** 02-May-2023  
**Revision Number** 1.03

---

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
Organisation for Economic Co-operation and Development Screening Information Data Set

**Prepared By** Product Safety & Regulatory Affairs  
**Revision date** 02-May-2023  
**Revision note** SDS sections updated 11  
**Training Advice** When working with hazardous materials, regular training of operators is required by law  
**Further information** No information available

**Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)**

Regulation (EC) No. 1272/2008 and Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**