

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVO-STIK STICKS LIKE SH*T SEALANT WHITE

Supercedes date 04-Feb-2023

Revision date 27-May-2025 Revision Number 1.02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name EVO-STIK STICKS LIKE SH*T SEALANT WHITE

Form This substance/ mixture contains nanoforms

Other means of identification

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants

Uses advised against

Not to be used in articles intended for direct or prolonged skin contact Not to be used in

production of toys or childcare articles Fabrics, textiles and apparel: bedding and clothing Gloves Footwear (shoes, boots) Paper products: tissue, towels, disposable dinnerware, paper femining byging products, adult incenting per products, writing paper.

nappies, feminine hygiene products, adult incontinence products, writing paper

Reason why uses advised against Restricted substance per REACH Annex XVII

1.3. Details of the supplier of the safety data sheet

Company NameSupplierBostik Benelux B.V.Bostik LimitedDenariusstraat 11Common Rd4903 RC OosterhoutST16 3EHThe NetherlandsStafford UK

Tel: + 31 162 491 000 Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Ireland NPIC - National Poison Information Centre

Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)

Healthcare Professionals: +353 (01) 8092566 (24 hour service)

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

Europe 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Hazard statements

Ireland - BE Page 1 / 18

EVO-STIK STICKS LIKE SH*T SEALANT WHITE

Supercedes date 04-Feb-2023

Revision date 27-May-2025 Revision Number 1.02

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

EU Specific Hazard Statements

EUH208 - Contains Trimethoxyvinylsilane & N-(3-(trimethoxysilyl)propyl)ethylenediamine &

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine & Dioctyltinbis(acetylacetonate). May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

PBT & vPvB

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name Diisononyl phthalate	Weight-	REACH registration number 01-2119430798	EC No (EU Index No)	Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	Notes
28553-12-0		-28-XXXX		[1]	-	-		-
Trimethoxyvinylsilane 2768-02-7	1 - <2.5	01-2119513215 -52-XXXX	220-449-8 (014-049-00-0)	Acute Tox. 4 (H332) Skin Sens. 1B (H317) Flam. Liq. 3 (H226)	-	-	1	1
Titanium dioxide 13463-67-7	0.1- <1	01-2119489379 -17-XXXX	236-675-5 (022-006-00-2)	[C]	-	-	-	V,W,10
N-(3-(trimethoxysilyl) propyl)ethylenediami ne 1760-24-3	0.1- <1	01-2119970215 -39-XXXX	217-164-6	Acute Tox. 4 (H332) Eye Dam. 1 (H318) Skin Sens. 1 (H317) STOT RE 2 (H373)		-	-	_
Dioctyltinbis(acetylac etonate) 54068-28-9		-67-XXXX		STOT SE 2 (H371) Skin Sens. 1 (H317)	Skin Sens. 1 :: C>=5%	-	-	-
N-[3-(Dimethoxymet hylsilyl)propyl]-ethyle nediamine 3069-29-2	0.1 - <0.5	01-2119963926 -21-xxxx	221-336-6	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317)	-	-	-	-

Ireland - BE Page 2 / 18

EVO-STIK STICKS LIKE SH*T SEALANT WHITE

Supercedes date 04-Feb-2023

Revision date 27-May-2025 Revision Number 1.02

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring [I] - Restricted substance per REACH Annex XVII

Note V - If the substance is to be placed on the market as fibres (with diameter < 3 µm, length > 5 µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.

Note W - It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.

Note 10 - The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 μm.

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Diisononyl phthalate	249-079-5	28553-12-0	-	-	-	-	-
Trimethoxyvinylsilane	220-449-8 (014-049-00-0)	2768-02-7	•	-	1	11	-
Titanium dioxide	236-675-5 (022-006-00-2)	13463-67-7	-	-	-	-	-
N-(3-(trimethoxysilyl)pr opyl)ethylenediamine	217-164-6	1760-24-3	-	-	1.5	-	-
Dioctyltinbis(acetylacet onate)	483-270-6	54068-28-9	-	-	-	-	-
N-[3-(Dimethoxymethyl silyl)propyl]-ethylenedia mine		3069-29-2	500	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contactWash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Small amounts of toxic methanol are released by hydrolysis. Call a doctor immediately.

Ireland - BE Page 3 / 18

EVO-STIK STICKS LIKE SH*T SEALANT WHITE

Supercedes date 04-Feb-2023

Revision date 27-May-2025 Revision Number 1.02

Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with

water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide.

5.3. Advice for firefighters

Special protective equipment ar precautions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Ireland - BE Page 4 / 18

EVO-STIK STICKS LIKE SH*T SEALANT WHITE

Supercedes date 04-Feb-2023

Revision date 27-May-2025 Revision Number 1.02

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture.

Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Adhesives and/or sealants.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product contains titanium dioxide in a non-respirable form. Inhalation of titanium

dioxide is unlikely to occur from exposure to this product Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from

exposure to this product

Chemical name	European Union	Ireland	United Kingdom
Diisononyl phthalate	-	TWA: 5 mg/m ³ ;	TWA: 5 mg/m ³ ;
28553-12-0		STEL: 15	STEL: 15 mg/m ³ ;
		mg/m³ (calculated);	
Methyl alcohol	TWA: 200 ppm;	TWA: 200 ppm;	TWA: 200 ppm;
67-56-1	TWA: 260 mg/m ³ ;	TWA: 260 mg/m ³ ;	TWA: 266 mg/m ³ ;
	pSk	STEL: 600 ppm (calculated);	STEL: 250 ppm;
		STEL: 780	STEL: 333 mg/m ³ ;
		mg/m³ (calculated);	pSk
		pSk	
Titanium dioxide	-	TWA: 10 mg/m ³ ; total	TWA: 10 mg/m ³ ; total
13463-67-7		inhalable dust	inhalable
		TWA: 4 mg/m ³ ; respirable	TWA: 4 mg/m³; respirable
		dust	STEL: 30 mg/m ³ ; total
		STEL: 30	inhalable
		, , ,	STEL: 12 mg/m³; respirable
		ble dust	
		STEL: 12	
		mg/m³ (calculated);	
Dioctyltinbis(acetylacetonate)	-	TWA: 0.1 mg/m ³ ;	TWA: 0.1 mg/m³;
54068-28-9		STEL: 0.2 mg/m ³ ;	STEL: 0.2 mg/m ³ ;
			pSk

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)

Ireland - BE Page 5 / 18

EVO-STIK STICKS LIKE SH*T SEALANT WHITE

Supercedes date 04-Feb-2023

Revision date 27-May-2025 **Revision Number** 1.02

ouperocues date 04 1 cb 20.	20		Troviolon Trainibol 113
Diisononyl phthalate (28553-	-12-0)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker	Inhalation	51.72 mg/m³	
Long term			
Systemic health effects worker	Dormal	266 ma/ka hw/d	
Long term	Dermal	366 mg/kg bw/d	
Systemic health effects			
Trimethoxyvinylsilane (2768		Daring d No Effect Land	Cototy to store
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker	Inhalation	27,6 mg/m³	
Systemic health effects Long term			
worker	Dermal	3,9 mg/kg bw/d	
Systemic health effects			
Long term			
Titanium dioxide (13463-67-7	7)		
Type	Exposure route	Derived No Effect Level	Safety factor
worker	Inhalation	(DNEL) 10 mg/m³	
Long term	IIIIaiation	10 mg/m	
Local health effects			
N (0 ((:::::::::::::::::::::::::::::::::	-th-d	\	
N-(3-(trimethoxysilyl)propyl) Type	Exposure route	Derived No Effect Level	Safety factor
l ypc	Exposure route	(DNEL)	Carety factor
worker	Inhalation	35.5 mg/m³	
Systemic health effects			
Long term worker	Dermal	5 mg/kg bw/d	
Systemic health effects	Demiai	5 mg/kg bw/d	
Long term			
	\		
Dioctyltinbis(acetylacetonate Type	e) (54068-28-9)	Derived No Effect Level	Safety factor
туре	Exposure route	(DNEL)	Salety factor
Long term	Dermal	0.07 mg/kg bw/d	
Systemic health effects worker			
Long term	Inhalation	84 mg/m³	
Systemic health effects			
worker Short term	Inhalation	84 mg/m³	
Systemic health effects worker	malation	04 mg/m	
Long term	Inhalation	0.091 mg/m³	
Short term			
Local health effects			
worker			
N-[3-(Dimethoxymethylsilyl)	nronyll-ethylenediamine (30	169-29-2)	
Type	Exposure route	Derived No Effect Level	Safety factor
		(DNEL)	, i
worker	Inhalation	12 mg/m³	
Long term Systemic health effects			
Cysternic ricaltir effects		1	

Ireland - BE Page 6 / 18

EVO-STIK STICKS LIKE SH*T SEALANT WHITE

Supercedes date 04-Feb-2023

Revision date 27-May-2025 Revision Number 1.02

worker	Dermal	1.7 mg/kg bw/d	
Long term			
Systemic health effects			

Derived No Effect Level (DN	Derived No Effect Level (DNEL)				
Trimethoxyvinylsilane (2768	-02-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³			
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d			
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d			

Titanium dioxide (13463-67-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer	Oral	700 mg/kg bw/d		
Long term				
Systemic health effects				

N-(3-(trimethoxysilyl)propyl)eth	N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
Consumer Systemic health effects Long term	Oral	2.5 mg/kg bw/d				
Consumer Systemic health effects Long term	Inhalation	8.7 mg/m³				
Consumer Systemic health effects Long term	Dermal	2.5 mg/kg bw/d				

N-[3-(Dimethoxymethylsilyl)propy	N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)					
Туре	Exposure route		Safety factor			
		(DNEL)				
Consumer	Inhalation	2.9 mg/m ³				
Long term						
Systemic health effects						
Consumer	Dermal	0.83 mg/kg bw/d				
Long term						
Systemic health effects						
Consumer	Oral	0.83 mg/kg bw/d				
Long term						
Systemic health effects						

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)	
Trimethoxyvinylsilane (2768-02-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.34 mg/l

Ireland - BE Page 7 / 18

EVO-STIK STICKS LIKE SH*T SEALANT WHITE

Supercedes date 04-Feb-2023

Revision date 27-May-2025 Revision Number 1.02

Marine water	0.034 mg/l
Microorganisms in sewage treatment	110 mg/l

Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Environmental compartment	Predicted No Effect Concentration (PNEC)				
Freshwater	0.062 mg/l				
Marine water	0.0062 mg/l				
Sewage treatment plant	25 mg/l				

Dioctyltinbis(acetylacetonate) (54068-28-9)					
Environmental compartment	Predicted No Effect Concentration (PNEC)				
Freshwater	26 μg/l				
Marine water	2.6 μg/l				
Freshwater - intermittent	260 μg/l				
Sewage treatment plant	1 mg/l				
Freshwater sediment	0.155 mg/kg dry weight				
Marine sediment	0.0155 mg/kg dry weight				
Soil	0.0158 mg/kg dry weight				

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.062 mg/l			
Marine water	0.006 mg/l			
Sewage treatment plant	25 mg/l			
Freshwater sediment	0.24 mg/kg dry weight			
Marine sediment	0.024 mg/kg dry weight			
Soil	0.01 mg/kg dry weight			

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166

Hand protection Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber.

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

gloves. Gloves must conform to standard EN 374

Skin and body protection None under normal use conditions.

Respiratory protection In case of inadequate ventilation wear respiratory protection. Wear a respirator

conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

Recommended filter type: Organic gases and vapours filter conforming to EN 14387. White. Brown.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid

Ireland - BE Page 8 / 18

EVO-STIK STICKS LIKE SH*T SEALANT WHITE

Supercedes date 04-Feb-2023

Revision date 27-May-2025 Revision Number 1.02

Appearance Paste Colour White

Odour Characteristic.

Values Remarks • Method Property

No data available Melting point / freezing point None known Initial boiling point and boiling No data available None known

range

Flammability No data available

Flammability Limit in Air None known

Upper flammability or explosive No data available

Lower flammability or explosive No data available

limits

> 60 °C Flash point

Autoignition temperature No data available None known **Decomposition temperature** None known No data available Not applicable.

pH (as aqueous solution) No data available None known Kinematic viscosity > 21 mm²/s

Dynamic viscosity No data available

Water solubility Reacts with water. Product cures Reacts with water

with moisture Solubility(ies) No data available None known No data available None known **Partition coefficient**

Vapour pressure No data available None known Relative density No data available None known No data available **Bulk density**

Density 1.58 g/cm³ Relative vapour density No data available None known

Particle characteristics

Particle Size No information available **Particle Size Distribution** No information available

9.2. Other information

Solid content (%) No information available

VOC content 38.6 g/L

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Product cures with moisture. Reactivity

10.2. Chemical stability

Stable under normal conditions. Stability

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Ireland - BE Page 9 / 18

EVO-STIK STICKS LIKE SH*T SEALANT WHITE

Supercedes date 04-Feb-2023

Revision date 27-May-2025 Revision Number 1.02

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are

formed by hydrolysis and released upon curing.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met. May cause sensitisation in

susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral) >2000 mg/kg
ATEmix (dermal) >2000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapour) 743.30 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Diisononyl phthalate	>9750 mg/kg (Rattus)	>3160 mg/Kg (Oryctolagus	>4.4 mg/L (Rattus) 4 h
		cuniculus)	
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus) 4 h
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44

Ireland - BE Page 10 / 18

EVO-STIK STICKS LIKE SH*T SEALANT WHITE

Supercedes date 04-Feb-2023

Revision date 27-May-2025 Revision Number 1.02

ylenediamine			mg/L air
Dioctyltinbis(acetylacetonate)	LD50 =2500 mg/kg (Rattus)	LD50 >2000 mg/kg (Rattus)	= 5.1 mg/L (Rat) 4 h
N-[3-(Dimethoxymethylsilyl)pro pyl]-ethylenediamine	=200 - 2000 mg/Kg (Rattus) (OECD 401)	>5000 mg/Kg (Oryctolagus cuniculus) (OECD 402)	> 5.2 mg/L (Rattus)4 h (OECD 403)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant

Titanium dioxide (13463-67-7)						
Method	Species	Exposure route	Effective dose	Exposure time	Results	
OECD Test No. 404:	Rabbit	Dermal			Non-irritant	
Acute Dermal						
Irritation/Corrosion						

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)						
Method	Species	Exposure route	Effective dose	Exposure time	Results	
OECD Test No. 404:	Rabbit				Mild skin irritant	
Acute Dermal						
Irritation/Corrosion						

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

Titanium dioxide (13463-67-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	Eye			Non-irritant
Acute Eye					
Irritation/Corrosion					

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)						
Method	Species	Exposure route	Effective dose	Exposure time	Results	
OECD Test No. 405:	Rabbit	eye			Eye Damage	
Acute Eye						
Irritation/Corrosion						

Respiratory or skin sensitisation

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

P	Product Information						
	Method	Results					
	OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses			
	Sensitisation			were observed			
	OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses			
	Sensitisation			were observed			

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Ireland - BE Page 11 / 18

EVO-STIK STICKS LIKE SH*T SEALANT WHITE Supercedes date 04-Feb-2023

Revision date 27-May-2025 Revision Number 1.02

Component Information				
Trimethoxyvinylsilane (2768-02-7)				
Method	Species	Results		
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic		
Mutation Test		-		

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Method	Species	Results			
OECD Test No. 471: Bacterial Reverse Mutation Test	Mammalian cells in vitro	Negative			
OECD Test No. 476: In Vitro Mammalian Cell Gene Mutation Tests using the Hprt and xprt genes	Mammalian cells in vitro	Negative			

Carcinogenicity

Based on available data, the classification criteria are not met.

Chemical name	European Union	
Titanium dioxide	Carc. 2	

Reproductive toxicity

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)				
Method	Species	Results		
OECD Test No. 422: Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test		Not Classifiable		

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)				
Method	Species	Results		
OECD Test No. 422: Combined Rep	eated Dose Rat	NOAEL >500 mg/Kg		
Toxicity Study with the	Oral			
Reproduction/Developmental Toxicity	/ Screening			
Test				

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Sub-acute oral		28 days	NOAEL >500 mg/kg
Combined Repeated Dose		toxicity gavage		-	
Toxicity Study with the					
Reproduction/Developme					

Ireland - BE Page 12 / 18

EVO-STIK STICKS LIKE SH*T SEALANT WHITE

Supercedes date 04-Feb-2023

Revision date 27-May-2025 Revision Number 1.02

ntal Toxicity Screening			
Test			

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

No information available.

11.2.2. Other information

Other adverse effects

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Based on available data, the classification criteria are not met.

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Diisononyl phthalate	EC50: >500mg/L	LC50 96 h > 100	-	EC50: >74mg/L		
28553-12-0	(72h,	mg/L		(48h, Daphnia		
	Desmodesmus	(Brachydanio		magna)		
	subspicatus)	rerio semi-static)				
	EC50: >1.8mg/L					
	(96h,					
	Pseudokirchneri					
	ella subcapitata)					
Trimethoxyvinylsilane	EC 50 (72h) >	LC50 (96h) =	-	EC50(48hr)		
2768-02-7	957 mg/l	191 mg/l		168.7mg/l		
	(Desmodesmus	(Oncorhynchus		(Daphnia		
	subspicatus)	mykiss)		magna)		
	EU Method C.3					
Titanium dioxide	LC50 (96h)	-	-	-		
13463-67-7	>10000 mg/l					
	(Cyprinodon					
	variegatus)					
	OECD 203					
N-(3-(trimethoxysilyl)pr	-	LC50 (96H)	-	EC50 (48h)		
opyl)ethylenediamine		=597 mg/L		=81mg/L		
1760-24-3		(Danio		Daphnia magna		
		rerio)Semi-static		Static		
Dioctyltinbis(acetylacet	-	LC50 (96h) =86	-	EC50 (48h)		
onate)		mg/L (Static)		=58.6 mg/L		
54068-28-9				(Daphnia		
				magna)		

12.2. Persistence and degradability

Persistence and degradability No information available.

Trimethoxyvinylsilane (2768-02-7)			
Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily

Ireland - BE Page 13 / 18

EVO-STIK STICKS LIKE SH*T SEALANT WHITE

Supercedes date 04-Feb-2023

Revision date 27-May-2025 Revision Number 1.02

Biodegradability: Manometric Respirometry Test (TG 301 F)			biodegradable
--	--	--	---------------

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Component information					
Chemical name	Partition coefficient				
Diisononyl phthalate	9.7				
Trimethoxyvinylsilane	1.1				
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3				

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment	
Diisononyl phthalate	Not PBT/vPvB	
Trimethoxyvinylsilane	Not PBT/vPvB	
Titanium dioxide	Not PBT/vPvB	
N-(3-(trimethoxysilyl)propyl)ethylenediamine	Not PBT/vPvB	
Dioctyltinbis(acetylacetonate)	Not PBT/vPvB	
N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine	Not PBT/vPvB	

12.6. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects

Other adverse effects

PMT or vPvM properties

No information available.

Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

Dispose of contents/container in accordance with local, regional, national, and interestingal regulations as applicable.

products international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 Not regulated
 Not regulated

Ireland - BE Page 14 / 18

EVO-STIK STICKS LIKE SH*T SEALANT WHITE

Supercedes date 04-Feb-2023

Revision date 27-May-2025 Revision Number 1.02

14.4 Packing group Not regulated14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions None

IMDG

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 Not regulated
 Not regulated
 Not regulated
 Not regulated

14.5 Marine pollutant NP
 14.6 Special precautions for user Special Provisions None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH
		Annex XVII
Diisononyl phthalate	28553-12-0	52[a].
Dioctyltinbis(acetylacetonate)	54068-28-9	20

20 (6) DOT. 52. Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children.

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ireland - BE Page 15 / 18

EVO-STIK STICKS LIKE SH*T SEALANT WHITE

Supercedes date 04-Feb-2023

Revision date 27-May-2025 Revision Number 1.02

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) regulation (EC) 2024/590

Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H226 - Flammable liquid and vapour

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H371 - May cause damage to organs

H373 - May cause damage to organs through prolonged or repeated exposure

Notes relating to the identification, classification and labelling of substances

Note V - If the substance is to be placed on the market as fibres (with diameter < $3 \mu m$, length > $5 \mu m$ and aspect ratio ≥ 3.1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

Note W - It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation

Notes relating to the classification and labelling of mixtures

Note 10 - The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter \leq 10 μ m

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

Ireland - BE Page 16 / 18

EVO-STIK STICKS LIKE SH*T SEALANT WHITE

Supercedes date 04-Feb-2023

Revision date 27-May-2025 Revision Number 1.02

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

AGW Occupational exposure limit value BGW Biological limit value Ceiling Maximum limit value Sk* Skin designation

Classification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - vapour	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitisation	Calculation method	
Skin sensitisation	On basis of test data	
Mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	
STOT - repeated exposure	Calculation method	
Chronic aquatic toxicity	Calculation method	
Acute aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	

Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

Prepared By Product Safety & Regulatory Affairs

Revision date 27-May-2025

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Ireland - BE Page 17 / 18

EVO-STIK STICKS LIKE SH*T SEALANT WHITE Supercedes date 04-Feb-2023

Revision date 27-May-2025 Revision Number 1.02

End of Safety Data Sheet

Ireland - BE Page 18 / 18