

Revision date 05-Aug-2025

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

EVO-STIK SERIOUSLY STRONG STUFF FAST SET GRAB ADHESIVE

Supercedes date 31-May-2023 Revision Number 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name EVO-STIK SERIOUSLY STRONG STUFF FAST SET GRAB ADHESIVE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH210 - Safety data sheet available on request

EUH208 - Contains Trimethoxyvinylsilane. May produce an allergic reaction

United Kingdom - BE Page 1 / 13

EVO-STIK SERIOUSLY STRONG STUFF FAST SET GRAB ADHESIVE

Supercedes date 31-May-2023 Revision Number 4

Revision date 05-Aug-2025

2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight- %	REACH registration number	EC No. (Index No.)		concentration		M-Factor (long-ter m)	Notes
Trimethoxyvinylsilane 2768-02-7	1 - <3	01-2119513215 -52-XXXX	220-449-8 (014-049-00-0)	Acute Tox. 4	-	-	-	-
Bis(2,2,6,6-tetrameth yl-4-piperidyl) sebacate 52829-07-9	0.1 - <0.5	01-2119537297 -32-XXXX	258-207-9	Eye Dam. 1 (H318) Repr. 2 (H361f) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	-	1	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No. (Index No.)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg		Inhalation LC50 - 4 hour -	Inhalation LC50 - 4 hour -
	,					vapour - mg/L	
Trimethoxyvinylsilane	220-449-8 (014-049-00-0)	2768-02-7	-	-	-	11	-
Bis(2,2,6,6-tetramethyl- 4-piperidyl) sebacate	258-207-9	52829-07-9	-	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

United Kingdom - BE Page 2 / 13

EVO-STIK SERIOUSLY STRONG STUFF FAST SET GRAB

ADHESIVE

Supercedes date 31-May-2023 **Revision Number** 4

4.1. Description of first aid measures

Show this safety data sheet to the doctor in attendance. If medical advice is needed, General advice

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor

Small amounts of toxic methanol are released by hydrolysis. Call a doctor immediately. Ingestion

Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with

Revision date 05-Aug-2025

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon Note to doctors

curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Suitable Extinguishing Media

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

chemical

Specific hazards arising from the Thermal decomposition can lead to release of irritating gases and vapours.

Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon **Hazardous combustion products**

dioxide. Thermal decomposition can lead to release of irritating and toxic gases and

vapours.

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

Use personal protection recommended in Section 8. For emergency responders

United Kingdom - BE 3 / 13 Page

EVO-STIK SERIOUSLY STRONG STUFF FAST SET GRAB

ADHESIVE

Supercedes date 31-May-2023 Revision Number 4

Revision date 05-Aug-2025

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containmentDo not scatter spilled material with high pressure water streams.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture.

Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Adhesives.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing This product contains titanium dioxide in a non-respirable form. Inhalation of

titanium dioxide is unlikely to occur from exposure to this product

Chemical name	European Union	United Kingdom
Limestone	-	TWA: 10 mg/m³; inhalable dust
1317-65-3		TWA: 4 mg/m³; respirable dust
		STEL: 30 mg/m³; inhalable dust
		STEL: 12 mg/m ³ ; respirable dust
Methyl alcohol	TWA: 200 ppm;	TWA: 200 ppm;
67-56-1	TWA: 260 mg/m ³ ;	TWA: 266 mg/m ³ ;
	pSk	STEL: 250 ppm;
		STEL: 333 mg/m ³ ;
		pSk

United Kingdom - BE Page 4 / 13

EVO-STIK SERIOUSLY STRONG STUFF FAST SET GRAB

ADHESIVE

Supercedes date 31-May-2023

Revision date 05-Aug-2025

Revision Number 4

Silica, amorphous	-	TWA: 6 mg/m³; inhalable dust
7631-86-9		TWA: 2.4 mg/m ³ ; respirable dust
		STEL: 18 mg/m³; inhalable dust
		STEL: 7.2 mg/m ³ ; respirable dust

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)						
Trimethoxyvinylsilane (2768-02	2-7)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Systemic health effects Long term	Inhalation	27,6 mg/m³				
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d				

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Short term Long term Systemic health effects	Inhalation	2.82 mg/m³				
worker Long term Systemic health effects	Dermal	1.6 mg/kg				

Derived No Effect Level (DN	Derived No Effect Level (DNEL)						
Trimethoxyvinylsilane (2768	-02-7)						
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor				
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³					
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d					
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d					

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)						
Туре	Exposure route		Safety factor			
		(DNEL)				
Consumer	Dermal	0.8 mg/kg				
Long term						
Systemic health effects						
Consumer	Oral	0.4 mg/kg				
Long term						
Systemic health effects						

Predicted No Effect Concentration

United Kingdom - BE Page 5 / 13

EVO-STIK SERIOUSLY STRONG STUFF FAST SET GRAB

ADHESIVE

Supercedes date 31-May-2023 Revision Number 4

(PNEC)

Predicted No Effect Concentration (PNEC)				
Trimethoxyvinylsilane (2768-02-7)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.34 mg/l			
Marine water	0.034 mg/l			
Microorganisms in sewage treatment	110 mg/l			

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.018 mg/l
Marine water	0.0018 mg/l
Freshwater sediment	29 mg/kg
Marine sediment	2.9 mg/kg
Soil	5.9 mg/kg

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Hand protection Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber.

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

None known

None known

Revision date 05-Aug-2025

gloves. Gloves must conform to standard EN 374

Skin and body protection None under normal use conditions.

Respiratory protection In case of inadequate ventilation wear respiratory protection. Wear a respirator

conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

Recommended filter type: Organic gases and vapours filter conforming to EN 14387. White. Brown.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid Appearance Paste

Colour See section 1 for more information

Odour Characteristic.

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone known

range

Flammability
Flammability Limit in Air

No data available None known

Unper flammability or explacive. No data available

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point > 60 °C

 Autoignition temperature
 No data available
 None known

Decomposition temperatureNo data availableNone knownpHNo data availableNot applicable.

pH (as aqueous solution)
No data available
Kinematic viscosity
> 21 mm²/s

United Kingdom - BE Page 6 / 13

EVO-STIK SERIOUSLY STRONG STUFF FAST SET GRAB

ADHESIVE

Supercedes date 31-May-2023 Revision Number 4

Revision date 05-Aug-2025

Dynamic viscosity No data available

Water solubility Reacts with water. Product cures Reacts with water

with moisture

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownVapour pressureNo data availableNone knownRelative densityNo data availableNone known

Bulk density No data available

Liquid Density 1.56

Relative vapour density No data available None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

Solid content (%) No information available

VOC content 51.8 g/L

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

products cur

SECTION 11: Toxicological information

United Kingdom - BE Page 7 / 13

EVO-STIK SERIOUSLY STRONG STUFF FAST SET GRAB

ADHESIVE

Supercedes date 31-May-2023 Revision Number 4

Revision date 05-Aug-2025

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contactBased on available data, the classification criteria are not met. May cause sensitisation in

susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral) 101,378.50 mg/kg
ATEmix (dermal) >2000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapour) 381.60 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
Bis(2,2,6,6-tetramethyl-4-piperi	LD50 (Rattus)> 2000 mg/kg	LD50 (Rattus) > 3 170 mg/kg	=500 mg/m ³ (Rattus) 4 h
dyl) sebacate	OECD 423	OECD 402	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)					
Method	od Species Exposure route Effective dose Exposure time Results				
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant

Bis(2,2,6,6-tetramethyl-	4-piperidyl) sebacate	(52829-07-9)			
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Trimethox	vvin	/Isilane	(2768-02-7)

United Kingdom - BE Page 8 / 13

EVO-STIK SERIOUSLY STRONG STUFF FAST SET GRAB

ADHESIVE

Supercedes date 31-May-2023

Revision date 05-Aug-2025

Revision Number 4

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

Bis(2,2,6,6-tetramethyl-4-p	piperidyl) sebacate	e (52829-07-9)			
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye			Eye Damage
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitisation

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Product Information			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation			were observed

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Component Information				
Trimethoxyvinylsilane (2768-02-7)				
Method	Species	Results		
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic		
Mutation Test				

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)				
Method	Species	Results		
OECD Test No. 422: Combined Repeated Dose	Rat	Not Classifiable		
Toxicity Study with the				
Reproduction/Developmental Toxicity Screening				
Test				

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)	
Method	Species	Results
OECD Test No. 414: Pre-natal Development	Rat, Rabbit	Reproductive toxicant
Toxicity Study		·

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results

United Kingdom - BE Page 9 / 13

EVO-STIK SERIOUSLY STRONG STUFF FAST SET GRAB

ADHESIVE

Supercedes date 31-May-2023 Revision Number 4

OECD Test No. 413:	Rat	Inhalation vapour	90 days	0.058 NOAEL
Sub-chronic Inhalation			-	
Toxicity: 90-day Study				

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Aspiration hazard

Based on available data, the classification criteria are not met.

Revision date 05-Aug-2025

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Based on available data, the classification criteria are not met.

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Trimethoxyvinylsilane	EC 50 (72h) >	LC50 (96h) =	-	EC50(48hr)		
2768-02-7	957 mg/l	191 mg/l		168.7mg/l		
	(Desmodesmus	(Oncorhynchus		(Daphnia		
	subspicatus)	mykiss)		magna)		
	EU Method C.3					
Bis(2,2,6,6-tetramethyl-	EC50 72Hr	LC50 (96h) =	-	LC50 48Hr 8.58	1	
4-piperidyl) sebacate	0.705 mg/l	5.29 mg/l		mg/l (Daphnia		
52829-07-9	(Pseudokirchner	(Oryzias latipes)		magna)		
	ella subcapitata)			-		

12.2. Persistence and degradability

Persistence and degradability No information available.

Trimethoxyvinylsilane (2768-02-7)				
Method	Exposure time	Value	Results	
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily	
Biodegradability: Manometric			biodegradable	
Respirometry Test (TG 301 F)				

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)				
Method	Exposure time	Value	Results	
OECD Test No. 303: Simulation Test	28 days	Total organic carbon (TOC)	24 % Moderate	
- Aerobic Sewage Treatment A:	-			
Activated Sludge Units; B: Biofilms				

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

United Kingdom - BE Page 10 / 13

EVO-STIK SERIOUSLY STRONG STUFF FAST SET GRAB

ADHESIVE

Supercedes date 31-May-2023 **Revision Number** 4

Revision date 05-Aug-2025

Chemical name	Partition coefficient	
Trimethoxyvinylsilane	1.1	
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	0.35	

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment	
Trimethoxyvinylsilane	Not PBT/vPvB	
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	Not PBT/vPvB	

12.6. Endocrine disrupting properties

Based on available data, the classification criteria are not met. **Endocrine disrupting properties**

12.7. Other adverse effects

No information available. Other adverse effects

PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

Not regulated 14.1 UN number or ID number 14.2 UN proper shipping name Not regulated Not regulated 14.3 Transport hazard class(es) 14.4 Packing group Not regulated Not applicable 14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions None

IMDG

Not regulated 14.1 UN number or ID number 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group NP

14.5 Marine pollutant

14.6 Special precautions for user

United Kingdom - BE Page 11 / 13

EVO-STIK SERIOUSLY STRONG STUFF FAST SET GRAB

ADHESIVE

Supercedes date 31-May-2023 Revision Number 4

Revision date 05-Aug-2025

Special Provisions

None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) regulation (EC) 2024/590

Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

Regulations on drug precursors (EC) No 111/2005 (export) and 273/2004 (internal trade)

This product does not contain any substance(s) which are regulated pursuant to the EU regulations on drug precursors [(EC) No. 111/2005 and (EC) No. 273/2004] above levels that can be easily used or extracted by readily applicable or economically

United Kingdom - BE Page 12 / 13

EVO-STIK SERIOUSLY STRONG STUFF FAST SET GRAB

ADHESIVE

Supercedes date 31-May-2023 Revision Number 4

Revision date 05-Aug-2025

viable means.

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H226 - Flammable liquid and vapour

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H361f - Suspected of damaging fertility

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value Sk* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 05-Aug-2025

Indication of changes

Revision Note Not applicable.

Training Advice No information available Further information No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 13 / 13