

In accordance with OSHA 29 CFR 1910.1200

SUPREMEGRIP Revision Number 3 Revision date 07-Feb-2024 Supersedes Date: 29-Apr-2020

1. Identification

1.1. Product identifier

Product Name SUPREMEGRIP

Other means of identification

Other information Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives

Restrictions on use No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc. 11320 W. Watertown Plank Road

Wauwatosa, Wisconsin 53226 USA Phone: +1(800) 726-7845 (Domestic Toll Free)

Phone: +1(800) 726-7845 (Domestic Foil Free) Phone: +1 (414) 774-2250 (International)

E-mail msds@bostik.com

1.4. Emergency telephone number

Emergency Telephone CHEMTREC (Chemical Transportation Emergency Center)

Chemtrec: 1-800-424-9300 (US), 1-703-527-3887 (Outside U.S.)

Manufacturer

11320 W. Watertown Plank Road

Wauwatosa, Wisconsin 53226 USA

Phone: +1(800) 726-7845 (Domestic Toll Free)

Phone: +1 (414) 774-2250 (International)

Bostik Inc.

Rocky Mountain Poison Center: 1-866-767-5089

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Respiratory sensitization	Category 1
Skin sensitization	Category 1
Reproductive toxicity	Category 1B

Hazards not otherwise classified (HNOC)

Not applicable

2.2. Label elements

EMERGENCY OVERVIEW

Danger

Hazard statements

May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause an allergic skin reaction

May damage fertility or the unborn child

US - EN Page 1/12

SUPREMEGRIP Revision date 07-Feb-2024
Revision Number 3 Supersedes Date: 29-Apr-2020



Appearance Paste Physical state Liquid Odor No information available

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing

If experiencing respiratory symptoms: Call a POISON CENTER or doctor

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/ container to an approved waste disposal plant

22 % of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

Causes mild skin irritation.

3. Composition/information on ingredients

3.1. Substances

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%
Limestone	1317-65-3	30 - 60
Propylene carbonate	108-32-7	1 - <5
Methylenediphenyl diisocyanate	26447-40-5	0.1 - <1
Quartz	14808-60-7	0.1 - <1
Benzenesulfonyl isocyanate, 4-methyl-	4083-64-1	0.1 - <1
Dibutyltin dilaurate	77-58-7	0.1 - <1

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

US - EN Page 2/12

SUPREMEGRIP Revision date 07-Feb-2024
Revision Number 3 Supersedes Date: 29-Apr-2020

4. First-aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation May cause allergic respiratory reaction. Remove to fresh air. If breathing has stopped, give

artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use

barrier to give mouth-to-mouth resuscitation. Get immediate medical attention.

Eye contact In case of contact with substance, immediately flush skin or eyes with running water for at

least 20 minutes. If eye irritation persists: Get medical advice/attention.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Take off contaminated clothing and wash before reuse. May cause sensitization by skin contact. May cause an allergic skin reaction. In the case of skin irritation or allergic

reactions see a physician.

Ingestion Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. May produce an allergic reaction. Get immediate medical

advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or

wheezing. Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Product is or contains a sensitizer. May cause sensitization by inhalation. May cause sensitization

by skin contact.

Hazardous combustion products Carbon oxides. Carbon dioxide (CO2).

US - EN Page 3/12

SUPREMEGRIP Revision date 07-Feb-2024
Revision Number 3 Supersedes Date: 29-Apr-2020

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Stop leak if you can do it without risk. Do

not touch or walk through spilled material. Avoid breathing vapors or mists. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Wash thoroughly after

handling.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for

additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Contain and collect spillage with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other noncombustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. Handling and storage

7.1. Precautions for safe handling

hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash

before reuse. Remove contaminated clothing and shoes.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Protect from moisture.

Recommended storage temperature Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

US - EN Page 4/12

SUPREMEGRIP Revision date 07-Feb-2024 **Revision Number** 3 Supersedes Date: 29-Apr-2020

7.3 References to other sections

Reference to other sections Section 10: STABILITY AND REACTIVITY

Section 13: DISPOSAL CONSIDERATIONS

8. Exposure controls/personal protection

8.1. Control parameters

Dibutyltin dilaurate

77-58-7

This product contains substances which in their raw state are powder form, however in this **Exposure Limits** product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to

TWA: 0.1 mg/m³ Sn

STEL: 0.2 mg/m3 Sn

Sk*

occur from exposure to this product.					
Chemical name	ACGIH TLV	OSHA PEL	NIOSH		
Limestone	-	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m³ total dust		
1317-65-3		TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust		
		fraction			
		(vacated) TWA: 15 mg/m³ total			
		dust			
		(vacated) TWA: 5 mg/m ³			
		respirable fraction			
Methylenediphenyl diisocyanate	-	Ceiling: 0.02 ppm	-		
26447-40-5		Ceiling: 0.2 mg/m ³			
Quartz	TWA: 0.025 mg/m ³ respirable	TWA: 50 μg/m³	IDLH: 50 mg/m ³ respirable dust		
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³ respirable		

respirable dust

TWA: 0.1 mg/m³ Sn

(vacated) TWA: 0.1 mg/m³ Sn

(vacated) S*

(250)/(%SiO2 + 5) mppcf TWA respirable fraction $(10)/(\%SiO2 + 2) mg/m^3$ TWA respirable fraction

dust

IDLH: 25 mg/m³ Sn

TWA: 0.1 mg/m³ except

Cyhexatin Sn

Chemical name	Argentina	Brazil	Chile	Colombia
Limestone	TWA: 10 mg/m ³	-	LPP: 7 mg/m ³	-
1317-65-3			LPP: 5 mg/m ³	
Methylenediphenyl diisocyanate	TWA: 0.005 ppm	-	LPP: 0.004 ppm	-
26447-40-5			LPP: 0.045 mg/m ³	
Quartz	TWA: 0.05 mg/m ³	TWA: 0.025 mg/m ³	LPP: 0.08 mg/m ³	TWA: 0.025mg/m ³
14808-60-7				
Dibutyltin dilaurate	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	LPP: 0.09 mg/m ³	STEL: 0.2mg/m ³
77-58-7	STEL: 0.2 mg/m ³	STEL: 0.2 mg/m ³	Sk*	TWA: 0.1mg/m ³
	Sk*	-		-

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Methylenediphenyl diisocyanate 26447-40-5	TWA: 0.005ppm	1	-	-
Quartz 14808-60-7	TWA: 0.025mg/m ³	TWA: 0.05mg/m ³	0.025 mg/m³ TWA (respirable particulate matter)	TWA: 0.025 mg/m ³
Dibutyltin dilaurate 77-58-7	TWA: 0.1mg/m ³ STEL: 0.2mg/m ³		0.2 mg/m³ STEL (as Sn) 0.1 mg/m³ TWA (as Sn)	

US - EN Page 5/12

SUPREMEGRIP Revision date 07-Feb-2024
Revision Number 3 Supersedes Date: 29-Apr-2020

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
				TWA: 0.1 mg/m ³

8.2. Exposure controls

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

Hand protection Wear suitable gloves.

Skin and body protectionWear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations Wear suitable gloves and eye/face protection. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is

saue, belore re-use. Negular clearling (

recommended.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearancePasteColorColorless

Odor No information available Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pHNo data availableNone knownpH (as aqueous solution)No data availableNone knownMelting point / freezing pointNo data availableNone knownInitial boiling point and boiling rangeNo data availableNone known

Flash point > 200 °C / 392 °F

Evaporation rateNo data availableNone knownFlammabilityNo data available

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

US - EN Page 6/12

SUPREMEGRIP Revision date 07-Feb-2024
Revision Number 3 Supersedes Date: 29-Apr-2020

Vapor pressureNo data availableNone knownRelative vapor densityNo data availableNone knownRelative densityNo data availableNone known

Water solubility Reacts with water Product cures with

moisture

Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

9.2. Other information

Explosive properties
Oxidizing properties
No information available

VOC content 1 % < 30 g/L No information available

Density 1.659 g/cm³

Bulk density No information available

10. Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization Hazardous polymerization may occur.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture. Storage near to reactive materials.

10.5. Incompatible materials

Incompatible materials Water. Alcohols. Oxidizing agent. Finely powdered metals.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides Nitrogen oxides (NOx) Thermal decomposition can lead to release of

irritating and toxic gases and vapors

11. Toxicological information

11.1. Information on toxicological effects

Product Information

US - EN Page 7/12

SUPREMEGRIP Revision Number 3 Revision date 07-Feb-2024
Supersedes Date: 29-Apr-2020

Inhalation Specific test data for the substance or mixture is not available. May cause sensitization in

susceptible persons. (based on components).

Eye contact Based on available data, the classification criteria are not met.

Skin contact Specific test data for the substance or mixture is not available. Repeated or prolonged skin

contact may cause allergic reactions with susceptible persons. (based on components).

May cause sensitization by skin contact. Causes mild skin irritation.

Ingestion Based on available data, the classification criteria are not met. Specific test data for the

substance or mixture is not available. May cause additional affects as listed under

"Inhalation".

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

Coughing and/ or wheezing. Itching. Rashes. Hives. Prolonged contact may cause redness

and irritation.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg
ATEmix (dermal) 94,382.90 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapor) >20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Limestone	>5000 mg/kg (Rattus)	-	-
1317-65-3			
Propylene carbonate	LD50 > 5000 mg/kg (Rattus)	> 3000 mg/kg (Oryctolagus	-
108-32-7	OECD 401	cuniculus)	
Methylenediphenyl diisocyanate	>10000 mg/kg (Rattus)	> 10000 mg/kg (Oryctolagus	=490 mg/m ³ (Rattus) 4 h
26447-40-5		cuniculus)	
Quartz	>2000 mg/kg (Rattus)	-	-
14808-60-7			
Benzenesulfonyl isocyanate,	=2234 mg/kg (Rattus)	LD 50 (Rattus) > 2000 mg/kg	>640 ppm (Rattus) 1 h
4-methyl-		OECD 402	
4083-64-1			
Dibutyltin dilaurate	=2071 mg/kg (Rattus) OECD	> 2000 mg/kg (Rattus)	-
77-58-7	401		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Causes mild skin irritation.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

US - EN Page 8/12

SUPREMEGRIP Revision date 07-Feb-2024
Revision Number 3 Supersedes Date: 29-Apr-2020

Respiratory or skin sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an

allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity This product contains substances which in their raw state are powder form, however in this

product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to

occur from exposure to this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Methylenediphenyl	-	Group 3	-	-
diisocyanate 26447-40-5				
Quartz 14808-60-7	A2	Group 1	Known	Х

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Methylenediphenyl diisocyanate (26447-40-5)

Method	Species	Results
	in vivo	Limited evidence of a carcinogenic effect

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available

for ingredients. May damage fertility or the unborn child.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Target organ effects Respiratory system, Eyes, Skin.

Aspiration hazard Based on available data, the classification criteria are not met.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Limestone	CE50 (72h) >200mg/L	CL50 (96h)>10000mg/L	-	CE50 (48h) >1000 mg/L
1317-65-3	Algae (Desmondesmus	(Oncorhynchus mykiss)		Daphnia Magna
	subspicatus)			-
Propylene carbonate	ErC50 (72h): > 900mg/L	LC50 (96) h > 1000 mg/L	EC50 > 10000 mg/L 17 h	EC50 (48h): > 1000mg/L
108-32-7	(Desmodesmus	(Cyprinus carpio,	-	(Daphnia magna, OECD

US - EN Page 9/12

SUPREMEGRIP Revision Number 3 Revision date 07-Feb-2024
Supersedes Date: 29-Apr-2020

	subspicatus, OECD-201)	67/548/EWG, Annex V, C.1.)		202)
Methylenediphenyl diisocyanate 26447-40-5	EC50: =3230mg/L (96h, Skeletonema costatum)	-	-	EC50: >1000mg/L (24h, Daphnia magna)
Dibutyltin dilaurate 77-58-7	EC50 1 (72h) mg/L (desmodesmus subspicatus)	LC50: =2mg/L (48h, Oryzias latipes)	-	0,463 (48h) mg/L (daphnia magma)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Limestone 1317-65-3	0.9
Propylene carbonate 108-32-7	-0.41
Methylenediphenyl diisocyanate 26447-40-5	4.5
Benzenesulfonyl isocyanate, 4-methyl- 4083-64-1	0.6
Dibutyltin dilaurate 77-58-7	4.44

12.4. Mobility in soil

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

13. Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. Transport information

Note: Keep from freezing.

US - EN Page 10/12

SUPREMEGRIP Revision date 07-Feb-2024
Revision Number 3 Supersedes Date: 29-Apr-2020

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. Regulatory information

International Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	CAS No.	SARA 313 - Threshold Values %
Methylenediphenyl diisocyanate	26447-40-5	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation. This document is based on the information given to us by our own suppliers at the date of this document.

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

16. Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
Ceiling Maximum limit value Sk* Skin designation

US - EN Page 11/12

SUPREMEGRIP Revision date 07-Feb-2024
Revision Number 3 Supersedes Date: 29-Apr-2020

Prepared By Product Safety & Regulatory Affairs.

Revision date 07-Feb-2024

Revision NoteNo information available.

Disclaimer

All information contained herein is believed to be accurate as of the date of publication, is provided "as-is" and is subject to change without notice. This is not a warranty, an agreement, or substitute for expert or professional advice. Bostik Inc. ("Company") expressly disclaims and assumes no liability for the use of the products or reliance on this information. It is the sole responsibility of the user to determine the suitability of any products for user's application(s). NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING SUITABILITY FOR USE IN ANY MEDICAL DEVICE OR MEDICAL APPLICATION), IS MADE CONCERNING THE PRODUCTS OR THE INFORMATION PROVIDED HEREIN. The information provided relates only to the specific products designated herein and may not be valid where such products are used in combination with other materials or in any process. The performance of the product, its shelf life, and application characteristics depends on many variables, and changes in these variables can impact product performance. You are responsible to test the suitability of any product in advance for any intended use or application and before commercialization. Nothing herein shall be construed as a license for the use of any product in a manner that might infringe any patent and it should not be construed as an inducement to infringe any patent. Please carefully review the Safety Data Sheet for the product.

The Company adheres to a strict policy that applies to the use of any of its products in medical device applications. This policy can be found at

https://www.arkema.com/global/en/social-responsibility/innovation-and-sustainable-solutions/responsible-product-mana gement/medical-device-policy/ which is incorporated herein by reference and made a part hereof. Except as expressly authorized, the Company (i) has designated specific medical grade compositions for products used in medical device applications and Company products not so designated are not authorized for use in medical device applications and (ii) strictly prohibits the use of any of its products in medical device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Company does not design, manufacture and/or directly sell any medical devices. The Company does not co-design, or offer assistance to any purchaser of its products, in their design, manufacture and/or sale of products for medical devices. It is the sole responsibility of the manufacturer of medical devices to determine the suitability of all raw material, products and components, including any medical grade products, in order to ensure that the medical device is safe for end-use and complies with all applicable legal and regulatory requirements and to conduct all necessary tests and inspections.

End of Safety Data Sheet

US - EN Page 12/12