



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE
Supersedes date 30-Oct-2024

Revision date 26-May-2026
Revision Number 1.07

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE
Substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant
Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited
Common Rd
ST16 3EH
Stafford UK
Tel: +44 (1785) 27 26 25
Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)
NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH210 - Safety data sheet available on request
EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] & 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction

SAFETY DATA SHEET

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE
 Supersedes date 30-Oct-2024

Revision date 26-May-2026
 Revision Number 1.07

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical name | Weight-% | REACH registration number | EC No. (Index No.) | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | M-Factor | M-Factor (long-term) | Notes |
|---|--------------|---------------------------|--------------------------|--|---|----------|----------------------|-------|
| Ethylene glycol 107-21-1 | 0.1- <1 | 01-2119456816-28-XXXX | 203-473-3 (603-027-00-1) | Acute Tox. 4 (H302) STOT RE 2 (H373) | - | - | - | - |
| Titanium dioxide 13463-67-7 | 0.1- <1 | 01-2119489379-17-XXXX | 236-675-5 | [C] | - | - | - | - |
| Quartz 14808-60-7 | 0.1- <1 | [5] | 238-878-4 | [B] | - | - | - | - |
| Diethylene glycol monobutyl ether 112-34-5 | 0.1 - <0.5 | 01-2119475104-44-XXXX | 203-961-6 (603-096-00-8) | Eye Irrit. 2 (H319) | - | - | - | - |
| 1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5 | 0.01 < 0.036 | 01-2120761540-60-XXXX | 220-120-9 (613-088-00-6) | Acute Tox. 4 (H302) Acute Tox. 2 (H330) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) | Skin Sens. 1A :: C>=0.036% | 1 | 1 | - |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9 | <0.0015 | [10] | 611-341-5 | Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071) | Eye Dam. 1 :: C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1A :: C>=0.0015% | 100 | 100 | B |

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(b) and Annex V of REACH
 NOTE [10] - Biocides are regarded as registered substances according to Regulation (EC) No. 1907/2006 [REACH], Article 15 (1 and 2)

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[B] - Substance with a Community workplace exposure limit

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part

SAFETY DATA SHEET

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE
Supersedes date 30-Oct-2024

Revision date 26-May-2026
Revision Number 1.07

3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE_{mix}) for classifying a mixture based on its components

| Chemical name | EC No. (Index No.) | CAS No. | Oral LD50 mg/kg | Dermal LD50 mg/kg | Inhalation LC50 - 4 hour - dust/mist - mg/L | Inhalation LC50 - 4 hour - vapour - mg/L | Inhalation LC50 - 4 hour - gas - ppm |
|--|-----------------------------|------------|-----------------|-------------------|---|--|--------------------------------------|
| Ethylene glycol | 203-473-3 (603-027-00-1) | 107-21-1 | - | - | - | - | - |
| Titanium dioxide | 236-675-5 | 13463-67-7 | - | - | - | - | - |
| Quartz | 238-878-4 | 14808-60-7 | - | - | - | - | - |
| Diethylene glycol monobutyl ether | 203-961-6 (603-096-00-8) | 112-34-5 | - | - | - | - | - |
| 1,2-benzisothiazol-3(2H)-one [BIT] | 220-120-9 (613-088-00-6) | 2634-33-5 | 450 | - | =0.21 mg/L (ATE dust/mist) | 0.21 ⁺ | 0.21 ⁺ |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | 611-341-5 | 55965-84-9 | 66 | 141 | 0.17 | - | - |

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|-----------------------|---|
| General advice | If medical advice is needed, have product container or label at hand. Show this safety data sheet to the doctor in attendance. |
| Inhalation | Remove to fresh air. IF exposed or concerned: Get medical advice/attention. |
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor. |
| Skin contact | Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor. |
| Ingestion | Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|----------------------------|---------------------------|
| Symptoms | No information available. |
| Effects of Exposure | No information available. |

SAFETY DATA SHEET

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE
Supercedes date 30-Oct-2024

Revision date 26-May-2026
Revision Number 1.07

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical No information available.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO₂).

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.

SAFETY DATA SHEET

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE
Supersedes date 30-Oct-2024

Revision date 26-May-2026
Revision Number 1.07

Recommended storage temperature Do not freeze. Keep at temperatures between 5 and 35 °C.

7.3. Specific end use(s)

Specific use(s)
Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product

| Chemical name | European Union | United Kingdom |
|---|--|---|
| Ethylene glycol 107-21-1 | TWA: 20 ppm; TWA: 52 mg/m ³ ; STEL: 40 ppm; STEL: 104 mg/m ³ ; pSk | TWA: 10 mg/m ³ ; particulate TWA: 20 ppm; vapour TWA: 52 mg/m ³ ; vapour STEL: 40 ppm; vapour STEL: 104 mg/m ³ ; vapour STEL: 30 mg/m ³ ; particulate pSk |
| Titanium dioxide 13463-67-7 | - | TWA: 10 mg/m ³ ; total inhalable TWA: 4 mg/m ³ ; respirable STEL: 30 mg/m ³ ; total inhalable STEL: 12 mg/m ³ ; respirable |
| Quartz 14808-60-7 | TWA: 0.1 mg/m ³ ; | TWA: 0.1 mg/m ³ ; respirable fraction STEL: 0.3 mg/m ³ ; respirable |
| Diethylene glycol monobutyl ether 112-34-5 | TWA: 10 ppm; TWA: 67.5 mg/m ³ ; STEL: 15 ppm; STEL: 101.2 mg/m ³ ; | TWA: 10 ppm; TWA: 67.5 mg/m ³ ; STEL: 15 ppm; STEL: 101.2 mg/m ³ ; |

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)

Ethylene glycol (107-21-1)

| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
|--|----------------|--------------------------------|---------------|
| worker Long term Systemic health effects | Dermal | 106 mg/kg bw/d | |
| worker Long term Systemic health effects | Inhalation | 35 mg/m ³ | |

Titanium dioxide (13463-67-7)

| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
|---|----------------|--------------------------------|---------------|
| worker Long term Local health effects | Inhalation | 10 mg/m ³ | |

Quartz (14808-60-7)

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)

| Type | Exposure route | Derived No Effect Level | Safety factor |
|------|----------------|-------------------------|---------------|
|------|----------------|-------------------------|---------------|

SAFETY DATA SHEET

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE
Supersedes date 30-Oct-2024

Revision date 26-May-2026
Revision Number 1.07

| | | | |
|--|------------|------------------------|--|
| | | (DNEL) | |
| worker Long term Systemic health effects | Inhalation | 6.81 mg/m ³ | |
| worker Long term Systemic health effects | Dermal | 0.966 mg/kg bw/d | |

Derived No Effect Level (DNEL)

Ethylene glycol (107-21-1)

| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
|--|----------------|--------------------------------|---------------|
| Consumer Long term Systemic health effects | Dermal | 53 mg/kg bw/d | |
| Consumer Long term Local health effects | Inhalation | 7 mg/m ³ | |

Titanium dioxide (13463-67-7)

| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
|--|----------------|--------------------------------|---------------|
| Consumer Long term Systemic health effects | Oral | 700 mg/kg bw/d | |

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)

| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
|--|----------------|--------------------------------|---------------|
| Consumer Long term Systemic health effects | Inhalation | 1.2 mg/m ³ | |
| Consumer Long term Systemic health effects | Dermal | 0.345 mg/kg bw/d | |

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)

Ethylene glycol (107-21-1)

| Environmental compartment | Predicted No Effect Concentration (PNEC) |
|------------------------------------|--|
| Freshwater | 10 mg/l |
| Marine water | 1 mg/l |
| Freshwater sediment | 20.9 mg/kg dry weight |
| Soil | 1.53 mg/kg dry weight |
| Microorganisms in sewage treatment | 199.5 mg/l |
| Freshwater - intermittent | 10 mg/l |

Titanium dioxide (13463-67-7)

| Environmental compartment | Predicted No Effect Concentration (PNEC) |
|------------------------------------|--|
| Marine water | 0.0184 mg/l |
| Freshwater sediment | 1000 mg/kg |
| Freshwater | 0.184 mg/l |
| Marine sediment | 100 mg/kg |
| Soil | 100 mg/kg |
| Microorganisms in sewage treatment | 100 mg/l |
| Freshwater - intermittent | 0.193 mg/l |

SAFETY DATA SHEET

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE
Supercedes date 30-Oct-2024

Revision date 26-May-2026
Revision Number 1.07

| 1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5) | |
|--|--|
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 4.03 µg/l |
| Marine water | 0.403 µg/l |
| Sewage treatment plant | 1.03 mg/l |
| Freshwater sediment | 49.9 µg/l |
| Marine sediment | 4.99 µg/l |
| Soil | 3 mg/kg dry weight |

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid
Appearance Paste
Colour See section 1 for more information
Odour Characteristic.

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|--|--------------------------|-------------------------|
| Melting point / freezing point | = 0 °C | |
| Initial boiling point and boiling range | = 100 °C | |
| Flammability | No data available | None known |
| Flammability Limit in Air | | None known |
| Upper flammability or explosive limits | No data available | |
| Lower flammability or explosive limits | No data available | |
| Flash point | No data available | Not applicable |
| Autoignition temperature | No data available | None known |
| Decomposition temperature | | None known |
| pH | 7 - 9 | |
| pH (as aqueous solution) | No data available | None known |
| Kinematic viscosity | > 21 mm ² /s | |
| Dynamic viscosity | No data available | None known |
| Water solubility | Miscible in water. | |
| Solubility(ies) | No data available | None known |
| Partition coefficient | No data available | None known |
| Vapour pressure | No data available | None known |
| Relative density | No data available | None known |
| Bulk density | No data available | |
| Density | 1.57 | |
| Relative vapour density | No data available | None known |
| Particle characteristics | | |
| Particle Size | No information available | |
| Particle Size Distribution | No information available | |

9.2. Other information

Solid content (%) No information available
VOC content No data available

9.2.1. Information with regards to physical hazard classes

Not applicable

SAFETY DATA SHEET

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE
Supersedes date 30-Oct-2024

Revision date 26-May-2026
Revision Number 1.07

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

SAFETY DATA SHEET

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE
Supersedes date 30-Oct-2024

Revision date 26-May-2026
Revision Number 1.07

The following ATE values have been calculated for the mixture

| | |
|-------------------------------|-------------|
| ATEmix (oral) | >2000 mg/kg |
| ATEmix (dermal) | >2000 mg/kg |
| ATEmix (inhalation-gas) | >20000 ppm |
| ATEmix (inhalation-dust/mist) | >5 mg/L |
| ATEmix (inhalation-vapour) | >20 mg/L |

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|--------------------------------------|---|----------------------------|
| Ethylene glycol | LD50 > 3200 mg/kg | = 10600 mg/kg (Rattus) = 9530 µL/kg (Oryctolagus cuniculus) | > 2.5025 mg/L (Rat) 6 h |
| Titanium dioxide | > 5000 mg/kg (Rattus) OECD 425 | LD50 > 5000 mg/Kg | = 5.09 mg/L (Rattus) 4 h |
| Quartz | >2000 mg/kg (Rattus) | - | - |
| Diethylene glycol monobutyl ether | LD50: 2410 mg/kg (mouse) OECD 401 | LD50: 2764 mg/kg (Oryctolagus cuniculus) OECD 402 | - |
| 1,2-benzisothiazol-3(2H)-one [BIT] | =450 mg/kg (ATE) | LD50 > 2000 mg/kg (Rattus) | - |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol- 3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | 66 mg/kg (Rat) | LD50 = 8141 mg/kg (Rat) OECD 402 | = 0.33 mg/L (Rat) 4h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

| Titanium dioxide (13463-67-7) | | | | | |
|--|---------|----------------|----------------|---------------|--------------|
| Method | Species | Exposure route | Effective dose | Exposure time | Results |
| OECD Test No. 404: Acute Dermal Irritation/Corrosion | Rabbit | Dermal | | | Non-irritant |

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

| Titanium dioxide (13463-67-7) | | | | | |
|---|---------|----------------|----------------|---------------|--------------|
| Method | Species | Exposure route | Effective dose | Exposure time | Results |
| OECD Test No. 405: Acute Eye Irritation/Corrosion | Rabbit | Eye | | | Non-irritant |

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

| Component Information | | |
|-------------------------------|---------|---------|
| Titanium dioxide (13463-67-7) | | |
| Method | Species | Results |

SAFETY DATA SHEET

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE
 Supersedes date 30-Oct-2024

Revision date 26-May-2026
 Revision Number 1.07

| | | |
|------|-----|------------------|
| Oral | Rat | Not Carcinogenic |
|------|-----|------------------|

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Based on available data, the classification criteria are not met.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea | M-Factor | M-Factor (long-term) |
|--|---|--|--|---|----------|----------------------|
| Ethylene glycol 107-21-1 | EC50: 6500 - 13000mg/L (96h, Pseudokirchneriella subcapitata) | LC50 96 h = 16000 mg/L (Poecilia reticulata static) | EC50 = 10000 mg/L 16 h EC50 = 620 mg/L 30 min EC50 = 620.0 mg/L 30 min | EC50: =46300mg/L (48h, Daphnia magna) | | |
| Titanium dioxide 13463-67-7 | LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203 | - | - | - | | |
| Diethylene glycol monobutyl ether 112-34-5 | EC50: >100mg/L (96h, Desmodesmus subspicatus) | LC50: =1300mg/L (96h, Lepomis macrochirus) | - | EC50: =2850mg/L (24h, Daphnia magna) EC50: >100mg/L (48h, Daphnia magna) | | |
| 1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5 | EC50 3Hr 13mg/l (activated sludge) (OECD 209) | LC50 (96hr) 2.15 mg/l Cyprinodon variegatus EPA 540/9-85-006 | - | EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202 | 1 | 1 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and | EC50 (72h) =0.048 mg/L (Pseudokirchner | EC50 (96h) = 0.22 mg/L (Oncorhynchus | - | EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD | 100 | 100 |

SAFETY DATA SHEET

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE
Supersedes date 30-Oct-2024

Revision date 26-May-2026
Revision Number 1.07

| | | | | | | |
|--|--------------------------------|--------------------|--|------|--|--|
| 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9 | liella subcapitata) (OECD 201) | mykiss) (OECD 211) | | 202) | | |
|--|--------------------------------|--------------------|--|------|--|--|

12.2. Persistence and degradability

Persistence and degradability No information available.

| Quartz (14808-60-7) | | | |
|---|---------------|----------------|---------------------------|
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9) | | | |
| Method | Exposure time | Value | Results |
| OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test (TG 301 B) | 28 days | biodegradation | Not readily biodegradable |

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|--|-----------------------|
| Ethylene glycol | -1.36 |
| Diethylene glycol monobutyl ether | 1 |
| 1,2-benzisothiazol-3(2H)-one [BIT] | 0.7 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | 0.7 |

12.4. Mobility in soil

Mobility in soil No information available.

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)

| Method | Value | Results |
|--|--------------|-------------|
| OECD Test No. 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC) | 14.13 Koc | |
| OECD Test No. 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC) | 1.15 log Koc | Very mobile |

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

| Chemical name | PBT and vPvB assessment |
|--|-------------------------|
| Ethylene glycol | Not PBT/vPvB |
| Titanium dioxide | Not PBT/vPvB |
| Diethylene glycol monobutyl ether | Not PBT/vPvB |
| 1,2-benzisothiazol-3(2H)-one [BIT] | Not PBT/vPvB |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | Not PBT/vPvB |

12.6. Endocrine disrupting properties Endocrine disrupting properties

Endocrine disruption for the environment Based on available data, the classification criteria are not met.

12.7. Other adverse effects Other adverse effects

SAFETY DATA SHEET

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE
Supercedes date 30-Oct-2024

Revision date 26-May-2026
Revision Number 1.07

Other adverse effects No information available.
PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note: Keep from freezing.

Land transport (ADR/RID)

14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None

IMDG

14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Marine pollutant NP
14.6 Special precautions for user
Special Provisions None
14.7 Maritime transport in bulk according to IMO instruments
Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

SAFETY DATA SHEET

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE
Supersedes date 30-Oct-2024

Revision date 26-May-2026
Revision Number 1.07

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

| Chemical name | CAS No. | Restricted substance per REACH Annex XVII |
|-----------------------------------|----------|---|
| Diethylene glycol monobutyl ether | 112-34-5 | 55 75 |

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1) & BIT.

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) regulation (EC) 2024/590

Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

Regulations on drug precursors (EC) No 111/2005 (export) and 273/2004 (internal trade)

This product does not contain any substance(s) on the Drug Precursors list.

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

EUH071 - Corrosive to the respiratory tract

SAFETY DATA SHEET

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE
Supersedes date 30-Oct-2024

Revision date 26-May-2026
Revision Number 1.07

H301 - Toxic if swallowed
H302 - Harmful if swallowed
H310 - Fatal in contact with skin
H314 - Causes severe skin burns and eye damage
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H330 - Fatal if inhaled
H373 - May cause damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Legend

| | |
|---------|---|
| TWA | TWA (time-weighted average) |
| STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Ceiling Limit Value |
| Sk* | Skin designation |
| SVHC | Substance(s) of Very High Concern |
| PBT | Persistent, Bioaccumulative, and Toxic (PBT) Chemicals |
| vPvB | Very Persistent and very Bioaccumulative (vPvB) Chemicals |
| STOT RE | Specific target organ toxicity - Repeated exposure |
| STOT SE | Specific target organ toxicity - Single exposure |
| EWC | European Waste Catalogue |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| IMDG | International Maritime Dangerous Goods (IMDG) |
| IATA | International Air Transport Association (IATA) |
| RID | Regulations concerning the International Transport of Dangerous Goods by Rail |

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs
Revision date 26-May-2026
Indication of changes

Revision Note First time release.
Training Advice No information available
Further information No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet