

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

BOSTIK GRIP A936 XPRESS Supercedes Date: 14-Apr-2021 Revision date 29-Sep-2022 Revision Number 1.02

\_\_\_\_\_

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name BOSTIK GRIP A936 XPRESS

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Primers

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

**Company Name** 

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

**United Kingdom** +44 (1785) 272650

Ireland NPIC - National Poison Information Centre

Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)

Healthcare Professionals: +353 (01) 8092566 (24 hour service)

Europe 113

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitisation Category 1 - (H317)

#### 2.2. Label elements

Contains 2-methyl-2H-isothiazol-3-one [MIT], 1,2-benzisothiazol-3(2H)-one [BIT], reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]



#### Signal word

United Kingdom - BE Page 1 / 12

Revision date 29-Sep-2022

Supercedes Date: 14-Apr-2021 Revision Number 1.02

\_\_\_\_\_

Warning

#### **Hazard statements**

H317 - May cause an allergic skin reaction.

#### Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves

**BOSTIK GRIP A936 XPRESS** 

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other hazards

No information available.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Quartz	238-878-4	14808-60-7	>25 - <40	[B]	-	[5]
Quartz (fine fraction)	238-878-4	14808-60-7	0.1- <1	STOT RE 1 (H372)	<del>-</del>	[5]
1,2-benzisothiazol-3(2H) -one [BIT]	220-120-9	2634-33-5	0.01 - < 0.05	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Acute Tox. 2 (H330) Aquatic Chronic 2 (H411)	Skin Sens. 1 :: C>=0.05%	01-2120761540- 60-XXXX
2-methyl-2H-isothiazol-3 -one [MIT]	220-239-6	2682-20-4	0.0025 - <0.01	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 3	Skin Sens. 1 :: C>=0.0015%	01-2120764690- 50-xxxx

United Kingdom - BE Page 2 / 12

BOSTIK GRIP A936 XPRESS
Supercedes Date: 14-Apr-2021
Revision date 29-Sep-2022
Revision Number 1.02

reaction mass of 5-chloro-2-methyl-2H-iso	611-341-5	55965-84-9	<0.0015	(H311) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Acute Tox. 3 (H301)	Eye Dam. 1 :: C>=0.6% Eye Irrit. 2 ::	01-2120764691- 48-XXXX
thiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT]				Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015%	

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH

#### Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** IF exposed or concerned: Get medical advice/attention. Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

**Skin contact** Wash with soap and water. May cause an allergic skin reaction. In the case of skin

irritation or allergic reactions see a doctor.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Itching. Rashes. Hives.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors** May cause sensitisation in susceptible persons. Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

United Kingdom - BE Page 3 / 12

Supercedes Date: 14-Apr-2021 Revision Number 1.02

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

No information available. Unsuitable extinguishing media

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

**BOSTIK GRIP A936 XPRESS** 

Product is or contains a sensitiser. May cause sensitisation by skin contact.

Carbon dioxide (CO2). Silicon dioxide. **Hazardous combustion products** 

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

Revision date 29-Sep-2022

gear. Use personal protection equipment.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal Personal precautions

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

See Section 12 for additional Ecological Information. **Environmental precautions** 

6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

> with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash it before reuse.

Handle in accordance with good industrial hygiene and safety practice. General hygiene considerations

7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Keep from freezing.

Recommended storage

temperature

Keep at temperatures between 5 and 35 °C. Do not freeze.

United Kingdom - BE 4/12 Page

Revision date 29-Sep-2022

Supercedes Date: 14-Apr-2021 Revision Number 1.02

\_\_\_\_\_

7.3. Specific end use(s)

**BOSTIK GRIP A936 XPRESS** 

Specific use(s)

Primers.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### **Exposure Limits**

Chemical name	European Union	United Kingdom
Quartz	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
14808-60-7		STEL: 0.3 mg/m <sup>3</sup>
Quartz (fine fraction)	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
14808-60-7		STEL: 0.3 mg/m <sup>3</sup>

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)							
Quartz (14808-60-7)	Quartz (14808-60-7)						
1,2-benzisothiazol-3(2H)-one [BIT]	(2634-33-5)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor				
worker Long term Systemic health effects	Inhalation	6.81 mg/m³					
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d					

Derived No Effect Level (DN	Derived No Effect Level (DNEL)					
Quartz (fine fraction) (14808	-60-7)					
1,2-benzisothiazol-3(2H)-one	1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m³				
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d				

# **Predicted No Effect Concentration** No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)	
Quartz (fine fraction) (14808-60-7)	
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	4.03 μg/l
Marine water	0.403 μg/l
Sewage treatment plant	1.03 mg/l
Freshwater sediment	49.9 μg/l
Marine sediment	4.99 μg/l

United Kingdom - BE Page 5 / 12

Supercedes Date: 14-Apr-2021 Revision Number 1.02

Soil 3 mg/kg dry weight

8.2. Exposure controls

**BOSTIK GRIP A936 XPRESS** 

Ensure adequate ventilation, especially in confined areas. **Engineering controls** 

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Hand protection Wear protective nitrile rubber gloves. Glove thickness > 0.4 mm. Ensure that the

> breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min. Gloves must conform to

> > None known

Revision date 29-Sep-2022

standard EN 374

Skin and body protection Wear suitable protective clothing.

Respiratory protection During spraying wear suitable respiratory equipment. In case of insufficient ventilation,

wear suitable respiratory equipment.

**Environmental exposure controls** Prevent product from entering drains.

### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

**Physical state** Liquid **Appearance** Liquid Grev White Colour

No information available. Odour **Odour threshold** No information available

Property Values Remarks • Method

Melting point / freezing point No data available 100 °C

Initial boiling point and boiling

range

Flammability Not applicable for liquids .

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

> 100 °C Flash point

**Autoignition temperature** No data available None known **Decomposition temperature** None known

7 - 8 @ 23 °C. pH (as aqueous solution) No data available None known

Kinematic viscosity No data available None known @ 23 °C Dynamic viscosity 30000 - 40000 mPas Soluble in water.

Water solubility Solubility(ies) No data available None known **Partition coefficient** No data available None known Vapour pressure No data available None known

Relative density No data available -**Bulk Density** No data available

1.35 g/cm<sup>3</sup> **Density** Relative vapour density No data available None known

**Particle characteristics** 

**Particle Size** No information available **Particle Size Distribution** No information available

9.2. Other information

Solid content (%) 62

No data available **VOC** content

9.2.1. Information with regards to physical hazard classes

United Kingdom - BE Page 6/12

Revision date 29-Sep-2022

Supercedes Date: 14-Apr-2021 Revision Number 1.02

\_\_\_\_\_

Not applicable

9.2.2. Other safety characteristics

**BOSTIK GRIP A936 XPRESS** 

No information available

# **SECTION 10: Stability and reactivity**

10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical

None.

mpact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

10.5. Incompatible materials

**Incompatible materials**None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Stable under recommended storage conditions.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

**Product Information** 

**Inhalation** Based on available data, the classification criteria are not met.

**Eye contact** Based on available data, the classification criteria are not met.

Skin contact May cause sensitisation by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

**Ingestion** Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Itching. Rashes. Hives.

Acute toxicity

United Kingdom - BE Page 7 / 12

Revision date 29-Sep-2022

Supercedes Date: 14-Apr-2021 Revision Number 1.02

·

#### **Numerical measures of toxicity**

**BOSTIK GRIP A936 XPRESS** 

The following values are calculated based on chapter 3.1 of the GHS document

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz	>2000 mg/kg (Rattus)	-	-
Quartz (fine fraction)	>2000 mg/kg (Rattus)	-	-
1,2-benzisothiazol-3(2H)-one	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	ATE = 0.25 mg/L
[BIT]			
2-methyl-2H-isothiazol-3-one	LD50 =285 mg/Kg (Rattus)	LD50 >242 mg/Kg (Rattus)	=0.11 mg/L (Rattus) 4 h
[MIT]			
reaction mass of	= 53 mg/kg (Rat)	LD50 = 87.12 mg/kg	= 0.33 mg/L (Rat) 4h
5-chloro-2-methyl-2H-isothiazo		(Oryctolagus cuniculus)	
I-3-one and			
2-methyl-2H-isothiazol-3-one			
(3:1) [C(M)IT/MIT]			

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause sensitisation by skin contact.

2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	sensitising
Sensitisation			

Germ cell mutagenicity Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity**Based on available data, the classification criteria are not met.

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

United Kingdom - BE Page 8 / 12

Revision date 29-Sep-2022

Supercedes Date: 14-Apr-2021 Revision Number 1.02

·

#### 11.2.2. Other information

**BOSTIK GRIP A936 XPRESS** 

Other adverse effects No information available.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

#### **Ecotoxicity**

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
1,2-benzisothiazol-3(2	EC50 3Hr	LC50 (96hr) 2.15	-	EC50(48hr) 2.94	1	
H)-one [BIT]	13mg/l (activated	mg/l Cyprinodon		mg/l (Daphnia		
2634-33-5	sludge) (OECD	variegatus EPA		Magna) OECD		
	209)	540/9-85-006		202		
2-methyl-2H-isothiazol-	EC50 (72hr)	EC50 (96hr)	-	EC50 (48hr)	10	1
3-one [MIT]	0.157 mg/l	5.71 mg/l		1.68 mg/l		
2682-20-4	(Pseudokirchner	(Oncorhynchus		(Daphnia)		
	iella subcapitata)	mykiss) OECD		(OECD 202)		
	(OECD 201)	203				
reaction mass of	EC50 (72h)	EC50 (96h) =	-	EC50 (48h) =0.1	100	100
5-chloro-2-methyl-2H-is	=0.048 mg/L	0.22 mg/L		mg/L (Daphnia		
othiazol-3-one and	(Pseudokirchner	(Oncorhynchus		magna) (OECD		
2-methyl-2H-isothiazol-	iella subcapitata)	mykiss) (OECD		202)		
3-one (3:1)	(OECD 201)	211)				
[C(M)IT/MIT]						
55965-84-9						

## 12.2. Persistence and degradability

Persistence and degradability No information available.

2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)

Method	Exposure time	Value	Results
OECD Test No. 308: Aerobic and		Half-life	1.28-2.1 days
Anaerobic Transformation in Aquatic			
Sediment Systems			
OECD Test No. 309: Aerobic		biodegradation Half-life	Readily biodegradable 4.1
Mineralization in Surface Water -			days
Simulation Biodegradation Test			

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable
Biodegradability: CO2 Evolution Tes	t	_	
(TG 301 B)			

## 12.3. Bioaccumulative potential

#### **Bioaccumulation**

**Component Information** 

Chemical name	Partition coefficient
1,2-benzisothiazol-3(2H)-one [BIT]	0.7
2-methyl-2H-isothiazol-3-one [MIT]	-0.32
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

### 12.4. Mobility in soil

United Kingdom - BE Page 9 / 12

Supercedes Date: 14-Apr-2021 Revision Number 1.02

\_\_\_\_\_

Mobility in soil No information available.

#### 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

**BOSTIK GRIP A936 XPRESS** 

Chemical name	PBT and vPvB assessment
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one [MIT]	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

#### 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

Revision date 29-Sep-2022

with local regulations.

**Contaminated packaging** Do not reuse empty containers.

European Waste Catalogue 08 04 09\* waste adhesives and sealants containing organic solvents or other dangerous

substances

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

## **SECTION 14: Transport information**

Note: Keep from freezing.

Land transport (ADR/RID)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

**14.6 Special Provisions** None

**IMDG** 

14.1 UN number or ID number
14.2 Proper Shipping Name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Maring proup
Not regulated
Not regulated
Not regulated

14.5 Marine pollutant NP
14.6 Special Provisions None

14.7 Maritime transport in bulk Not applicable according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated

United Kingdom - BE Page 10 / 12

Revision date 29-Sep-2022

Supercedes Date: 14-Apr-2021 Revision Number 1.02

\_\_\_\_\_

14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable14.6 Special ProvisionsNone

**BOSTIK GRIP A936 XPRESS** 

#### Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

# **Persistent Organic Pollutants**

Not applicable

#### National regulations

## 15.2. Chemical safety assessment

Exposure scenario

#### **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

United Kingdom - BE Page 11 / 12

Revision date 29-Sep-2022

Supercedes Date: 14-Apr-2021 Revision Number 1.02

H302 - Harmful if swallowed H310 - Fatal in contact with skin H311 - Toxic in contact with skin

**BOSTIK GRIP A936 XPRESS** 

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H318 - Causes serious eye damage

H330 - Fatal if inhaled

H372 - Causes damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects H411 - Toxic to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
\* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

## Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 29-Sep-2022

Indication of changes

**Revision note** SDS sections updated, 3, 9, 11, 12, 15.

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

United Kingdom - BE Page 12/12