



SAFETY DATA SHEET

In accordance with OSHA 29 CFR 1910.1200

ULTRARAMP
Revision Number 2

Revision Date: 24-Sep-2020
Supersedes Date: 27-May-2020

1. Identification

1.1. Product Identifier

Product Name ULTRARAMP

Other means of identification

Other information Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use No information available
Restrictions on use No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.
11320 W. Watertown Plank Road
Wauwatosa, Wisconsin 53226 USA
Phone: +1 (800) 843-0844 (Domestic Toll Free)
Phone: +1 (414) 774-2250 (International)
Fax: +1 (414) 774-8075

E-mail msds@bostik.com

1.4. Emergency telephone number

Emergency Telephone Telephone: 1-800-227-0332
(Outside U.S.) 1-703-527-3887

2. Hazard(s) identification

2.1. Classification of the substance or mixture

| | |
|--|-------------|
| Serious eye damage/eye irritation | Category 1 |
| Skin sensitization | Category 1 |
| Carcinogenicity | Category 1A |
| Specific target organ toxicity (repeated exposure) | Category 1 |

Hazards not otherwise classified (HNOC)

Not applicable

2.2. Label Elements

EMERGENCY OVERVIEW

Danger

Hazard statements

Causes serious eye damage
May cause an allergic skin reaction
May cause cancer
Causes damage to organs through prolonged or repeated exposure

SAFETY DATA SHEET

ULTRARAMP
Revision Number 2

Revision Date: 24-Sep-2020
Supersedes Date: 27-May-2020



Appearance Powder

Physical state Solid

Odor No information available

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wear protective gloves/protective clothing/eye protection/face protection
Contaminated work clothing/gas/mist/vapors/spray must not be allowed out of the workplace
Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor
IF ON SKIN: Wash with plenty of water and soap
If skin irritation or rash occurs: Get medical advice/attention
Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/ container to an approved waste disposal plant

0 % of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease.

3. Composition/information on ingredients

3.1. Substances

Not applicable.

Mixture

| Chemical name | CAS No | Weight-% |
|-------------------------------------|------------|----------|
| Quartz | 14808-60-7 | 30 - 60 |
| Cement, alumina, chemicals | 65997-16-2 | 10 - 30 |
| Slags, ferrous metal, blast furnace | 65996-69-2 | 7 - <13 |
| Calcium sulfate | 7778-18-9 | 3 - <7 |
| Cement, portland, chemicals | 65997-15-1 | 3 - <7 |
| Calcium sulfate dihydrate | 10101-41-4 | 1 - <5 |

**The exact percentage (concentration) of composition has been withheld as a trade secret*

SAFETY DATA SHEET

ULTRARAMP
Revision Number 2

Revision Date: 24-Sep-2020
Supersedes Date: 27-May-2020

4. First-aid measures

4.1. Description of first aid measures

| | |
|---|---|
| Inhalation | Remove to fresh air. If symptoms persist, call a physician. |
| Eye contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists. |
| Skin contact | Brush off loose particles from skin. Wash off immediately with soap and plenty of water for at least 15 minutes. May cause sensitization by skin contact. In the case of skin irritation or allergic reactions see a physician. |
| Ingestion | Rinse mouth. Do NOT induce vomiting. If swallowed, call a poison control center or physician immediately. |
| Self-protection of the first aider | Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-----------------|--|
| Symptoms | Causes serious eye damage. May cause sensitization by skin contact. Inhalation of dust in high concentration may cause irritation of respiratory system. |
|-----------------|--|

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|---|
| Note to physicians | May cause sensitization in susceptible persons. May cause sensitization by skin contact. Treat symptomatically. |
|---------------------------|---|

5. Fire-fighting measures

5.1. Extinguishing media

| | |
|---------------------------------------|---|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Large Fire | CAUTION: Use of water spray when fighting fire may be inefficient. |
| Unsuitable extinguishing media | Do not scatter spilled material with high pressure water streams. |

5.2. Special hazards arising from the substance or mixture

| | |
|---|---|
| Specific hazards arising from the chemical | Product is or contains a sensitizer. May cause sensitization by skin contact. |
| Hazardous combustion products | Oxides of sulfur. Silicon oxides. |

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

5.3. Advice for firefighters

| | |
|---|---|
| Special protective equipment for | As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH |
|---|---|

SAFETY DATA SHEET

ULTRARAMP
Revision Number 2

Revision Date: 24-Sep-2020
Supersedes Date: 27-May-2020

fire-fighters (approved or equivalent) and full protective gear.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Avoid generation of dust. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Sweep up to prevent slipping hazard.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Prevent dust cloud.

Methods for cleaning up Use personal protective equipment as required. Sweep up and shovel into suitable containers for disposal. Avoid generation of dust. Clean contaminated surface thoroughly.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with skin and eyes. Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Protect from moisture.

7.3 References to other sections

Reference to other sections Section 10: STABILITY AND REACTIVITY
Section 13: DISPOSAL CONSIDERATIONS

8. Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

SAFETY DATA SHEET

ULTRARAMP
Revision Number 2

Revision Date: 24-Sep-2020
Supersedes Date: 27-May-2020

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH |
|---|--|--|--|
| Quartz 14808-60-7 | TWA: 0.025 mg/m ³ respirable particulate matter | TWA: 50 µg/m ³ TWA: 50 µg/m ³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction | IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust |
| Cement, alumina, chemicals 65997-16-2 | 10 mg/m ³ (total; 5 mg/m ³ (resp) | - | - |
| Slags, ferrous metal, blast furnace 65996-69-2 | 2 mg/m ³ ((total)calcium oxide) | - | - |
| Calcium sulfate 7778-18-9 | TWA: 10 mg/m ³ inhalable particulate matter | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ (vacated) TWA: 5 mg/m ³ respirable fraction | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust |
| Cement, portland, chemicals 65997-15-1 | TWA: 1 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction TWA: 50 mppcf <1% Crystalline silica | IDLH: 5000 mg/m ³ TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust |
| Calcium sulfate dihydrate 10101-41-4 | TWA: 10 mg/m ³ inhalable particulate matter | - | - |

| Chemical name | Argentina | Brazil | Chile | Colombia |
|---|-----------------------------|------------------------------|-----------------------------|-----------------------------|
| Quartz 14808-60-7 | TWA: 0.05 mg/m ³ | TWA: 0.025 mg/m ³ | TWA: 0.08 mg/m ³ | TWA: 0.025mg/m ³ |
| Calcium sulfate 7778-18-9 | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | - | TWA: 10mg/m ³ |
| Cement, portland, chemicals 65997-15-1 | TWA: 10 mg/m ³ | TWA: 1 mg/m ³ | TWA: 8.8 mg/m ³ | TWA: 1mg/m ³ |
| Calcium sulfate dihydrate 10101-41-4 | - | TWA: 10 mg/m ³ | - | TWA: 10mg/m ³ |

| Chemical name | Costa Rica | Peru | Uruguay | Venezuela |
|---------------|------------|------|---------|-----------|
|---------------|------------|------|---------|-----------|

SAFETY DATA SHEET

ULTRARAMP
Revision Number 2

Revision Date: 24-Sep-2020
Supersedes Date: 27-May-2020

| Chemical name | Costa Rica | Peru | Uruguay | Venezuela |
|---|-----------------------------|----------------------------|--|------------------------------|
| Quartz 14808-60-7 | TWA: 0.025mg/m ³ | TWA: 0.05mg/m ³ | 0.025 mg/m ³ TWA (respirable particulate matter) | TWA: 0.025 mg/m ³ |
| Calcium sulfate 7778-18-9 | TWA: 10mg/m ³ | TWA: 10mg/m ³ | 10 mg/m ³ TWA (inhalable particulate matter) | TWA: 10 mg/m ³ |
| Cement, portland, chemicals 65997-15-1 | TWA: 1mg/m ³ | TWA: 10mg/m ³ | 1 mg/m ³ TWA (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter) | TWA: 10 mg/m ³ |
| Calcium sulfate dihydrate 10101-41-4 | TWA: 10mg/m ³ | - | 10 mg/m ³ TWA (inhalable particulate matter, listed under Calcium sulfate) | - |

8.2. Exposure controls

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Avoid contact with eyes. If splashes are likely to occur: Tight sealing safety goggles.

Hand protection Wear suitable gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.

Skin and body protection Wear suitable protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General hygiene considerations Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Do not breathe dust. Avoid contact with skin, eyes or clothing. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and clothing is recommended.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid
Appearance Powder

SAFETY DATA SHEET

ULTRARAMP
Revision Number 2

Revision Date: 24-Sep-2020
Supersedes Date: 27-May-2020

Color Gray
Odor No information available
Odor threshold No information available

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|--|--|-------------------------|
| pH | Not applicable . | |
| Melting point / freezing point | Not applicable . | |
| Boiling point / boiling range | Not applicable . | |
| Flash point | Not applicable . | |
| Evaporation rate | Not applicable . | |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limit in Air | | None known |
| Upper flammability or explosive limits | No data available | |
| Lower flammability or explosive limits | No data available | |
| Vapor pressure | No data available | None known |
| Vapor density | No data available | None known |
| Relative density | No data available | None known |
| Water solubility | Cement based products react and solidify in contact with water | |
| Solubility(ies) | No data available | None known |
| Partition coefficient | No data available | None known |
| Autoignition temperature | No data available | None known |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | . | |
| Dynamic viscosity | . | |
| <u>9.2. Other information</u> | | |
| Explosive properties | No information available | |
| Oxidizing properties | No information available | |
| Solvent content (%) | No information available | |
| Solid content (%) | 100 | |
| Softening Point | Not relevant | |
| Molecular weight | No information available | |
| VOC Content (%) | 0 g/L / 0 % | |
| Density | 0.760 g/cm ³ | |
| Bulk density | No information available | |

10. Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Dust formation. Protect from moisture.

10.5. Incompatible materials

SAFETY DATA SHEET

ULTRARAMP
Revision Number 2

Revision Date: 24-Sep-2020
Supersedes Date: 27-May-2020

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied

11. Toxicological information

11.1. Information on toxicological effects

Product Information

| | |
|---------------------|--|
| Inhalation | Specific test data for the substance or mixture is not available. |
| Eye contact | Causes serious eye damage. May cause irreversible damage to eyes. |
| Skin contact | Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact. |
| Ingestion | Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

| | |
|--------------------------------------|-----------------|
| ATEmix (oral) | 41,433.50 mg/kg |
| ATEmix (inhalation-dust/mist) | 43.422 mg/l |

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|---------------------------|------------------------------------|--|
| Quartz 14808-60-7 | >20000 mg/kg | - | - |
| Cement, alumina, chemicals 65997-16-2 | LD50 >2000 mg/Kg Rat | LD50 >2000 mg/Kg Rat | - |
| Slags, ferrous metal, blast furnace 65996-69-2 | LD50 >2000 mg/Kg | >4000 mg/Kg (Rattus) (OECD 402) | >5235 mg/m ³ Dust (OECD 403) |
| Calcium sulfate 7778-18-9 | >3000 mg/kg (Rattus) | - | CL50 >2.61 mg/L (4h) Rat |
| Cement, portland, chemicals 65997-15-1 | LD50 >2000 mg/Kg (Rattus) | LD50 >2000 mg/Kg | - |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Causes burns. Risk of serious damage to eyes.

Respiratory or skin sensitization May cause sensitization by skin contact.

SAFETY DATA SHEET

ULTRARAMP
Revision Number 2

Revision Date: 24-Sep-2020
Supersedes Date: 27-May-2020

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|----------------------|-------|---------|-------|------|
| Quartz 14808-60-7 | A2 | Group 1 | Known | X |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.
Target organ effects Respiratory system, Eyes, Skin, Lungs.

Aspiration hazard Based on available data, the classification criteria are not met.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

12.1. Toxicity

Ecotoxicity

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|--|--|--|----------------------------|--|
| Cement, alumina, chemicals 65997-16-2 | EC50 (72h)Algae (Pseudokirchneriella subcapitata) >5.6mg/L | LC50 (96h) (Onchorhynchus mykiss) >100 mg/L (OECD 203) | - | EC50 (48h) Daphnia magna =6.6mg/L (OECD 202) |
| Calcium sulfate 7778-18-9 | CL50 (72h) >100 mg/L Algae | LC50: =2980mg/L (96h, Lepomis macrochirus) LC50: >1970mg/L (96h, Pimephales promelas) | - | CE50 (48h) >100 mg/L (Daphnia magna) |

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

12.4. Mobility in soil

SAFETY DATA SHEET

ULTRARAMP
Revision Number 2

Revision Date: 24-Sep-2020
Supersedes Date: 27-May-2020

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

13. Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. Transport information

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. Regulatory information

International Inventories

| | |
|-------------|------------|
| TSCA | Listed |
| DSL | Not Listed |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated

SAFETY DATA SHEET

ULTRARAMP
Revision Number 2

Revision Date: 24-Sep-2020
Supersedes Date: 27-May-2020

diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

16. Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| | | | |
|---------|-----------------------------|------|----------------------------------|
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value | * | Skin designation |

Prepared By Product Safety & Regulatory Affairs.

Revision Date: 24-Sep-2020

Revision note SDS sections updated. 1. 2. 3. 4. 5. 6. 7. 8. 10. 11.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet