

In accordance with OSHA 29 CFR 1910.1200

ROLL-COTE MOISTURE VAPOR BARRIER

Revision date 02-Feb-2022 **Revision Number** 4 Supersedes Date: 19-May-2021

1. Identification

1.1. Product identifier

ROLL-COTE MOISTURE VAPOR BARRIER Product Name

Other means of identification

Other information Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use No information available No information available Restrictions on use

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075

E-mail msds@bostik.com

1.4. Emergency telephone number

Chemtrec (Transport/Environmental): 1-800-424-9300 **Emergency Telephone**

1-703-527-3887 (Outside U.S.)

Rocky Mountain Poison Center: 1-866-767-5089

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Hazards not otherwise classified (HNOC)

Not applicable

2.2. Label elements

EMERGENCY OVERVIEW

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance Viscous Physical state Liquid **Odor** Fruity

US - EN Page 1/9

ROLL-COTE MOISTURE VAPOR BARRIER

Revision Number 4 Supersedes Date: 19-May-2021

Revision date 02-Feb-2022

2.3. Other Information

No information available.

3. Composition/information on ingredients

3.1. Substances

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
Graphite	7782-42-5	5 - <10
2-Propanol, 1-phenoxy-	770-35-4	1 - <5

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. First-aid measures

4.1. Description of first aid measures

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with plenty of water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious

person. If swallowed, call a poison control center or physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the No information available.

US - EN Page 2/9

ROLL-COTE MOISTURE VAPOR BARRIER

Revision Number 4 Supersedes Date: 19-May-2021

chemical

Hazardous combustion products No information available.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

Revision date 02-Feb-2022

(approved or equivalent) and full protective gear.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Avoid contact

with skin, eyes or clothing. Wash thoroughly after handling.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for

additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Contain and collect spillage with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning upUse personal protective equipment as required. Dam up. Take up with sand or other

noncombustible absorbent material and place into containers for later disposal. Clean

contaminated surface thoroughly.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. Handling and storage

7.1. Precautions for safe handling

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Take off contaminated

clothing and wash before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature Keep at temperatures between 41 and 95 °F / 5 and 35 °C.

US - EN Page 3/9

ROLL-COTE MOISTURE VAPOR BARRIER

Revision Number 4 Supersedes Date: 19-May-2021

7.3 References to other sections

Reference to other sections Section 10: STABILITY AND REACTIVITY

Section 13: DISPOSAL CONSIDERATIONS

8. Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product contains substances which in their raw state are powder form, however in this

product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to

Revision date 02-Feb-2022

occur from exposure to this product.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Graphite	TWA: 2 mg/m ³ respirable	TWA: 15 mg/m³ total dust	IDLH: 1250 mg/m ³
7782-42-5	particulate matter all forms	synthetic	TWA: 2.5 mg/m ³ natural
	except graphite fibers	TWA: 5 mg/m ³ respirable	respirable dust
		fraction synthetic	
		(vacated) TWA: 2.5 mg/m ³	
		respirable dust natural	
		(vacated) TWA: 10 mg/m³ total	
		dust synthetic	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction synthetic	
		TWA: 15 mppcf natural	

Chemical name	Argentina	Brazil	Chile	Colombia
Graphite	TWA: 2 mg/m ³	TWA: 2 mg/m ³	LPP: 1.75 mg/m ³	TWA: 2mg/m ³
7782-42-5			_	

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Graphite 7782-42-5	TWA: 2mg/m ³	TWA: 2mg/m ³	2 mg/m³ TWA (all forms except graphite fibers, respirable particulate	TWA: 2 mg/m ³
			matter)	

8.2. Exposure controls

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers.

Skin and body protection Wear suitable protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

US - EN Page 4/9

ROLL-COTE MOISTURE VAPOR BARRIER

Revision Number 4 Supersedes Date: 19-May-2021

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Revision date 02-Feb-2022

provided in accordance with current local regulations.

General hygiene considerations

Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Take off contaminated clothing and wash it before reuse. Regular cleaning of equipment, work area and clothing is recommended.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid **Appearance** Viscous Color Black Odor Fruity

No information available **Odor threshold**

Property Values Remarks • Method

No data available Hq No data available None known pH (as aqueous solution)

No data available Melting point / freezing point

Initial boiling point and boiling No data available

range

> 93 °C / 200 °F Flash point

Evaporation rate No data available None known

Flammability Not applicable for liquids .

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits No data available

Lower flammability or explosive limits

Vapor pressure No data available None known Relative vapor density No data available None known

Relative density No data available None known Water solubility No data available Solubility(ies) No data available None known

Partition coefficient No data available None known No data available **Autoignition temperature** None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known

Dynamic viscosity 22000 - 28000 mPas Spindle 2 @ 5 rpm @ 70-78 °F

9.2. Other information

Explosive properties No information available No information available **Oxidizing properties** No information available Solvent content (%)

Solid content (%) 50.5-53.5

No information available **Softening Point** No information available Molecular weight

VOC Content (%)

Liquid Density 1.10 g/cm³

Bulk density No information available No information available

US - EN Page 5/9

ROLL-COTE MOISTURE VAPOR BARRIER

Revision Number 4 Supersedes Date: 19-May-2021

Revision date 02-Feb-2022

10. Stability and reactivity

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical stability

Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoidNone known based on information supplied.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon monoxide Carbon dioxide (CO2) Hydrocarbons

11. Toxicological information

11.1. Information on toxicological effects

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 99,437.80 mg/kg

 ATEmix (dermal)
 70,274.10 mg/kg

 ATEmix (inhalation-dust/mist)
 189.70 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Graphite	-	-	>2000 mg/m³ (Rattus) 4 h
7782-42-5			

US - EN Page 6/9

ROLL-COTE MOISTURE VAPOR BARRIER

Revision Number 4 Supersedes Date: 19-May-2021

Revision date 02-Feb-2022

ſ	2-Propanol, 1-phenoxy-	=2830 mg/kg (Rattus)	> 2 g/kg (Oryctolagus	>5400 mg/m³ (Rattus) 4 h

2-Propanol, 1-phenoxy- =2830 mg/kg (Rattus) > 2 g/kg (Oryctolagus >5400 mg/m³ (Rattus) 4 h cuniculus) > 2000 mg/kg (Oryctolagus cuniculus)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposureBased on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Other adverse effects

No information available.

Interactive effects

No information available.

12. Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Graphite	-	LC50: >100mg/L (96h,	-	-
7782-42-5		Danio rerio)		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

US - EN Page 7/9

ROLL-COTE MOISTURE VAPOR BARRIER

Revision Number 4 Supersedes Date: 19-May-2021

12.4. Mobility in soil

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

13. Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and

Revision date 02-Feb-2022

disposal methods in compliance with applicable regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. Transport information

Note: Keep from freezing

DOTNot regulatedIATANot regulated

IMDG Not regulated

15. Regulatory information

International Inventories

TSCA	Listed
DSL	Not Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

Europe

US - EN Page 8/9

ROLL-COTE MOISTURE VAPOR BARRIER

Revision Number 4 Supersedes Date: 19-May-2021

Revision date 02-Feb-2022

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation. This document is based on the information given to us by our own suppliers at the date of this document.

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

16. Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Prepared By Product Safety & Regulatory Affairs.

Revision date 02-Feb-2022

Revision Note SDS sections updated. 4. 5. 6. 7. 8. 12. 15.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

US - EN Page 9/9