

In accordance with OSHA 29 CFR 1910.1200

BOSTIK® LOCK A100 COVE ADHESIVE

Revision Number 1.01

Revision date 15-May-2025 Supersedes date 09-Aug-2021

1. Identification

1.1. Product identifier

Product Name BOSTIK® LOCK A100 COVE ADHESIVE

Other means of identification

Other information Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives

Restrictions on use No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1(800) 726-7845 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

E-mail msds@bostik.com

1.4. Emergency telephone number

Emergency Telephone CHEMTREC (Chemical Transportation Emergency Center)

Chemtrec: 1-800-424-9300 (US), 1-703-527-3887 (Outside U.S.)

Rocky Mountain Poison Center: 1-866-767-5089

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Hazards not otherwise classified (HNOC)

Not applicable

2.2. Label elements

EMERGENCY OVERVIEW

Hazard statements

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance Paste

Physical state Liquid

Odor No information available

US - EN Page 1 / 10

BOSTIK® LOCK A100 COVE ADHESIVE

Revision date 15-May-2025 **Revision Number** 1.01 Supersedes date 09-Aug-2021

2.3. Other Information

Causes mild skin irritation.

3. Composition/information on ingredients

3.1. Substances

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%
Kaolin	1332-58-7	15 - 40
Limestone	1317-65-3	7 - <13
Tetrapotassium pyrophosphate	7320-34-5	1 - <5
Potassium hydroxide	1310-58-3	0.1 - <1

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. First-aid measures

4.1. Description of first aid measures

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Eve contact

Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected

area. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic

reactions see a physician.

Ingestion Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious

person. Do not induce vomiting without medical advice. If symptoms persist, call a

physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Prolonged contact may cause redness and irritation.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. Fire-Fighting Measures

US - EN Page 2 / 10

BOSTIK® LOCK A100 COVE ADHESIVE

Revision Number 1.01 Supersedes date 09-Aug-2021

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing

measures that are appropriate to local circumstances and the surrounding environment.

Revision date 15-May-2025

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon oxides. Silicon dioxide.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautionsUse personal protective equipment as required. Avoid contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. See Section 12 for additional Ecological

Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other noncombustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. Handling and storage

7.1. Precautions for safe handling

hygiene and safety practice. Do not eat, drink or smoke when using this product. Ensure

US - EN Page 3 / 10

BOSTIK® LOCK A100 COVE ADHESIVE

Revision date 15-May-2025 Revision Number 1.01 Supersedes date 09-Aug-2021

adequate ventilation. Avoid contact with skin, eyes or clothing. Wash thoroughly after

handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.

Recommended storage temperature Do not freeze. Keep at temperatures between 41 and 95 °F / 5 and 35 °C.

7.3 References to other sections

Reference to other sections Section 10: STABILITY AND REACTIVITY

Section 13: DISPOSAL CONSIDERATIONS

8. Exposure Controls/Personal Protection

8.1. Control parameters

This product contains substances which in their raw state are powder form, however in this **Exposure Limits**

product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to

occur from exposure to this product.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Kaolin	TWA: 2 mg/m ³ particulate	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m³ respirable	TWA: 5 mg/m ³ respirable dust
	and <1% crystalline silica,	fraction	
	respirable particulate matter	(vacated) TWA: 10 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Limestone	-	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
1317-65-3		TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
		fraction	
		(vacated) TWA: 15 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Potassium hydroxide	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
1310-58-3			

Chemical name	Argentina	Brazil	S.D. 594/1999	Colombia
Kaolin	TWA-CMP: 2 mg/m ³ ;	TWA-LT: 2 mg/m ³ ;	TWA-LPP: 13 mg/m ³ ;	TWA: 2mg/m ³
1332-58-7	respirable fraction	respirable particulate	TWA-LPP:	
		matter	4.5 mg/m ³ ;respirable	
			fraction	
Limestone	TWA-CMP: 10 mg/m ³ ;	-	TWA-LPP: 7 mg/m ³ ;free	-
1317-65-3			of Asbestos with <1%	
			free Crystalline Silica	
			TWA-LPP:	
			5 mg/m³;respirable	
			fraction	
Potassium hydroxide	Ceiling (CMP-C): 2	Ceiling: 2 mg/m ³ ;	Ceiling (LPA): 2 mg/m ³ ;	Ceiling: 2mg/m ³
1310-58-3	mg/m³;			

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
---------------	------------	------	---------	-----------

US - EN Page 4 / 10

BOSTIK® LOCK A100 COVE ADHESIVE

Revision Number 1.01 Supersedes date 09-Aug-2021

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Kaolin 1332-58-7	TWA: 2mg/m³	TWA: 2mg/m³	2 mg/m³ TWA (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter)	TWA: 2 mg/m³
Potassium hydroxide 1310-58-3	Ceiling: 2mg/m ³	-	2 mg/m ³ Ceiling	STEL: 2 mg/m ³

8.2. Exposure controls

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

Hand protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers.

Revision date 15-May-2025

Skin and body protection Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations Wear suitable gloves and eye/face protection. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash hands and face before breaks and immediately after handling the product. Take off contaminated clothing and wash before reuse. Regular

cleaning of equipment, work area and clothing is recommended.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearancePaste

ColorNo information availableOdorNo information availableOdor thresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 11.0 - 11.4

pH (as aqueous solution)

No data available

None known

Melting point / freezing point

No data available

None known

Initial boiling point and boiling rangeNo data available

None known

No data available

None known

None known

US - EN Page 5 / 10

BOSTIK® LOCK A100 COVE ADHESIVE

Revision Number 1.01 Supersedes date 09-Aug-2021

Evaporation rate No data available None known

Flammability No data available

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits
Lower flammability or explosive No data ava

Lower flammability or explosive No data available **limits**

Vapor pressure No data available None known Relative vapor density No data available None known Relative density No data available None known Water solubility No data available None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known No data available **Dynamic viscosity** None known

9.2. Other information

Explosive properties

Oxidizing properties

No information available
No information available
No information available

Solid content (%) 52-54

Softening point

Molecular weight

No information available
No information available

VOC content

Density 1.34 g/cm³

Bulk density No information available

No information available

Revision date 15-May-2025

10. Stability and Reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Keep from freezing. Do not freeze.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon monoxide Carbon dioxide (CO2) Hydrocarbons

11. Toxicological information

US - EN Page 6 / 10

BOSTIK® LOCK A100 COVE ADHESIVE

Revision Number 1.01 Supersedes date 09-Aug-2021

Revision date 15-May-2025

11.1. Information on toxicological effects

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Specific test data for the substance or mixture is not available. Causes mild skin irritation.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Prolonged contact may cause redness and irritation.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 >5000 mg/kg

 ATEmix (dermal)
 204,918.00 mg/kg

 ATEmix (inhalation-gas)
 >20000 ppm

 ATEmix (inhalation-dust/mist)
 90.20 mg/l

 ATEmix (inhalation-vapor)
 >20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin	LD50 (Rattus) > 2000 mg/kg	> 5000 mg/kg (Rattus)	1.5 mg/l 4hr
1332-58-7			
Limestone	>5000 mg/kg (Rattus)	-	-
1317-65-3			
Tetrapotassium pyrophosphate	-	> 4640 mg/kg (Oryctolagus	> 1.1011 mg/L (Rat) 4 h
7320-34-5		cuniculus)	-
Potassium hydroxide	=333 mg/kg (Rattus)	-	-
1310-58-3			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes mild skin irritation.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity This product contains substances which in their raw state are powder form, however in this

product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to

occur from exposure to this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

US - EN Page 7 / 10

BOSTIK® LOCK A100 COVE ADHESIVE

Revision Number 1.01 Supersedes date 09-Aug-2021

Revision date 15-May-2025

Chemical name	ACGIH	IARC	NTP	OSHA
Kaolin	A4 - Not Classifiable as a	-	-	-
1332-58-7	Human Carcinogen			

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A4 - Not classifiable as a human carcinogen

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Target organ effects Respiratory system, Eyes, Skin, Gastrointestinal tract (GI).

Aspiration hazard Based on available data, the classification criteria are not met.

Other adverse effects

No information available.

Interactive effects

No information available.

12. Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Kaolin 1332-58-7	IC 50 (72h) > 1000 mg/l	LC 50 (96h) > 1000 mg/l		EC 50 (48h) > 1000 mg/l (Daphnia magna)
Limestone 1317-65-3	CE50 (72h) >200mg/L Algae (Desmondesmus subspicatus)	CL50 (96h)>10000mg/L (Oncorhynchus mykiss)	-	CE50 (48h) >1000 mg/L Daphnia Magna
Tetrapotassium pyrophosphate 7320-34-5	-	LC50: >100mg/L (96h, Oncorhynchus mykiss)	-	EC50: >100mg/L (48h, Dappnia magna)
Potassium hydroxide 1310-58-3	-	LC50: =80mg/L (96h, Gambusia affinis)	-	-

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Limestone	0.9

US - EN Page 8 / 10

BOSTIK® LOCK A100 COVE ADHESIVE

Revision Number 1.01 Supersedes date 09-Aug-2021

1317-65-3	
Potassium hydroxide	0.83
1310-58-3	

12.4. Mobility in soil

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

13. Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and

Revision date 15-May-2025

disposal methods in compliance with applicable regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. Transport information

Note: Keep from freezing.

DOTNot regulatedIATANot regulatedIMDGNot regulated

15. Regulatory Information

International Inventories

TSCA	Complies
DSL	Not Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Complies - The components of this product are either listed or exempt from listing on inventory. Active

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

US - EN Page 9 / 10

BOSTIK® LOCK A100 COVE ADHESIVE

Revision Number 1.01 Supersedes date 09-Aug-2021

Revision date 15-May-2025

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

16. Other Information

Key or legend to abbreviations and acronyms used in the safety data sheet

Leaend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Prepared By Product Stewardship and Regulatory Affairs.

Revision date 15-May-2025

Revision Note SDS sections updated. 2.

Disclaimer

All information contained herein is believed to be accurate as of the date of publication, is provided "as-is" and is subject to change without notice. This is not a warranty, an agreement, or substitute for expert or professional advice. Bostik Inc. ("Company") expressly disclaims and assumes no liability for the use of the products or reliance on this information. It is the sole responsibility of the user to determine the suitability of any products for user's application(s). NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING SUITABILITY FOR USE IN ANY MEDICAL DEVICE OR MEDICAL APPLICATION), IS MADE CONCERNING THE PRODUCTS OR THE INFORMATION PROVIDED HEREIN. The information provided relates only to the specific products designated herein and may not be valid where such products are used in combination with other materials or in any process. The performance of the product, its shelf life, and application characteristics depends on many variables, and changes in these variables can impact product performance. You are responsible to test the suitability of any product in advance for any intended use or application and before commercialization. Nothing herein shall be construed as a license for the use of any product in a manner that might infringe any patent and it should not be construed as an inducement to infringe any patent. Please carefully review the Safety Data Sheet for the product.

The Company adheres to a strict policy that applies to the use of any of its products in medical device applications. This policy can be found at

https://www.arkema.com/global/en/social-responsibility/innovation-and-sustainable-solutions/responsible-product-mana gement/medical-device-policy/ which is incorporated herein by reference and made a part hereof. Except as expressly authorized, the Company (i) has designated specific medical grade compositions for products used in medical device applications and Company products not so designated are not authorized for use in medical device applications and (ii) strictly prohibits the use of any of its products in medical device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Company does not design, manufacture and/or directly sell any medical devices. The Company does not co-design, or offer assistance to any purchaser of its products, in their design, manufacture and/or sale of products for medical devices. It is the sole responsibility of the manufacturer of medical devices to determine the suitability of all raw material, products and components, including any medical grade products, in order to ensure that the medical device is safe for end-use and complies with all applicable legal and regulatory requirements and to conduct all necessary tests and inspections.

End of Safety Data Sheet

US - EN Page 10 / 10