

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

BOSTIK READY-MIXED PATCHING PLASTER

Supercedes date 13-Dec-2023

Revision date 10-Feb-2025 Revision Number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name BOSTIK READY-MIXED PATCHING PLASTER

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Wall plaster

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH210 - Safety data sheet available on request

EUH208 - Contains 1,2-benzisothiazol-3(2H)-one [BIT] & 2-methyl-2H-isothiazol-3-one [MIT] & reaction mass of

5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]. May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

United Kingdom - BE Page 1 / 13

BOSTIK READY-MIXED PATCHING PLASTER

Supercedes date 13-Dec-2023

Revision date 10-Feb-2025 Revision Number 2

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-	REACH	EC No. (Index	Classification	Specific	M-Factor	M-Factor	Notes
	%	registration	No.)		concentration		(long-ter	
		number		Regulation (EC) No.	limit (SCL)		m)	
4.0	0.04	04.0400704540	000 400 0	1272/2008 [CLP]	Oldina Oldina	4	4	
1,2-benzisothiazol-3(0.01 < 0.036	01-2120761540 -60-XXXX		Acute Tox. 4 (H302) Acute Tox. 2 (H330)		1	1	-
2H)-one [BIT] 2634-33-5	0.036	-00-	(613-066-00-6)	Skin Irrit. 2 (H315)	C>=0.036%			
2034-33-3				Eye Dam. 1 (H318)	0>=0.030%			
				Skin Sens. 1A				
				(H317)				
				Aquatic Acute 1				
				· (H400)				
				Aquatic Chronic 1				
				(H410)				
reaction mass of	<0.0015	No data	611-341-5	Acute Tox. 3 (H301)		100	100	В
5-chloro-2-methyl-2		available		Acute Tox. 2 (H310)	C>=0.6%			
H-isothiazol-3-one				Acute Tox. 2 (H330)				
and 2-methyl-2H-isothiaz				Skin Corr. 1C (H314)	0.06%<=C<0 .6%			
ol-3-one (3:1)				Eye Dam. 1 (H318)				
[C(M)IT/MIT]				Skin Sens. 1A	:: C>=0.6%			
55965-84-9				(H317)	Skin Irrit. 2 ::			
					0.06%<=C<0			
				· (H400)	.6%			
				Aquatic Chronic 1	Skin Sens.			
				(H410)	1A ::			
				(EUH071)	C>=0.0015%			
2-methyl-2H-isothiaz	<0.0015	01-2120764690		Skin Corr. 1B	Skin Sens.	10	1	-
ol-3-one [MIT]		-50-xxxx	(613-326-00-9)		1A ::			
2682-20-4				Eye Dam. 1 (H318) Skin Sens. 1A	C>=0.0015%			
				(H317)				
				Acute Tox. 3				
				(H301)				
				Acute Tox. 3 (H311)				
				Acute Tox. 2				
				(H330)				
				Aquatic Acute 1				
				(H400)				
				Aquatic Chronic 1				
				(H410)				
				(EUH071)				

United Kingdom - BE Page 2 / 13

BOSTIK READY-MIXED PATCHING PLASTER

Supercedes date 13-Dec-2023

Revision date 10-Feb-2025 Revision Number 2

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No. (Index No.)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour -	Inhalation LC50 - 4 hour -	Inhalation LC50 - 4 hour -
					dust/mist -	vapour - mg/L	gas - ppm
					mg/L		
1,2-benzisothiazol-3(2	220-120-9	2634-33-5	450	-	=0.21 mg/L (ATE	0.21+	0.21+
H)-one [BIT]	(613-088-00-6)				dust/mist)		
reaction mass of	611-341-5	55965-84-9	66	141	0.17	-	-
5-chloro-2-methyl-2H-is							
othiazol-3-one and							
2-methyl-2H-isothiazol-							
3-one (3:1) [C(M)IT/MIT]							
2-methyl-2H-isothiazol-	220-239-6	2682-20-4	285	243	0.11	-	-
3-one [MIT]	(613-326-00-9)						

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand. Show this safety

data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

Skin contactWash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

United Kingdom - BE Page 3 / 13

BOSTIK READY-MIXED PATCHING PLASTER

Supercedes date 13-Dec-2023

Revision date 10-Feb-2025 **Revision Number** 2

No information available. Note to doctors

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the No information available.

chemical

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Do not scatter spilled material with high pressure water streams. **Methods for containment**

Take up mechanically, placing in appropriate containers for disposal. Methods for cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

Handle in accordance with good industrial hygiene and safety practice. **General hygiene considerations**

7.2. Conditions for safe storage, including any incompatibilities

Keep from freezing. **Storage Conditions**

Recommended storage

temperature

Do not freeze.

7.3. Specific end use(s)

United Kingdom - BE Page 4 / 13

BOSTIK READY-MIXED PATCHING PLASTER

Supercedes date 13-Dec-2023

Revision date 10-Feb-2025 Revision Number 2

Specific use(s)

Wall plaster.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product contains titanium dioxide in a non-respirable form. Inhalation of titanium

dioxide is unlikely to occur from exposure to this product

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)				
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Long term Systemic health effects	Inhalation	6.81 mg/m³		
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d		

Derived No Effect Level (DNEL)				
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m³		
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d		

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)	
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-	5)
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	4.03 μg/l
Marine water	0.403 μg/l
Sewage treatment plant	1.03 mg/l
Freshwater sediment	49.9 μg/l
Marine sediment	4.99 μg/l
Soil	3 mg/kg dry weight

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

United Kingdom - BE Page 5 / 13

BOSTIK READY-MIXED PATCHING PLASTER

Supercedes date 13-Dec-2023

Revision date 10-Feb-2025 Revision Number 2

Eye/face protection Tight sealing safety goggles.

Hand protection Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the

breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves

None known

None known

depends on the material and the thickness as well as the temperature.

Skin and body protection Suitable protective clothing.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

Appearance Viscous Paste Colour Cream

Odour No information available.

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone known

range

Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point

Autoignition temperature

Decomposition temperature

pH

8.0 - 10.0

None known

pH (as aqueous solution) No data available None known.

Kinematic viscosity > 20.5 mm²/s @ 40 °C

Dynamic viscosity 5000 - 10000 mPa s

Water solubilityPartially soluble.None knownSolubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownVapour pressure2350Pa

Relative density <1.75

Bulk density No data available

Liquid Density >1.6 g/cm³
Relative vapour density No data available

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

Solid content (%)

No information available

VOC content

0 %

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

United Kingdom - BE Page 6 / 13

BOSTIK READY-MIXED PATCHING PLASTER

Supercedes date 13-Dec-2023

Revision date 10-Feb-2025 Revision Number 2

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral) >2000 mg/kg
ATEmix (dermal) >2000 mg/kg
>ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapour) >20 mg/l

United Kingdom - BE Page 7 / 13

BOSTIK READY-MIXED PATCHING PLASTER

Supercedes date 13-Dec-2023

Revision date 10-Feb-2025 Revision Number 2

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1,2-benzisothiazol-3(2H)-one	=450 mg/kg (ATE)	LD50 > 2000 mg/kg (Rattus)	-
[BIT]			
reaction mass of	66 mg/kg (Rat)	LD50 = 8141 mg/kg (Rat)	= 0.33 mg/L (Rat) 4h
5-chloro-2-methyl-2H-isothiazo		OECD 402	
I-3-one and			
2-methyl-2H-isothiazol-3-one			
(3:1) [C(M)IT/MIT]			
2-methyl-2H-isothiazol-3-one	LD50 =285 mg/Kg (Rattus)	LD50 >242 mg/Kg (Rattus)	=0.11 mg/L (Rattus) 4 h
[MIT]			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicityBased on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

United Kingdom - BE Page 8 / 13

BOSTIK READY-MIXED PATCHING PLASTER

Supercedes date 13-Dec-2023

Revision date 10-Feb-2025 Revision Number 2

Ecotoxicity

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
1,2-benzisothiazol-3(2	EC50 3Hr	LC50 (96hr) 2.15	-	EC50(48hr) 2.94	1	1
H)-one [BIT]	13mg/l (activated	mg/l Cyprinodon		mg/l (Daphnia		
2634-33-5	sludge) (OECD	variegatus EPA		Magna) OECD		
	209)	540/9-85-006		202		
reaction mass of	EC50 (72h)	EC50 (96h) =	-	EC50 (48h) =0.1	100	100
5-chloro-2-methyl-2H-is	=0.048 mg/L	0.22 mg/L		mg/L (Daphnia		
othiazol-3-one and	(Pseudokirchner	(Oncorhynchus		magna) (OECD		
2-methyl-2H-isothiazol-	iella subcapitata)	mykiss) (OECD		202)		
3-one (3:1)	(OECD 201)	211)				
[C(M)IT/MIT]						
55965-84-9						
2-methyl-2H-isothiazol-	EC50 (72hr)	EC50 (96hr)	-	EC50 (48hr)	10	1
3-one [MIT]	0.157 mg/l	5.71 mg/l		1.68 mg/l		
2682-20-4	(Pseudokirchner	(Oncorhynchus		(Daphnia)		
	iella subcapitata)	mykiss) OECD		(OECD 202)		
	(OECD 201)	203		·		

12.2. Persistence and degradability

Persistence and degradability No information available.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)					
Method	Exposure time	Value	Results		
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable		
Biodegradability: CO2 Evolution Test					
(TG 301 B)					

2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)				
Method	Exposure time	Value	Results	
OECD Test No. 308: Aerobic and		Half-life	1.28-2.1 days	
Anaerobic Transformation in Aquatic			-	
Sediment Systems				
OECD Test No. 309: Aerobic		biodegradation Half-life	Readily biodegradable 4.1	
Mineralization in Surface Water -			days	
Simulation Biodegradation Test			-	

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Joinponone information				
Chemical name	Partition coefficient			
1,2-benzisothiazol-3(2H)-one [BIT]	0.7			
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7			
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]				
2-methyl-2H-isothiazol-3-one [MIT]	-0.32			

12.4. Mobility in soil

Mobility in soil

No information available.

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)

,2 Defizied Hazer 8(21) one [B11] (2001 00 0)				
Method	Value	Results		
OECD Test No. 121: Estimation of the Adsorption	14.13 Koc			
Coefficient (Koc) on Soil and on Sewage Sludge				
using High Performance Liquid Chromatography				

United Kingdom - BE Page 9 / 13

BOSTIK READY-MIXED PATCHING PLASTER

Supercedes date 13-Dec-2023

Revision date 10-Feb-2025 Revision Number 2

(HPLC)		
OECD Test No. 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC)	1.15 log Koc	Very mobile

2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)

Method	Value	Results
OECD Test No. 121: Estimation of the Adsorption	7.5 Koc	
Coefficient (Koc) on Soil and on Sewage Sludge		
using High Performance Liquid Chromatography		
(HPLC)		
OECD Test No. 121: Estimation of the Adsorption	0.88 log Koc	Very mobile
Coefficient (Koc) on Soil and on Sewage Sludge		
using High Performance Liquid Chromatography		
(HPLC)		

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessmentBased on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
1,2-benzisothiazol-3(2H)-one [BIT]	Not PBT/vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	Not PBT/vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	
2-methyl-2H-isothiazol-3-one [MIT]	Not PBT/vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects

Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Note: Keep from freezing.

Land transport (ADR/RID)

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not regulated Not applicable

14.6 Special precautions for user

United Kingdom - BE Page 10 / 13

BOSTIK READY-MIXED PATCHING PLASTER

Supercedes date 13-Dec-2023

Revision date 10-Feb-2025 Revision Number 2

Special Provisions None

<u>IMDG</u>

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 Not regulated
 Not regulated
 Not regulated
 Not regulated

14.5 Marine pollutant NP14.6 Special precautions for user Special Provisions None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1) & BIT & MIT. May produce an allergic reaction

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) regulation (EC) 2024/590

Not applicable

Persistent Organic Pollutants

United Kingdom - BE Page 11 / 13

BOSTIK READY-MIXED PATCHING PLASTER

Supercedes date 13-Dec-2023

Revision date 10-Feb-2025 Revision Number 2

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

Regulations on drug precursors (EC) No 111/2005 (export) and 273/2004 (internal trade)

This product does not contain any substance(s) on the Drug Precursors list.

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Limit Value Sk* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

United Kingdom - BE Page 12 / 13

BOSTIK READY-MIXED PATCHING PLASTER

Supercedes date 13-Dec-2023

Revision date 10-Feb-2025 Revision Number 2

Prepared By Product Safety & Regulatory Affairs

Revision date 10-Feb-2025

Indication of changes

Revision Note Not applicable.

Training Advice No information available Further information No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 13 / 13