

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

production of toys or childcare articles Fabrics, textiles and apparel: bedding and clothing Gloves Footwear (shoes, boots) Paper products: tissue, towels, disposable dinnerware,

nappies, feminine hygiene products, adult incontinence products, writing paper

EVO-STIK GRIPFILL MAX ALL WEATHER ADHESIVE CLEAR Supercedes date 21-Jun-2024 Revision date 25-Jun-2024

Revision Number 1.04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name	EVO-STIK GRIPFILL MAX ALL WEATHER ADHESIVE CLEAR
Pure substance/mixture	Mixture
1.2. Relevant identified uses of	of the substance or mixture and uses advised against
Recommended use	Adhesives Sealant
Uses advised against	Not to be used in articles intended for direct or prolonged skin contact Not to be used in

Reason why uses advised against Restricted substance per REACH Annex XVII

1.3. Details of the supplier of the safety data sheet

Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom

Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EVO-STIK GRIPFILL MAX ALL WEATHER ADHESIVE CLEAR Supercedes date 21-Jun-2024

Revision date 25-Jun-2024

Revision Number 1.04

EU Specific Hazard Statements

EUH208 - Contains Trimethoxyvinylsilane & N-(3-(trimethoxysilyl)propyl)ethylenediamine & Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate. May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children

2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No).	CAS No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	REACH registration number
Trimethoxyvinylsilane 1 - <2.5 %	220-449-8 (014-049-00- 0)	2768-02-7	Acute Tox. 4 (H332) Skin Sens. 1B (H317) Flam. Liq. 3 (H226)	-	-	-	01-2119513215- 52-XXXX
N-(3-(trimethoxysilyl)pro pyl)ethylenediamine 0.1- <1 %	217-164-6	1760-24-3	Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 4 (H332) STOT SE 3 (H335)	-	-	-	01-2119970215- 39-XXXX
Dioctyltin oxide 0.1- <1 %	212-791-1	870-08-6	STOT SE 2 (H371)	-	-	-	01-2119971268- 27-xxxx
Reaction mass of Bis(1,2,2,6,6-pentamethy I-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4- piperidyl sebacate 0.05 - <0.1 %		1065336-91-5	Skin Sens. 1A (H317) Repr. 2 (H361f) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-	1	1	01-2119491304- 40-XXXX

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

С	Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	
Trin	nethoxyvinylsilane	220-449-8	2768-02-7	-	-	-	11	-

EVO-STIK GRIPFILL MAX ALL WEATHER ADHESIVE CLEAR Supercedes date 21-Jun-2024

Revision date 25-Jun-2024

Revision Number 1.04

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
	(014-049-00-0)						
N-(3-(trimethoxysilyl)pr opyl)ethylenediamine	217-164-6	1760-24-3	-	-	1.5	-	-
Dioctyltin oxide	212-791-1	870-08-6	-	-	-	-	-
Reaction mass of Bis(1,2,2,6,6-pentamet hyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4 -piperidyl sebacate	915-687-0	1065336-91-5	-	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	If medical advice is needed, have product container or label at hand. Show this safety data sheet to the doctor in attendance.				
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.				
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.				
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.				
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.				
4.2. Most important symptoms and	d effects, both acute and delayed				
Symptoms	No information available.				
Effects of Exposure	No information available.				
4.3. Indication of any immediate m	nedical attention and special treatment needed				
Note to doctors	Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.				
SECTION 5: Firefighting measures					
5.1. Extinguishing media					

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Full water jet.

EVO-STIK GRIPFILL MAX ALL WEATHER ADHESIVE CLEAR Supercedes date 21-Jun-2024 Revision date 25-Jun-2024

Revision Number 1.04

5.2. Special hazards arising from the substance or mixture						
Specific hazards arising from the chemical	No information available.					
Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide.					
5.3. Advice for firefighters						
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.					
SECTION 6: Accidental relea	se measures					
6.1. Personal precautions, protectiv	ve equipment and emergency procedures					
Personal precautions	Ensure adequate ventilation.					
For emergency responders	Use personal protection recommended in Section 8.					
6.2. Environmental precautions						
Environmental precautions	See Section 12 for additional Ecological Information.					
6.3. Methods and material for conta	ainment and cleaning up					
Methods for containment	Do not scatter spilled material with high pressure water streams.					
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.					
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.					
6.4. Reference to other sections						
Reference to other sections	See section 8 for more information. See section 13 for more information.					
SECTION 7: Handling and st	orage					
7.1. Precautions for safe handling	-					
Advice on safe handling	Ensure adequate ventilation.					
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.					
7.2. Conditions for safe storage, inc	cluding any incompatibilities					
Storage Conditions	Keep away from food, drink and animal feedingstuffs. Keep from freezing.					
Recommended storage temperature	Keep at temperatures between 10 and 35 °C. Do not freeze.					
7.3. Specific end use(s)						
Specific use(s) Adhesives. Sealant.						
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.					
Other information	Observe technical data sheet.					

SECTION 8: Exposure controls/personal protection

EVO-STIK GRIPFILL MAX ALL WEATHER ADHESIVE CLEAR Supercedes date 21-Jun-2024

Revision Number 1.04

8.1. Control parameters

Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

Chemical name	European Union	United Kingdom
Silica, amorphous	-	TWA: 6 mg/m ³
7631-86-9		TWA: 2.4 mg/m ³
		STEL: 18 mg/m ³
		STEL: 7.2 mg/m ³
Dioctyltin oxide	-	TWA: 0.1 mg/m ³
870-08-6		STEL: 0.2 mg/m ³
		Sk*

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)						
Trimethoxyvinylsilane (2768-02-7)						
Туре		Derived No Effect Level (DNEL)	Safety factor			
worker Systemic health effects Long term	Inhalation	27,6 mg/m³				
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d				

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Systemic health effects Long term	Inhalation	35.5 mg/m³				
worker Systemic health effects Long term	Dermal	5 mg/kg bw/d				

Dioctyltin oxide (870-08-6)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Long term Systemic health effects	Dermal	0.05 mg/kg bw/d				
worker Long term Systemic health effects	Inhalation	0.004 mg/m³				

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate (1065336-91-5)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Long term Systemic health effects	Inhalation	1.27 mg/m³				
worker Systemic health effects Long term	Dermal	1.8 mg/kg				

EVO-STIK GRIPFILL MAX ALL WEATHER ADHESIVE CLEAR Supercedes date 21-Jun-2024

Revision date 25-Jun-2024

Revision Number 1.04

Derived No Effect Level (DNEL)					
Trimethoxyvinylsilane (2768	-02-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³			
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d			
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d			

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Systemic health effects Long term	Oral	2.5 mg/kg bw/d		
Consumer Systemic health effects Long term	Inhalation	8.7 mg/m³		
Consumer Systemic health effects Long term	Dermal	2.5 mg/kg bw/d		

Dioctyltin oxide (870-08-6)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Oral	0.0005 mg/kg bw/d	
Consumer Long term Systemic health effects	Dermal	0.025 mg/kg bw/d	
Consumer Long term Systemic health effects	Inhalation	0.0009 mg/m³	

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate (1065336-91-5)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer	Inhalation	0.31 mg/m ³		
Long term Systemic health effects				
Consumer Long term Systemic health effects	Dermal	0.9 mg/kg		
Consumer Long term Systemic health effects	Oral	0.18 mg/kg		

Predicted No Effect Concentration No information available. **(PNEC)**

EVO-STIK GRIPFILL MAX ALL WEATHER ADHESIVE CLEAR Supercedes date 21-Jun-2024

Revision date 25-Jun-2024

Revision Number 1.04

Predicted No Effect Concentration	(PNEC)			
Trimethoxyvinylsilane (2768-02-7)		Dredicted No. Effect Oncomparise (DNEO)		
Environmental compartment		Predicted No Effect Concentration (PNEC)		
Freshwater		0.34 mg/l		
Marine water		0.034 mg/l		
Microorganisms in sewage treatment		110 mg/l		
N-(3-(trimethoxysilyl)propyl)ethyle	nediamine (1760-24-3)			
Environmental compartment		Predicted No Effect Concentration (PNEC)		
Freshwater		0.062 mg/l		
Marine water		0.0062 mg/l		
Sewage treatment plant		25 mg/l		
		·		
Dioctyltin oxide (870-08-6)				
Environmental compartment		Predicted No Effect Concentration (PNEC)		
Freshwater sediment		0.02798 mg/kg dry weight		
Marine sediment		0.002798 mg/kg dry weight		
Microorganisms in sewage treatment		100 mg/l		
Reaction mass of Bis(1,2,2,6,6-per sebacate (1065336-91-5)	tamethyl-4-piperidyl) sebac	ate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl		
Environmental compartment		Predicted No Effect Concentration (PNEC)		
Freshwater		0.0022 mg/l		
Marine water		0.00022 mg/l		
Freshwater - intermittent		0.009 mg/l		
Freshwater sediment		1.05 mg/kg		
Marine sediment		0.11 mg/kg		
Soil		0.21 mg/kg		
		1 mg/l		
Sewage treatment plant		T mg/i		
8.2. Exposure controls				
Engineering controls	Ensure adequate ventilation,	especially in confined areas.		
Personal protective equipment				
Eye/face protection	Tight sealing safety goggles	Eye protection must conform to standard EN 166.		
		ves must conform to standard EN 374. Ensure that the		
Hand protection				
		ve material is not exceeded. Refer to glove supplier for		
		time for specific gloves. The breakthrough time of the gloves		
		the thickness as well as the temperature. Gloves should be		
		e is any sign of damage to the glove material.		
Skin and body protection	Suitable protective clothing.			
-		and the summed and international and the structure		
Environmental exposure controls	Do not allow into any sewer,	on the ground or into any body of water.		
SECTION 9: Physical and ch	emical properties			
9.1. Information on basic physical	and chemical properties			
Physical state	Solid			
Appearance	Paste			
Colour	Clear			
Odour	Characteristic.			
Dreparty	Values	Demarka - Method		
Property	Values	<u>Remarks • Method</u>		
Melting point / freezing point	No data available	None known		
Initial boiling point and boiling	No data available			
range				
Flammability	No data available	None known		
Flammability Limit in Air		None known		
Upper flammability or explosive	No data available			
limits				

EVO-STIK GRIPFILL MAX ALL WEATHER ADHESIVE CLEAR Supercedes date 21-Jun-2024 Revision date 25-Jun-2024

Revision Number 1.04

Lower flammability or explosive limits	No data available	
Flash point	> 60 °C	
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH		
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	> 21 mm²/s	None known
Dynamic viscosity	No data available	
Water solubility	Insoluble in water. Product cures	
	with moisture	
Solubility(ies)	Insoluble in water	
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
0.0. Other information		
9.2. Other information	No information available	
Solid content (%) VOC content	No information available No data a	voiloble
VOC coment	NO DATA A	Ivaliable
9.2.1. Information with regards to p	physical hazard classes	
Not applicable		

9.2.2. Other safety characteristics No information available

SECTION 10: Stabilit	y and reactivity
----------------------	------------------

10.1. Reactivity

Reactivity	Product cures with moisture.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
10.3. Possibility of hazardous read	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	Product cures with moisture. Do not freeze.
10.5. Incompatible materials	
Incompatible materials	None known based on information supplied.

EVO-STIK GRIPFILL MAX ALL WEATHER ADHESIVE CLEAR Supercedes date 21-Jun-2024

Revision Number 1.04

10.6. Hazardous decomposition products

Hazardous decomposition
productsSmall amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon
curing.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met. May cause sensitisation in susceptible persons.
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the physical	, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)47,805.90 mg/kgATEmix (dermal)>2000 mg/kgATEmix (inhalation-gas)>20000 ppmATEmix (inhalation-dust/mist)>5 mg/lATEmix (inhalation-vapour)839.316 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3540 mg/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403
N-(3-(trimethoxysilyl)propyl)eth ylenediamine	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44 mg/L air
Dioctyltin oxide	=2500 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus) OECD 402	-
Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-pi peridyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperi dyl sebacate	LD50 = 3230 mg/Kg (Rattus) (OECD 401)	LD50 >3170 mg/Kg (Rattus) (OECD 402)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

EVO-STIK GRIPFILL MAX ALL WEATHER ADHESIVE CLEAR Supercedes date 21-Jun-2024

Revision Number 1.04

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit				Mild skin irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye			Eye Damage
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitisation

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Product Information			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation			were observed

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information

Trimethoxyvinylsilane (2768-02-7)					
Method	Species	Results			
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic			
Mutation Test					

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse	Mammalian cells in vitro	Negative
Mutation Test		
OECD Test No. 476: In Vitro Mammalian Cell	Mammalian cells in vitro	Negative
Gene Mutation Tests using the Hprt and xprt		-
genes		

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Results
OECD Test No. 422: Combined Repeated Dose	Rat	NOAEL >500 mg/Kg
Toxicity Study with the	Oral	
Reproduction/Developmental Toxicity Screening		

EVO-STIK GRIPFILL MAX ALL WEATHER ADHESIVE CLEAR Supercedes date 21-Jun-2024 Revision date 25-Jun-2024

Revision Number 1.04

Test

STOT - single exposure

Based on available data, the classification criteria are not met.

Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Oral	5 mg/kg	28 days	0.3 - 0.5 mg/kg
Combined Repeated Dose					bw/d May cause
Toxicity Study with the					damage to the
Reproduction/Developme					following organs:
ntal Toxicity Screening					Immune system
Test					

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Sub-acute oral		28 days	NOAEL >500 mg/kg
Combined Repeated Dose		toxicity gavage		-	
Toxicity Study with the					
Reproduction/Developme					
ntal Toxicity Screening					
Test					

Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rat Rabbit			28 days	0.3 -0.5 mg/kg bw/d

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Trimethoxyvinylsilane	EC 50 (72h) >	LC50 (96h) =	-	EC50(48hr)		
2768-02-7	957 mg/l	191 mg/l		168.7mg/l		

EVO-STIK GRIPFILL MAX ALL WEATHER ADHESIVE CLEAR Supercedes date 21-Jun-2024

Revision date 25-Jun-2024

Revision Number 1.04

	(Desmodesmus subspicatus) EU Method C.3	(Oncorhynchus mykiss)		(Daphnia magna)		
N-(3-(trimethoxysilyl)pr opyl)ethylenediamine 1760-24-3	-	LC50 (96H) =597 mg/L (Danio rerio)Semi-static	-	EC50 (48h) =81mg/L Daphnia magna Static		
Dioctyltin oxide 870-08-6	EC50 (3hr) >1.000 mg/l (bacteria) (Activated Sludge, Respiration Inhibition Test)	LC50 (96hr) >0,09 mg/l (Brachydanio rerio (zebra)) (Acute Toxicity Test)	-	EC50 (48Hr) >0,21 mg/l (Daphnia magna (Dappnia magna)) (Daphnia sp. Acute Immobilisation Test)		
Reaction mass of Bis(1,2,2,6,6-pentamet hyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl- 4-piperidyl sebacate 1065336-91-5	EC50 (72h): 1.68 mg/l (Desmodesmus subspicatus) OECD 201	mg/L	EC20 (3h)>= 100 mg/l OECD 209	-	1	1

12.2. Persistence and degradability

Persistence and degradability

No information available.

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			

Dioctyltin oxide (870-08-6)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	755 hours	biodegradation	Not readily biodegradable 2
Biodegradability: Manometric			%
Respirometry Test (TG 301 F)			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Trimethoxyvinylsilane	1.1
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3
Dioctyltin oxide	6
Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl	2.77
sebacate	

12.4. Mobility in soil

Mobility in soilNo information available.12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

EVO-STIK GRIPFILL MAX ALL WEATHER ADHESIVE CLEAR Supercedes date 21-Jun-2024

Revision date 25-Jun-2024

Revision Number 1.04

Chemical name	PBT and vPvB assessment
Trimethoxyvinylsilane	The substance is not PBT / vPvB
N-(3-(trimethoxysilyl)propyl)ethylenediamine	The substance is not PBT / vPvB
Dioctyltin oxide	The substance is not PBT / vPvB
Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	The substance is not PBT / vPvB
and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note:	Keep from freezing.
Land transport (ADR/RID) 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions	Not regulated - Not regulated Not regulated Not applicable None
IMDG14.1UN number or ID number14.2UN proper shipping name14.3Transport hazard class(es)14.4Packing group14.5Marine pollutant14.6Special precautions for user Special Provisions14.7Maritime transport in bulkaccording to IMO instruments Transport in bulk according to	Not regulated Not regulated Not regulated Not regulated NP None Annex II of MARPOL and the IBC Code Not applicable
Air transport (ICAO-TI / IATA-DGR) 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es)	Not regulated Not regulated Not regulated

EVO-STIK GRIPFILL MAX ALL WEATHER ADHESIVE CLEAR Supercedes date 21-Jun-2024 Revision date 25-Jun-2024

Revision Number 1.04

14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	
Special Provisions None		

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Dioctyltin oxide	870-08-6	Use restricted. See entry 20.

20 (6) DOT.

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

National regulations

EVO-STIK GRIPFILL MAX ALL WEATHER ADHESIVE CLEAR Supercedes date 21-Jun-2024

Revision Number 1.04

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Full text of H-Statements referred to under section 3

Full text of H-Statements referred	to under section 3	
H226 - Flammable liquid and vapour		
H317 - May cause an allergic skin reaction		
H318 - Causes serious eye damage		
H332 - Harmful if inhaled		
H335 - May cause respiratory irritation	n	
H361f - Suspected of damaging fertil	lity	
H400 - Very toxic to aquatic life		
H410 - Very toxic to aquatic life with	long lasting effects	
Legend		
TWA	TWA (time-weighted average)	
STEL	STEL (Short Term Exposure Limit)	
Ceiling	Ceiling Limit Value	
Sk*	Skin designation	
SVHC	Substance(s) of Very High Concern	
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals	
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals	
STOT RE	Specific target organ toxicity - Repeated exposure	
STOT SE	Specific target organ toxicity - Single exposure	
EWC	European Waste Catalogue	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by	
	Road	
IMDG	International Maritime Dangerous Goods (IMDG)	
IATA	International Air Transport Association (IATA)	
RID	Regulations concerning the International Transport of Dangerous Goods by Rail	

Key literature references and sour No information available Prepared By Revision date Indication of changes	ces for data Product Safety & Regulatory Affairs 25-Jun-2024
Revision note	SDS sections updated, 3, 9.
Training Advice	No information available
Further information	No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet