



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Preparation of safety data sheets for hazardous chemicals Code of Practice June 2023

GRIP B340 B/SEAL AQUASHIELD MY
Revision Number 1

Revision date 12-Jun-2026
Supersedes date 12-Jun-2026

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name GRIP B340 B/SEAL AQUASHIELD MY

Product Code(s)
30624525
30624525

Other means of identification

Substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Adhesives and/or sealants

Uses advised against No information available.

Details of manufacturer or importer

Supplier

Bostik Australia Pty Ltd
51-71 High Street,
Thomastown Victoria
Australia
Tel: 613 9279-9333
Fax: 613 9279-9342

Manufacturer

Bostik Malaysia Sdn Bhd.
Lot 112 & 113,
Kawasan Perindustrian senawang,
seremban, negeri sembilan, Malaysia
Tel: 606-6789788
Fax: 606-6789766

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS) Not classified

Label elements

Hazard statements

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS) Not classified

Other hazards which do not result in classification

No information available.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

SAFETY DATA SHEET

GRIP B340 B/SEAL AQUASHIELD MY
Revision Number 1

Revision date 12-Jun-2026
Supersedes date 12-Jun-2026

No poisons schedule number allocated

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No.	Weight-%
Asphalt	8052-42-4	30 - 60
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26
Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes.

Ingestion Rinse mouth. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical No information available.

Hazardous combustion products Hydrocarbons. Silicon dioxide.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protective equipment.

SAFETY DATA SHEET

GRIP B340 B/SEAL AQUASHIELD MY
Revision Number 1

Revision date 12-Jun-2026
Supersedes date 12-Jun-2026

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.

Recommended storage temperature Keep at temperatures between 41 and 95 °F / 5 and 35 °C.

Section 8: Exposure controls and personal protection

Control Parameters

Exposure Limits

Chemical name	Australia
Asphalt 8052-42-4	TWA: 5 mg/m ³ ; fume

OEL as published by Safe Work Australia

Biological occupational exposure limits

Appropriate engineering controls

Engineering controls Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eyeface protection Wear safety glasses with side shields (or goggles).

Skin and body protection Long sleeved clothing. Lightweight protective clothing. Impervious clothing.

SAFETY DATA SHEET

GRIP B340 B/SEAL AQUASHIELD MY
Revision Number 1

Revision date 12-Jun-2026
Supersedes date 12-Jun-2026

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Color	Brown Dark
Odor	Characteristic
Odor threshold	No information available

Property	Values	Remarks • Method
pH	No data available	
pH (as aqueous solution)	4 - 6	
Melting point / freezing point	No data available	
Initial boiling point and boiling range	No data available	
Flash point	No data available	
Evaporation rate	No data available	
Flammability	No data available	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	2.3	
Relative vapor density	No data available	
Relative density	1.01	
Water solubility	No data available	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	No data available	
Dynamic viscosity	No data available	
Explosive properties	No information available	
Oxidizing properties	No information available	

Other information

Solid content (%)	No information available
Density	No information available
VOC content	No information available

Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

SAFETY DATA SHEET

GRIP B340 B/SEAL AQUASHIELD MY
Revision Number 1

Revision date 12-Jun-2026
Supersedes date 12-Jun-2026

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization

Conditions to avoid

Conditions to avoid Do not freeze.

Incompatible materials

Incompatible materials None known based on information supplied.

Hazardous decomposition products

Hazardous decomposition products Carbon monoxide. Carbon dioxide (CO₂). Hydrocarbons.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms No information available.

Numerical measures of toxicity - Product Information

The following ATE values have been calculated for the mixture

ATEmix (oral) >5000
ATEmix (dermal) >5000
ATEmix (inhalation-gas) >20000
ATEmix (inhalation-vapor) >20
ATEmix (inhalation-dust/mist) >5

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Asphalt	>5000 mg/kg (Rattus)	> 2000 mg/kg (Oryctolagus cuniculus)	>94.4 mg/m ³ (Rattus) 4.5 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

GRIP B340 B/SEAL AQUASHIELD MY
Revision Number 1

Revision date 12-Jun-2026
Supersedes date 12-Jun-2026

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Asphalt 8052-42-4			Group 2B - Possibly carcinogenic to humans

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly carcinogenic to humans

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity The environmental impact of this product has not been fully investigated.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Asphalt 8052-42-4	6

Mobility

Mobility in soil No information available.

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

SAFETY DATA SHEET

GRIP B340 B/SEAL AQUASHIELD MY
Revision Number 1

Revision date 12-Jun-2026
Supersedes date 12-Jun-2026

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

Section 14: Transport information

ADG Not regulated

IATA Not regulated

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Asphalt 8052-42-4	400 tonne/yr Threshold category 2a 1 tonne/h Threshold category 2a 2000 tonne/yr Threshold category 2b 60000 MWH Threshold category 2b 20 MW Threshold category 2b

International Inventories

AIIC	Complies
NZIoC	Complies
ENCS	Not Listed
IECSC	Complies
KECL	Complies
PICCS	Complies

Legend:

SAFETY DATA SHEET

GRIP B340 B/SEAL AQUASHIELD MY
Revision Number 1

Revision date 12-Jun-2026
Supersedes date 12-Jun-2026

AIIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing Chemicals Inventory
PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Directive 2011/65/EU (EU RoHS 2), as amended by the Delegated Directive (EU) 2015/863 (EU RoHS 3)

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information

Revision date 12-Jun-2026

Revision Note

***Indicates updated data since last publication.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
C	Carcinogen		

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information

EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet