

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

R3BOND SYSTEM - ADHESIVE Supercedes Date: 26-Oct-2022 Revision date 24-Jan-2024 Revision Number 2

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name R3BOND SYSTEM - ADHESIVE

Pure substance/mixture Mixture

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives

Uses advised against None known

# 1.3. Details of the supplier of the safety data sheet

#### **Company Name**

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

# 1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

## Signal word

None

#### **Hazard statements**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### **EU Specific Hazard Statements**

EUH208 - Contains Latex proteins & 1,2-benzisothiazol-3(2H)-one [BIT] & 2-methyl-2H-isothiazol-3-one [MIT] & reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]. May produce an allergic reaction

EUH210 - Safety data sheet available on request

United Kingdom - BE Page 1 / 13

R3BOND SYSTEM - ADHESIVE Supercedes Date: 26-Oct-2022 Revision date 24-Jan-2024 Revision Number 2

## 2.3. Other hazards

No information available.

## PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

# SECTION 3: Composition/information on ingredients

# 3.1 Substances

Not applicable

## 3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Latex proteins	•	UNKNOWN	0.1- <1	Skin Sens. 1 (H317)	-	-
Quartz	238-878-4	14808-60-7	0.1 - < 0.3	[B]	•	[5]
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	271-867-2	68610-51-5	0.1 - <0.3	Aquatic Chronic 4 (H413) Repr. 2 (H361d)	-	01-2119496062- 39-XXXX
1,2-benzisothiazol-3(2H) -one [BIT]	220-120-9 (613-088-00- 6)	2634-33-5	0.01 - < 0.05	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	Skin Sens. 1 :: C>=0.05%	01-2120761540- 60-XXXX
2-methyl-2H-isothiazol-3 -one [MIT]	220-239-6 (613-326-00- 9)	2682-20-4	<0.0015	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Skin Sens. 1A :: C>=0.0015%	01-2120764690- 50-xxxx
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and	611-341-5	55965-84-9	<0.0015	Acute Tox. 3 (H301) Acute Tox. 2	Eye Dam. 1 :: C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0.6%	-

United Kingdom - BE Page 2 / 13

R3BOND SYSTEM - ADHESIVE Revision date 24-Jan-2024 Supercedes Date: 26-Oct-2022 Revision Number 2

2-methyl-2H-isothiazol-3	(H310)	Skin Corr. 1C ::
-one (3:1) [C(M)IT/MIT]	Acute Tox. 2	C>=0.6%
	(H330)	Skin Irrit. 2 ::
	Skin Corr. 1C	0.06%<=C<0.6%
	(H314)	Skin Sens. 1 ::
	Eye Dam. 1	C>=0.0015%
	(H318)	
	Skin Sens. 1A	
	(H317)	
	Aquatic Acute 1	
	(H400)	
	Aquatic Chronic 1	
	(H410)	

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[B] - Substance with a Community workplace exposure limit

#### Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### **Notes**

See section 16 for more information

Chemical name	Notes
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] - 55965-84-9	В

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand. Show this safety

data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

Skin contact This product contains NATURAL RUBBER LATEX. Studies show that natural rubber

latex can cause allergic reactions in some individuals. Such allergic reactions are capable of being immediate for HIGHLY SENSITIZED individuals. May cause

sensitisation by skin contact.

**Ingestion** Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

## 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** May cause allergic skin reaction.

**Effects of Exposure** No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

United Kingdom - BE Page 3 / 13

**R3BOND SYSTEM - ADHESIVE** Revision date 24-Jan-2024 Supercedes Date: 26-Oct-2022 **Revision Number** 2

Note to doctors No information available.

# **SECTION 5: Firefighting measures**

5.1. Extinguishing media

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

Hazardous combustion products Carbon oxides.

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Take up mechanically, placing in appropriate containers for disposal. Methods for cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

Handle in accordance with good industrial hygiene and safety practice. General hygiene considerations

7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep from freezing.

Recommended storage Keep at temperatures between 5 and 35 °C.

United Kingdom - BE Page 4 / 13

R3BOND SYSTEM - ADHESIVE Supercedes Date: 26-Oct-2022 Revision date 24-Jan-2024 Revision Number 2

## temperature

7.3. Specific end use(s)

Specific use(s)

Adhesives.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## **Exposure Limits**

Chemical name	European Union	United Kingdom
Rubber, natural	-	TWA: 0.6 mg/m <sup>3</sup>
9006-04-6		STEL: 1.8 mg/m <sup>3</sup>
Limestone	-	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>
Quartz	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
14808-60-7	_	STEL: 0.3 mg/m <sup>3</sup>

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DN	IEL)		
Quartz (14808-60-7)			
Phenol, 4-methyl-, reaction	products with dicyclopentae	diene and isobutylene (68610-51	-5)
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	0.29 mg/m³	
worker Long term Systemic health effects	Dermal	0.42 mg/kg bw/d	

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker	Inhalation	6.81 mg/m <sup>3</sup>	
Long term			
Systemic health effects			
worker	Dermal	0.966 mg/kg bw/d	
Long term			
Systemic health effects			

Derived No Effect Level (DNEL)					
Phenol, 4-methyl-, reaction produc	Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene (68610-51-5)				
Туре		Derived No Effect Level (DNEL)	Safety factor		
Consumer Long term Systemic health effects	Inhalation	0.07 mg/m³			
Consumer	Dermal	0.21 mg/kg bw/d			

United Kingdom - BE Page 5 / 13

R3BOND SYSTEM - ADHESIVE Revision date 24-Jan-2024 Supercedes Date: 26-Oct-2022 Revision Number 2

Long term Systemic health effects			
Consumer	Oral	0.04 mg/kg bw/d	
Long term			
Systemic health effects			

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m³	
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d	

# Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)			
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene (68610-51-5)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	0.01 mg/l		
Marine water	0.001 mg/l		
Sewage treatment plant	100 mg/l		
Freshwater sediment	426 mg/kg dry weight		
Marine sediment	85.25 mg/kg dry weight		
Soil	85.16 mg/kg dry weight		

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	4.03 μg/l		
Marine water	0.403 μg/l		
Sewage treatment plant	1.03 mg/l		
Freshwater sediment	49.9 μg/l		
Marine sediment	4.99 μg/l		
Soil	3 ma/ka dry weiaht		

#### 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

**Eye/face protection Skin and body protection**Tight sealing safety goggles.
Suitable protective clothing.

Environmental exposure controls No information available.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state Liquid Appearance Cream

ColourNo information availableOdourNo information available.

Property Values Remarks • Method

Melting point / freezing point Nitial boiling point and boiling

range

No data available
No data available
None known
No home known

United Kingdom - BE Page 6 / 13

**R3BOND SYSTEM - ADHESIVE** Revision date 24-Jan-2024 Supercedes Date: 26-Oct-2022 **Revision Number** 2

No data available **Flammability** 

Flammability Limit in Air None known

Upper flammability or explosive No data available

Lower flammability or explosive No data available

limits

Flash point No data available None known **Autoignition temperature** No data available None known None known

**Decomposition temperature** 

7.7 - 8.4

pH (as aqueous solution) No data available None known Kinematic viscosity No data available None known

Spindle A6 @ 20 rpm @ 23 °C **Dynamic viscosity** 32 - 42 Pa.s

No data available. Water solubility None known Solubility(ies) No data available None known Partition coefficient No data available None known Vapour pressure No data available None known No data available None known Relative density

**Bulk Density** No data available **Density** 1.0 - 1.15

No data available Relative vapour density None known

Particle characteristics

**Particle Size** No information available **Particle Size Distribution** No information available

9.2. Other information

Solid content (%) 68

**VOC** content No data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

# SECTION 10: Stability and reactivity

10.1. Reactivity

No information available. Reactivity

10.2. Chemical stability

Stable under normal conditions. Stability

**Explosion data** 

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Do not freeze. Conditions to avoid

10.5. Incompatible materials

United Kingdom - BE Page 7/13

R3BOND SYSTEM - ADHESIVE Revision date 24-Jan-2024 Supercedes Date: 26-Oct-2022 Revision Number 2

**Incompatible materials**None known based on information supplied.

10.6. Hazardous decomposition products

**Hazardous decomposition** 

None under normal use conditions. Stable under recommended storage conditions.

products

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

**Skin contact** May cause sensitisation by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

**Ingestion** Based on available data, the classification criteria are not met.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Acute toxicity

# **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg
ATEmix (dermal) >5000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapour) >20 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz	>2000 mg/kg (Rattus)	-	-
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	>5000 mg/kg (Rattus)	> 5010 mg/kg (Oryctolagus cuniculus)	>165 mg/L (Rattus) 1 h
1,2-benzisothiazol-3(2H)-one [BIT]	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	-
2-methyl-2H-isothiazol-3-one [MIT]	LD50 =285 mg/Kg (Rattus)	LD50 >242 mg/Kg (Rattus)	=0.11 mg/L (Rattus) 4 h
reaction mass of 5-chloro-2-methyl-2H-isothiazo I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	= 53 mg/kg (Rat)	LD50 = 87.12 mg/kg (Oryctolagus cuniculus)	= 0.33 mg/L (Rat) 4h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

United Kingdom - BE Page 8 / 13

R3BOND SYSTEM - ADHESIVE Supercedes Date: 26-Oct-2022 Revision date 24-Jan-2024 Revision Number 2

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	sensitising
Sensitisation			

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene (68610-51-5)

Method	Species	Results
	Rabbit	NOAEL 15 mg/kg bw/d

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects No information available.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

## **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Phenol, 4-methyl-,	EC50: >0.2mg/L	LC50: >0.2mg/L	-	EC50: >0.2mg/L		
reaction products with	(72h,	(96h,		(48h, Daphnia		
dicyclopentadiene and	Pseudokirchneri	Oncorhynchus		magna)		

United Kingdom - BE Page 9 / 13

R3BOND SYSTEM - ADHESIVE
Supercedes Date: 26-Oct-2022
Revision Number 2

isobutylene 68610-51-5	ella subcapitata)	mykiss)				
1,2-benzisothiazol-3(2 H)-one [BIT] 2634-33-5	EC50 3Hr 13mg/l (activated sludge) (OECD 209)			EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202	1	
	EC50 (72hr) 0.157 mg/l (Pseudokirchner iella subcapitata) (OECD 201)		-	EC50 (48hr) 1.68 mg/l (Daphnia) (OECD 202)	10	1
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT] 55965-84-9	(Pseudokirchner		-	EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202)	100	100

# 12.2. Persistence and degradability

Persistence and degradability No information available.

Quartz (14808-60-7)

2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)

Method	Exposure time	Value	Results
OECD Test No. 308: Aerobic and		Half-life	1.28-2.1 days
Anaerobic Transformation in Aquatic			
Sediment Systems			
OECD Test No. 309: Aerobic		biodegradation Half-life	Readily biodegradable 4.1
Mineralization in Surface Water -			days
Simulation Biodegradation Test			

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable
Biodegradability: CO2 Evolution Test			
(TG 301 B)			

# 12.3. Bioaccumulative potential

# Bioaccumulation

**Component Information** 

Chemical name	Partition coefficient
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	7.93
1,2-benzisothiazol-3(2H)-one [BIT]	0.7
2-methyl-2H-isothiazol-3-one [MIT]	-0.32
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

## 12.4. Mobility in soil

**Mobility in soil** No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

	Chemical name	PBT and vPvB assessment
--	---------------	-------------------------

United Kingdom - BE Page 10 / 13

R3BOND SYSTEM - ADHESIVE Revision date 24-Jan-2024 Supercedes Date: 26-Oct-2022 Revision Number 2

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	The substance is not PBT / vPvB
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one [MIT]	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

#### 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

#### 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

# **SECTION 14: Transport information**

Note: Keep from freezing.

Land transport (ADR/RID)

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

#### **IMDG**

14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group

Not regulated
Not regulated
Not regulated
Not regulated

14.5 Marine pollutant NP14.6 Special precautions for user

Special Provisions None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

#### Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not applicable

United Kingdom - BE Page 11 / 13

R3BOND SYSTEM - ADHESIVE Supercedes Date: 26-Oct-2022 Revision date 24-Jan-2024 Revision Number 2

# 14.6 Special precautions for user Special Provisions None

# Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

## Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

# Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

## National regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

# **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

United Kingdom - BE Page 12/13

R3BOND SYSTEM - ADHESIVE Revision date 24-Jan-2024 Supercedes Date: 26-Oct-2022 Revision Number 2

H310 - Fatal in contact with skin H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H318 - Causes serious eye damage

H330 - Fatal if inhaled

H361d - Suspected of damaging the unborn child

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects H411 - Toxic to aquatic life with long lasting effects

H413 - May cause long lasting harmful effects to aquatic life

#### Notes relating to the identification, classification and labelling of substances

**Note B:** Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations.

In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'.

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value Sk\* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

# Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 24-Jan-2024

Indication of changes

Revision noteSDS sections updated, 2.Training AdviceNo information availableFurther informationNo information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

United Kingdom - BE Page 13 / 13