

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

RENO C700 FINISH Supercedes date 28-Jun-2024

Revision date 22-Jul-2024 Revision Number 2.02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1	.1	۱.	Pr	od	uct	ider	ntifier	

Product Name	RENO C700 FINISH

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Cement

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom

Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitisation	Category 1 - (H317)

2.2. Label elements

Contains Portland Cement



Signal word Danger

RENO C700 FINISH

Supercedes date 28-Jun-2024

Hazard statements

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust

P280 - Wear protective gloves and eye/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P362 + P364 - Take off contaminated clothing and wash it before reuse

P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

Cement product for which the amount of chromium VI was decreased to < 0,0002 % by a reduction agent (related to the total dry weight).

2.3. Other hazards

Causes mild skin irritation. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. Product dust may be irritating to eyes, skin and respiratory system. Repeated exposure may cause skin dryness or cracking.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No).		Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)		M-Factor (long-ter m)	REACH registration number
Portland Cement 5 - <10 %	266-043-4	65997-15-1	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317)	-	-	-	[5]

Full text of H- and EUH-phrases: see section 16

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH

Acute Toxicity Estimate No information available

RENO C700 FINISH Supercedes date 28-Jun-2024

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	
Portland Cement	266-043-4	65997-15-1	-	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measu	res
4.1. Description of first aid measur	res
General advice	If medical advice is needed, have product container or label at hand. Take a copy of the Safety Data Sheet when going for medical treatment.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Do not rub affected area. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.
Skin contact	Brush off loose particles from skin. Remove material from skin immediately. Take off contaminated clothing and wash it before reuse.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).
4.2. Most important symptoms and	l effects, both acute and delayed
Symptoms	Burning sensation. Itching. Rashes. Hives. Prolonged contact may cause redness and irritation. Causes serious eye damage. Irritating to skin. Inhalation of dust in high concentration may cause irritation of respiratory system. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers.
Effects of Exposure	No information available.
4.3. Indication of any immediate m	edical attention and special treatment needed
Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the Product is or contains a sensitiser. May cause sensitisation by skin contact. **chemical**

Hazardous combustion products Carbon oxides. Sulphur oxides.

5.3. Advice for firefighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protections	ve equipment and emergency procedures
Personal precautions	Avoid generation of dust. Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil.
6.3. Methods and material for cont	ainment and cleaning up
Methods for containment	Cover powder spill with plastic sheet or tarp to minimise spreading and keep powder dry. Prevent dust cloud.
Methods for cleaning up	Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handling	_
Advice on safe handling	Ensure adequate ventilation. Avoid generation of dust. Use personal protection equipment. Take off contaminated clothing and wash it before reuse.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.
Keep out of the reach of children. Keep the packing dry and well sealed to prevent
contamination and absorption of humidity. Keep from freezing.Recommended storageDo not freeze.

temperature

RENO C700 FINISH Supercedes date 28-Jun-2024

7.3. Specific end use(s)

Specific use(s) Cement.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom
Limestone	-	TWA: 10 mg/m ³
1317-65-3		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³
Portland Cement	-	TWA: 10 mg/m ³
65997-15-1		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³
Dust	-	TWA: 10 mg/m ³
RR-12364-8		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC)

8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas.
Personal protective equipment Eye/face protection Hand protection	Wear safety glasses with side shields (or goggles). For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Gloves made of plastic or rubber. Gloves should be replaced regularly and if there is any sign of damage to the glove material.
Skin and body protection	Avoid contact with skin, eyes or clothing. Wear appropriate personal protective clothing to prevent skin contact.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Avoid generation of dust. Possible nuisance dust.
Recommended filter type:	Wear a respirator conforming to EN 140 with Type P2/P3 filter or better.
	Na information quailable

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	Powder
Colour	Grey
Odour	No information available.

RENO C700 FINISH Supercedes date 28-Jun-2024 Revision date 22-Jul-2024 Revision Number 2.02

<u>Property</u> Melting point / freezing point Initial boiling point and boiling	<u>Values</u> Not applicable . Not applicable .	Remarks • Method None known None known
range Flammability Flammability Limit in Air	No data available	None known None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	Not applicable .	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	None known.
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	Not applicable .	None known
Dynamic viscosity	Not applicable .	
Water solubility	No data available. Cement based	None known
-	products react and solidify in contact	
	with water	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information		
Solid content (%)	No information available	
Softening point	Not relevant	
VOC content	No data ava	ailable

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available Not applicable .

SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	Product cures with moisture.	
10.2. Chemical stability		
Stability	Keep away from Incompatible materials. Stable under recommended storage conditions.	
Explosion data		
Sensitivity to mechanical impact	None.	
Sensitivity to static discharge	None.	
10.3. Possibility of bazardous reactions		

RENO C700 FINISH Supercedes date 28-Jun-2024

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid		
Conditions to avoid	Product cures with moisture. Do not freeze.	
10.5. Incompatible materials		
Incompatible materials	Strong acids. Strong bases. Strong oxidising agents. Acids. Aluminium.	
10.6. Hazardous decomposition products		
Hazardous decomposition	None under normal use conditions. Stable under recommended storage con	

Hazardous decomposition None under normal use conditions. Stable under recommended storage conditions. products

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available.	
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.	
Skin contact	Specific test data for the substance or mixture is not available. May cause sensitisation by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes mild skin irritation.	
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.	
Symptoms related to the physical, chemical and toxicological characteristics		

Symptoms Redness. Burning. May cause blindness. Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	>2000 mg/kg
ATEmix (dermal)	>2000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapour)	>20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Portland Cement	LD50 >2000 mg/Kg (Rattus)	LD50 >2000 mg/Kg	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

May cause skin irritation. Classification based on data available for ingredients. Causes mild skin irritation.

RENO C700 FINISH Supercedes date 28-Jun-2024

Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Causes serious eye damage.	
Respiratory or skin sensitisation	May cause an allergic skin reaction.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
Reproductive toxicity	Based on available data, the classification criteria are not met.	
STOT - single exposure	Based on available data, the classification criteria are not met.	
STOT - repeated exposure	Based on available data, the classification criteria are not met.	
Aspiration hazard	Based on available data, the classification criteria are not met.	
11.2. Information on other hazard	<u>s</u>	
11.2.1. Endocrine disrupting prop	erties	
Endocrine disrupting properties	No information available.	
11.2.2. Other information		
Other adverse effects	No information available.	
SECTION 12: Ecological info	ormation	
12.1. Toxicity		
Ecotoxicity		
12.2. Persistence and degradability		
Persistence and degradability	No information available.	
12.3. Bioaccumulative potential		
Bioaccumulation	There is no data for this product.	
12.4. Mobility in soil		
Mobility in soil 12.5. Results of PBT and vPvB ass	No information available. essment	

RENO C700 FINISH Supercedes date 28-Jun-2024

PBT and vPvB assessment	The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.	
12.6. Endocrine disrupting properties		
Endocrine disrupting properties	No information available.	

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
European Waste Catalogue	 17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03 10 13 06 particulates and dust (except 10 13 12 and 10 13 13) Cured product can be treated as construction waste. In the management of larger quantities consult with local authorities and local waste disposal company 10 13 14 waste concrete and concrete sludge
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note:	Keep from freezing.
Land transport (ADR/RID) 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions	Not regulated - Not regulated Not regulated Not applicable None
IMDG14.1UN number or ID number14.2UN proper shipping name14.3Transport hazard class(es)14.4Packing group14.5Marine pollutant14.6Special precautions for user Special Provisions14.7Maritime transport in bulkaccording to IMO instruments Transport in bulk according to	Not regulated Not regulated Not regulated Not regulated NP None Annex II of MARPOL and the IBC Code Not applicable
Air transport (ICAO-TI / IATA-DGR) 14.1 UN number or ID number 14.2 UN proper shipping name	

RENO C700 FINISH Supercedes date 28-Jun-2024 Revision date 22-Jul-2024 Revision Number 2.02

- 14.3 Transport hazard class(es) Not regulated
- 14.4 Packing group Not regulated
- 14.5 Environmental hazards
- Not applicable
- 14.6 Special precautions for user **Special Provisions** None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Portland Cement	65997-15-1	Use restricted. See entry 47.

47 where product supplied with reducing agent the packaging must be marked with the storage conditions and storage period appropriate to maintaining the activity of the reducing agent to keep the content of soluble chromium VI below 2mg/Kg.

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

RENO C700 FINISH Supercedes date 28-Jun-2024 Revision date 22-Jul-2024 Revision Number 2.02

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

T diffect of Ti-otatements referred to didder section 5		
H315 - Causes skin irritation		
H317 - May cause an allergic skin reaction		
H318 - Causes serious eye damage		
H335 - May cause respiratory irritation		
Legend		
TWA	TWA (time-weighted average)	
STEL	STEL (Short Term Exposure Limit)	
Ceiling	Ceiling Limit Value	
Sk*	Skin designation	
SVHC	Substance(s) of Very High Concern	
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals	
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals	
STOT RE	Specific target organ toxicity - Repeated exposure	
STOT SE	Specific target organ toxicity - Single exposure	
EWC	European Waste Catalogue	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by	
	Road	
IMDG	International Maritime Dangerous Goods (IMDG)	
ΙΑΤΑ	International Air Transport Association (IATA)	
RID	Regulations concerning the International Transport of Dangerous Goods by Rail	

Key literature references and sour No information available Prepared By Revision date Indication of changes	ces for data Product Safety & Regulatory Affairs 22-Jul-2024
Revision note	Not applicable.
Training Advice	No information available
Further information	No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet