

This safety data sheet was created pursuant to the requirements of: GHS: The Globally Harmonized System of Classification and Labeling of Chemicals

GP SILICONE 20ML Revision Number 1.01 Revision date 14-May-2024 Supersedes Date: 09-Jul-2023

Section 1: Identification

Product identifier

Product Name GP SILICONE 20ML

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use No information available

Uses advised against No information available

Details of the supplier of the safety data sheet

<u>Supplier</u>

Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand

Tel: 04-567 5119 Fax: 04-567 5412

E-mail address SDS.AP@Bostik.com

Emergency telephone number

Emergency Telephone 24 Hr: 0800 243 622

International +64 4 917 9888 Poison Centre: 0800 764 766

Section 2: Hazard identification

GHS Classification

Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

Label elements





Signal word Warning

Hazard statements

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H373 - May cause damage to organs through prolonged or repeated exposure

GP SILICONE 20MLRevision date14-May-2024Revision Number1.01Supersedes Date:09-Jul-2023

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/clothing and eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon curing.

Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
Siloxanes and silicones, dimethyl, hydroxy-terminated	70131-67-8	>60
2-Butanone, O,O',O"-(methylsilylidyne)trioxime	22984-54-9	<10
Butan-2-one O,O',O"-(vinylsilylidyne)trioxime	2224-33-1	<10
3-aminopropyltriethoxysilane	919-30-2	<10
Glycidoxypropyltrimethoxysilane	2530-83-8	<10

Non-hazardous ingredients	Proprietary	Balance

Section 4: First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin

irritation or allergic reactions see a physician.

Ingestion Small amounts of toxic methanol are released by hydrolysis. Small amounts of toxic

methanol are released by hydrolysis. Call a physician immediately. Never give anything

by mouth to an unconscious person. Rinse mouth thoroughly with water.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section

8).

Most important symptoms and effects, both acute and delayed

Symptoms None known.

GP SILICONE 20ML Revision date 14-May-2024 **Revision Number** 1.01 Supersedes Date: 09-Jul-2023

Effects of Exposure May cause damage to organs through prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed

Note to physicians Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

> curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.

Section 5: Fire-fighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

CAUTION: Use of water spray when fighting fire may be inefficient. Large Fire

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Carbon oxides, Carbon dioxide (CO2), Nitrogen oxides (NOx), Silicon oxides, Silicon **Hazardous combustion products**

dioxide. Thermal decomposition can lead to release of irritating and toxic gases and

vapors.

Special protective actions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

precautions for fire-fighters

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

Use personal protection recommended in Section 8. For emergency responders

Environmental precautions

Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section **Environmental precautions**

12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage

GP SILICONE 20MLRevision date14-May-2024Revision Number1.01Supersedes Date:09-Jul-2023

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash before reuse.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture.

Keep away from food, drink and animal feeding stuffs.

Recommended storage

temperature

Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

Incompatible materialsNone known based on information supplied.

Section 8: Exposure controls/personal protection

Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released

upon curing.

Biological occupational exposure

limits

This product, as supplied, does not contain any hazardous materials with biological limits

established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties
Physical state Paste / Gel Liquid

Appearance Paste

Color No information available

Odor Slight.

Odor threshold No information available

Page 4/10

GP SILICONE 20ML Revision Number 1.01 Revision date 14-May-2024 Supersedes Date: 09-Jul-2023

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pHNo data availableNone knownMelting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone known

range

Flash point= 100 °CCC (closed cup)Evaporation rateNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available Vapor pressure None known Relative vapor density No data available None known No data available Relative density None known Water solubility Insoluble in water None known Solubility(ies) No data available None known None known No data available Partition coefficient No data available None known **Autoignition temperature Decomposition temperature** None known None known

Kinematic viscosity

No data available

No data available

Explosive properties No information available.

Oxidizing properties No information available.

Other information

Softening point
Molecular weight
VOC content
Liquid Density
Bulk density
No information available
No information available
No information available
No information available

Particle characteristics

Section 10: Stability and reactivity

Reactivity

Reactivity Product cures with moisture.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze.

Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

Incompatible materials None known based on information supplied.

Page 5/10

GP SILICONE 20MLRevision date14-May-2024Revision Number1.01Supersedes Date:09-Jul-2023

Hazardous decomposition products

Hazardous decomposition

products

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released

upon curing.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

irritation. (based on components). May cause redness, itching, and pain.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause irritation. Prolonged contact

may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Acute toxicity .

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 >5000 mg/kg

 ATEmix (dermal)
 33,358.20 mg/kg

 ATEmix (inhalation-gas)
 >20000 ppm

 ATEmix (inhalation-vapor)
 >20 mg/l

 ATEmix (inhalation-dust/mist)
 >5 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Siloxanes and silicones,	>15400 mg/kg (Rattus)	> 16 mL/kg (Oryctolagus	>8750 mg/m³ (Rattus) 7 h
dimethyl, hydroxy-terminated		cuniculus)	
2-Butanone,	LD50 = 2463 mg/Kg (Rattus)	LD50 >2000 mg/Kg (Rattus)	-
O,O',O''-(methylsilylidyne)trioxi	(OECD 401)	(OECD 402)	
me			
Butan-2-one	LD50 > 2000 mg/kg (Rattus)	LD50 > 2009 mg/kg (Rattus)	-
O,O',O"-(vinylsilylidyne)trioxime	OECD 425	OECD 402	
3-aminopropyltriethoxysilane	LD50 = 1490 mg/kg (Rattus,	LD50 = 4076 mg/kg	LC50 >144 mg/L (6h) Rattus
	female) EPA OTS 798.1175	(Oryctolagus cuniculus) EPA	(Vapour)
	LD50 = 2690 mg/kg (Rattus,	OTS 798.1100	
	male) EPA OTS 798.1175		
Glycidoxypropyltrimethoxysilan	=8025 mg/kg (Rattus)	= 4250 mg/kg (Oryctolagus	>5.3 mg/L (Rattus) 4 h
е		cuniculus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

GP SILICONE 20MLRevision date14-May-2024Revision Number1.01Supersedes Date:09-Jul-2023

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Component Information

Glycidoxypropyltrimethoxysilane (2530-83-8)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	Eye			Eye Damage
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity No information available.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

Narcotic effects No information available.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

Section 12: Ecological information

Ecotoxicity

Ecotoxicity

Aquatic ecotoxicity

Unknown aquatic toxicity0 % of the mixture consists of component(s) of unknown hazards to the aquatic

environment.

Chemical name	Algae/aquatic plants	Fish	Crustacea
2-Butanone,	EC50 (72h) = 94 mg/L	EC50 (96h) >120 mg/L	EC50 (48h) > 120 mg/L (Daphnia
O,O',O"-(methylsilylidyne)trioxi	(Pseudokirchneriella subcapitata)	(Oncorhynchus mykiss)Freshwater	magna) OECD 202
me	OECD 201	static	
		(OECD guideline 203)	
Butan-2-one	EC50 (72h) = 16 mg/L	LC50 (96h)> 120 mg/L	EC50 (48h) > 120 mg/L (Daphnia
O,O',O''-(vinylsilylidyne)trioxime	• • •	(Oncorhynchus mykiss) OECD 203	magna) OECD 202
, , , ,	OECD 201		
3-aminopropyltriethoxysilane	EC50 (72h) >1000 mg/L Green	LC50 (96h) >934 mg/L	EC50 (48h) =331 mg/L Daphnia
	algae (desmodesmus subspicatus)	(Brachydanio rerio) (OECD TG	magna (OECD TG 202)
	(OECD TG 201)	203)	
Glycidoxypropyltrimethoxysilan	EC50 (96hr): 350 mg/l	LC50 (96h) = 55 mg/L	EC50 (48h) =473 mg/L Daphnia
е	Pseudokirchneriella subcapitata	(Cyprinus carpio) OECD 203	magna

Terrestrial ecotoxicity There is no data for this product.

GP SILICONE 20ML Revision date 14-May-2024 **Revision Number** 1.01 Supersedes Date: 09-Jul-2023

Persistence and degradability

No information available.

Bioaccumulative potential

Bioaccumulation Component Information

Chemical name	Partition coefficient
2-Butanone, O,O',O"-(methylsilylidyne)trioxime	1.69
Butan-2-one O,O',O"-(vinylsilylidyne)trioxime	1.69
3-aminopropyltriethoxysilane	1.7

Mobility in soil

Mobility

No information available.

Other adverse effects No information available.

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused products

Dispose of product in packaging in a way that is consistent with the EPA Consolidation 30 April 2021 of the Hazardous Substances (Disposal) Notice 2017 and the Act. Treat the substance using a method that changes the characteristics or composition of the substance so that the substance is no longer a hazardous substance; or export the substance from New Zealand as waste. Substances which are hazardous to human health or corrosive to metals – may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that substance); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is no tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances. Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Contaminated packaging

Handle contaminated packages in the same way as the product itself.

Section 14: Transport information

<u>IATA</u> Not regulated

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

ADR Not regulated

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EPA New Zealand HSNO approval code or group standard

HSR002670 - Surface Coatings and Colourants (Subsidiary Hazard)

National regulations

There are no applicable tolerable exposure limits or environmental exposure limits

according to the EPA Controls for Hazardous Substances

Certified handlers, tracking and

Certified handlers are required for some substances. This includes substances requiring

GP SILICONE 20MLRevision date14-May-2024Revision Number1.01Supersedes Date:09-Jul-2023

controlled substance license requirements

a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information

Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information

Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017 for more information

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: Other information

Revision date 14-May-2024

Revision Note

***Indicates updated data since last publication.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

** Hazard Designation + Sensitizers

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

Page 9/10

GP SILICONE 20ML Revision Number 1.01 Revision date 14-May-2024
Supersedes Date: 09-Jul-2023

NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet