

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

BOSTIK ALL WEATHER JOINTING COMPOUND BASALT Supercedes Date: 09-Jan-2024

Revision date 09-Feb-2024 Revision Number 1.01

This Safety Data Sheet is prepared voluntarily: it is not required according to Article 31 of Regulation (EC) No 1907/2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier **Product Name** BOSTIK ALL WEATHER JOINTING COMPOUND BASALT Pure substance/mixture Mixture 1.2. Relevant identified uses of the substance or mixture and uses advised against Fillers, putties, plasters, modelling clay **Recommended use** Uses advised against None known 1.3. Details of the supplier of the safety data sheet **Company Name Bostik Limited** Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36 E-mail address SDS.box-EU@bostik.com 1.4. Emergency telephone number Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) **United Kingdom** NHS: 111 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture GB CLP (SI 2020/1567 as amended) This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP] 2.2. Label elements This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP] Signal word None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children

BOSTIK ALL WEATHER JOINTING COMPOUND BASALT Supercedes Date: 09-Jan-2024

Revision date 09-Feb-2024 Revision Number 1.01

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

The product contains no substances which at their given concentration, are considered to be hazardous to health

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measu	Ires		
4.1. Description of first aid measures			
General advice	If medical advice is needed, have product container or label at hand.		
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.		
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.		
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.		
Ingestion	If swallowed, rinse mouth with water (only if the person is conscious).		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms	No information available.		
Effects of Exposure	No information available.		
4.3. Indication of any immediate medical attention and special treatment needed			
Note to doctors	No information available.		
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the		

surrounding environment.

BOSTIK ALL WEATHER JOINTING COMPOUND BASALT

Supercedes Date: 09-Jan-2024

Unsuitable extinguishing media	Full water jet.		
5.2. Special hazards arising from the substance or mixture			
Specific hazards arising from the chemical	No information available.		
5.3. Advice for firefighters			
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		
SECTION 6: Accidental relea	ase measures		
6.1. Personal precautions, protecti	ve equipment and emergency procedures		
Personal precautions	Ensure adequate ventilation.		
For emergency responders	Use personal protection recommended in Section 8.		
6.2. Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
6.3. Methods and material for cont	ainment and cleaning up		
Methods for containment	Do not scatter spilled material with high pressure water streams.		
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
6.4. Reference to other sections			
Reference to other sections	See section 8 for more information. See section 13 for more information.		
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Advice on safe handling	Ensure adequate ventilation.		
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage Conditions	Protect from frost. Keep away from food, drink and animal feedingstuffs. Keep from freezing.		
Recommended storage temperature	Keep at temperatures between 5 and 35 °C.		
7.3. Specific end use(s)			
Specific use(s) Fillers, putties, plasters, modelling cla	Specific use(s) Fillers, putties, plasters, modelling clay.		
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.		
Other information	Observe technical data sheet.		
SECTION 8: Exposure contr	ala/naraanal protection		

SECTION 8: Exposure controls/personal protection

BOSTIK ALL WEATHER JOINTING COMPOUND BASALT Supercedes Date: 09-Jan-2024

Revision date 09-Feb-2024 Revision Number 1.01

8.1. Control parameters			
Exposure Limits	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies		
Derived No Effect Level (DNEL)	No information available		
Predicted No Effect Concentration (PNEC)	No information available.		
8.2. Exposure controls			
Engineering controls	Ensure adequate ventilation, especia	ally in confined areas.	
Personal protective equipment Eye/face protection	t Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.		
Hand protection	Wear suitable gloves. Recommended Use:. Nitrile rubber. Butyl rubber. Glove thickness > 0.7mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min.		
Skin and body protection Respiratory protection	Gloves must conform to standard EN 374 Suitable protective clothing. None under normal use conditions.		
Environmental exposure controls	vironmental exposure controls Do not allow uncontrolled discharge of product into the environment.		
SECTION 9: Physical and chemical properties			
<u>9.1. Information on basic physical</u> Physical state Appearance Colour Odour	and chemical properties Liquid Paste Dark Grey No information available.		
<u>Property</u> Melting point / freezing point Initial boiling point and boiling	<u>Values</u> Not applicable . Not applicable .	<u>Remarks • Method</u>	
range Flammability	No data available		
Flammability Limit in Air Upper flammability or explosive	No data available	None known	
limits Lower flammability or explosive limits	No data available		
Flash point Autoignition temperature Decomposition temperature pH	Not applicable No data available	None known Not applicable.	
PH (as aqueous solution) Kinematic viscosity Dynamic viscosity Water solubility Solubility(ies) Partition coefficient	No data available No data available No data available Negligible. Insoluble. No data available No data available		

No data available

No data available

1.5 - 1.6

Partition coefficient

Vapour pressure

Relative density

BOSTIK ALL WEATHER JOINTING COMPOUND BASALT Supercedes Date: 09-Jan-2024

Revision date 09-Feb-2024 Revision Number 1.01

Bulk Density Density Relative vapour density Particle characteristics	No data available 1.5 - 1.6 g/cm ³ No data available	None known	
Particle Size Particle Size Distribution	No information available No information available		
9.2. Other information Solid content (%) VOC content	> 99.5	No data available	
0.0.1 Information with remediate relation because all second			

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity			
Reactivity	No information available.		
10.2. Chemical stability			
Stability	Stable under normal conditions.		
Explosion data			
Sensitivity to mechanical	None.		
impact Sensitivity to static discharge	None.		
10.3. Possibility of hazardous reactions			
Possibility of hazardous reactions	None under normal processing.		
10.4. Conditions to avoid			
Conditions to avoid	Do not freeze.		
10.5. Incompatible materials			
Incompatible materials	None known based on information supplied.		
10.6. Hazardous decomposition products			
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.		
SECTION 11: Toxicological information			
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008			
Information on likely routes of exposure			
Product Information			

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

BOSTIK ALL WEATHER JOINTING COMPOUND BASALT Supercedes Date: 09-Jan-2024

Revision date 09-Feb-2024 Revision Number 1.01

Skin contact	Based on available data, the classification criteria are not met.		
Ingestion	Based on available data, the classification criteria are not met.		
Symptoms related to the physical,	chemical and toxicological characteristics		
Symptoms	No information available.		
Acute toxicity			
Numerical measures of toxicity			
The following values are calculated ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-gas) ATEmix (inhalation-dust/mist) ATEmix (inhalation-vapour)	d based on chapter 3.1 of the GHS document >5000 mg/kg >20000 ppm >5 mg/l >20 mg/l		
Delayed and immediate effects as	well as chronic effects from short and long-term exposure		
Skin corrosion/irritation	Based on available data, the classification criteria are not met.		
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.		
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
Reproductive toxicity	Based on available data, the classification criteria are not met.		
STOT - single exposure	Based on available data, the classification criteria are not met.		
STOT - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.		
11.2. Information on other hazards			
11.2.1. Endocrine disrupting properties			
Endocrine disrupting properties	No information available.		
11.2.2. Other information			

BOSTIK ALL WEATHER JOINTING COMPOUND BASALT Supercedes Date: 09-Jan-2024

Revision date 09-Feb-2024 Revision Number 1.01

Other adverse effects	No information available.			
SECTION 12: Ecological info	SECTION 12: Ecological information			
12.1. Toxicity				
Ecotoxicity	The environmental impact of this product has not been fully investigated.			
12.2. Persistence and degradability				
Persistence and degradability	No information available.			
12.3. Bioaccumulative potential				
Bioaccumulation	There is no data for this product.			
12.4. Mobility in soil				
Mobility in soil <u>12.5. Results of PBT and vPvB ass</u>	No information available. essment			
PBT and vPvB assessment	The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.			
12.6. Endocrine disrupting properties				
Endocrine disrupting properties	No information available.			

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note:

Keep from freezing.

Land	transport (ADR/RID)	
14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated

BOSTIK ALL WEATHER JOINTING COMPOUND BASALT Supercedes Date: 09-Jan-2024

Revision date 09-Feb-2024 Revision Number 1.01

14.5 Environmental hazards 14.6 Special precautions for user	Not applicable
Special Provisions	None
IMDG	
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	NP
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk	
according to IMO instruments	
Transport in bulk according to	Annex II of MARPOL and the IBC Code Not applicable
Air transport (ICAO-TI / IATA-DGR)	_
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated

		riocrogalatoa
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	
S	pecial Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

BOSTIK ALL WEATHER JOINTING COMPOUND BASALT

Supercedes Date: 09-Jan-2024

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

icals
nemicals
arriage of Dangerous Goods by
of Dangerous Goods by Rail
ł

Key literature references and sour No information available Prepared By Revision date Indication of changes	ces for data Product Safety & Regulatory Affairs 09-Feb-2024
Revision note	SDS sections updated.
Training Advice	No information available
Further information	No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet