



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Preparation of safety data sheets for hazardous chemicals Code of Practice June 2023

**DAMPFIX BOND BREAKER**  
Revision Number 2.01

Revision date 29-Jan-2025  
Supersedes date 03-Sep-2024

## Section 1: Identification: Product identifier and chemical identity

### Product identifier

**Product Name** DAMPFIX BOND BREAKER

**Product Code(s)**

30628414

30628414

### Other means of identification

**Pure substance/mixture** Mixture

### Recommended use of the chemical and restrictions on use

**Recommended use** Sealant

**Uses advised against** No information available.

### Details of manufacturer or importer

#### Supplier

Bostik Australia Pty Ltd

51-71 High Street,

Thomastown Victoria

Australia

Tel: 613 9279-9333

Fax: 613 9279-9342

**ABN:** 79 003 893 838

**E-mail address** au-bostik-sds@bostik.com

### Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

## Section 2: Hazard(s) identification

### GHS Classification

<b>Serious eye damage/eye irritation</b>	Category 1 - (H318)
--	---------------------

<b>Skin sensitization</b>	Category 1 - (H317)
---------------------------	---------------------

### Label elements

Exclamation mark

Corrosion



# SAFETY DATA SHEET

DAMPFIX BOND BREAKER  
Revision Number 2.01

Revision date 29-Jan-2025  
Supersedes date 03-Sep-2024

## Signal word

DANGER

## Hazard statements

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

## Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

## Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

## Section 3: Composition and information on ingredients, in accordance with Schedule 8

### Substance

Not applicable

### Mixture

Chemical name	CAS No.	Weight-%
Trimethoxyvinylsilane	2768-02-7	1 - 5
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	1 - 5
Dibutyltin dilaurate	77-58-7	0.1 - 1
Non-hazardous ingredients	Proprietary	Balance

## Section 4: First aid measures

### Emergency telephone number

Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

### Description of first aid measures

#### General advice

Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Skin contact

Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

#### Ingestion

Small amounts of toxic methanol are released by hydrolysis. Call a physician immediately. Never give anything by mouth to an unconscious person. Rinse mouth

# SAFETY DATA SHEET

DAMPFIX BOND BREAKER  
Revision Number 2.01

Revision date 29-Jan-2025  
Supersedes date 03-Sep-2024

thoroughly with water.

**Self-protection of the first aider** Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

## **Most important symptoms and effects, both acute and delayed**

**Symptoms** None known.

## **Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.

## **Section 5: Firefighting measures**

### **Suitable Extinguishing Media**

**Suitable extinguishing media** Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

**Unsuitable extinguishing media** Full water jet.

### **Specific hazards arising from the chemical**

**Specific hazards arising from the chemical** Thermal decomposition can lead to release of irritating gases and vapors.

**Hazardous combustion products** Carbon oxides. Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>). Silicon oxides. Silicon dioxide.

### **Special protective actions for fire-fighters**

**Special protective equipment and precautions for fire-fighters** Wear self contained breathing apparatus for fire fighting if necessary.

## **Section 6: Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Use personal protective equipment as required. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

### **Environmental precautions**

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

### **Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

### **Precautions to prevent secondary hazards**

# SAFETY DATA SHEET

DAMPFIX BOND BREAKER  
Revision Number 2.01

Revision date 29-Jan-2025  
Supersedes date 03-Sep-2024

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: Handling and storage, including how the chemical may be safely used

### Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture. Keep away from food, drink and animal feeding stuffs.

**Recommended storage temperature** Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

**Incompatible materials** Strong acids. Strong bases. Strong oxidizing agents.

## Section 8: Exposure controls and personal protection

### Control parameters

**Exposure Limits** This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Chemical name	Australia
Dibutyltin dilaurate 77-58-7	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup>

Chemical name	Australia
Methyl alcohol 67-56-1	TWA: 200 ppm TWA: 262 mg/m <sup>3</sup> STEL: 250 ppm STEL: 328 mg/m <sup>3</sup>

OEL as published by Safe Work Australia

### Appropriate engineering controls

**Engineering controls** Showers, eyewash stations, and ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear suitable protective clothing.

**Hand protection** For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Wear suitable gloves.

**Respiratory protection** Organic gases and vapors filter conforming to EN 14387. White. Brown.

# SAFETY DATA SHEET

DAMPFIX BOND BREAKER  
Revision Number 2.01

Revision date 29-Jan-2025  
Supersedes date 03-Sep-2024

Environmental exposure controls No information available.

## Section 9: Physical and chemical properties

### Information on basic physical and chemical properties

Physical state	Solid
Appearance	Paste
Color	White
Odor	Characteristic
Odor threshold	No information available

Property	Values	Remarks • Method
pH	No data available	
pH (as aqueous solution)	No data available	
Melting point / freezing point	No data available	
Initial boiling point and boiling range	No data available	
Flash point	> 200 °C	
Evaporation rate	No data available	
Flammability	No data available	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	
Relative vapor density	No data available	
Relative density	No data available	
Water solubility	Reacts with water	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	No data available	
Dynamic viscosity	No data available	
Explosive properties	No information available	
Oxidizing properties	No information available	

### Other information

Solid content (%)	No information available
Density	1.49 - 1.55 g/cm <sup>3</sup>
VOC content	0 g/L

## Section 10: Stability and reactivity

### Reactivity

Reactivity Product cures with moisture.

### Chemical stability

Stability Stable under normal conditions.

### Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

### Possibility of hazardous reactions

# SAFETY DATA SHEET

DAMPFIX BOND BREAKER  
Revision Number 2.01

Revision date 29-Jan-2025  
Supersedes date 03-Sep-2024

**Possibility of hazardous reactions** None under normal processing.

## Conditions to avoid

**Conditions to avoid** Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.

## Incompatible materials

**Incompatible materials** Strong acids. Strong bases. Strong oxidizing agents.

## Hazardous decomposition products

**Hazardous decomposition products** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

## **Section 11: Toxicological information**

### Acute toxicity

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. May cause irritation. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
<b>Symptoms</b>	Redness. Burning. May cause blindness. Itching. Rashes. Hives.

### Numerical measures of toxicity - Product Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3540 mg/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403
N-(3-(trimethoxysilyl)propyl)ethylenediamine	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44 mg/L air
Dibutyltin dilaurate	=2071 mg/kg (Rattus) OECD 401	> 2000 mg/kg (Rattus)	-

See section 16 for terms and abbreviations

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** May cause skin irritation.

#### Component Information

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant

# SAFETY DATA SHEET

DAMPFIX BOND BREAKER  
Revision Number 2.01

Revision date 29-Jan-2025  
Supersedes date 03-Sep-2024

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute Dermal Irritation/Corrosion	Rabbit				Mild skin irritant

**Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes burns. Causes serious eye damage.

Component Information					
Trimethoxyvinylsilane (2768-02-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	eye		24 hours	Non-irritant

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	eye			Eye Damage

**Respiratory or skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

Component Information		
Trimethoxyvinylsilane (2768-02-7)		
Method	Species	Results
OECD Test No. 471: Bacterial Reverse Mutation Test	in vitro	Not mutagenic

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)		
Method	Species	Results
OECD Test No. 471: Bacterial Reverse Mutation Test	Mammalian cells in vitro	Negative
OECD Test No. 476: In Vitro Mammalian Cell Gene Mutation Tests using the Hprt and xpvt genes	Mammalian cells in vitro	Negative

**Reproductive toxicity** Based on available data, the classification criteria are not met.

Component Information		
Trimethoxyvinylsilane (2768-02-7)		
Method	Species	Results
OECD Test No. 422: Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test	Rat	Not Classifiable

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)		
Method	Species	Results
OECD Test No. 422: Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening	Rat Oral	NOAEL >500 mg/Kg

# SAFETY DATA SHEET

DAMPFIX BOND BREAKER  
Revision Number 2.01

Revision date 29-Jan-2025  
Supersedes date 03-Sep-2024

Test		
------	--	--

**STOT - single exposure** No information available.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

Component Information					
Trimethoxyvinylsilane (2768-02-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413: Subchronic Inhalation Toxicity: 90-day Study	Rat	Inhalation vapor		90 days	0.058 NOAEL

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422: Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test	Rat	Subacute oral toxicity gavage		28 days	NOAEL >500 mg/kg

**Aspiration hazard** Based on available data, the classification criteria are not met.

## Section 12: Ecological information

### Ecotoxicity

#### Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)
N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3	-	LC50 (96H) =597 mg/L (Danio rerio)Semi-static	-	EC50 (48h) =81mg/L Daphnia magna Static
Dibutyltin dilaurate 77-58-7	EC50 1 (72h) mg/L (desmodesmus subspicatus)	LC50: =2mg/L (48h, Oryzias latipes)	-	0,463 (48h) mg/L (daphnia magma)

### Persistence and degradability

**Persistence and degradability** No information available.

Component Information			
Trimethoxyvinylsilane (2768-02-7)			
Method	Exposure time	Value	Results
OECD Test No. 301F: Ready Biodegradability: Manometric Respirometry Test (TG 301 F)	28 days	BOD	51 % Not readily biodegradable

  

Dibutyltin dilaurate (77-58-7)			
Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	39 days	23% biodegradation	Not readily biodegradable



# SAFETY DATA SHEET

DAMPFIX BOND BREAKER  
Revision Number 2.01

Revision date 29-Jan-2025  
Supersedes date 03-Sep-2024

Biodegradability: Manometric Respirometry Test (TG 301 F)			
--	--	--	--

## Bioaccumulative potential

**Bioaccumulation** No information available.

## **Component Information**

Chemical name	Partition coefficient
Trimethoxyvinylsilane 2768-02-7	1.1
N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3	-0.3
Dibutyltin dilaurate 77-58-7	4.44

## Mobility

**Mobility in soil** No information available.

**Mobility** No information available.

## Other adverse effects

**Other adverse effects** No information available.

## **Section 13: Disposal considerations**

### Disposal methods

**Waste from residues/unused products** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

**Contaminated packaging** Handle contaminated packages in the same way as the product itself.

## **Section 14: Transport information**

**ADG** Not regulated

**IATA** Not regulated

**IMDG** Not regulated

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**  
No information available

## **Section 15: Regulatory information**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### Australia

# SAFETY DATA SHEET

DAMPFIX BOND BREAKER  
Revision Number 2.01

Revision date 29-Jan-2025  
Supersedes date 03-Sep-2024

See section 8 for national exposure control parameters

## Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

## Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

## National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Dibutyltin dilaurate 77-58-7	10 tonne/yr Threshold category 1

## International Inventories

AIIC	Complies
NZIoC	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Not Listed

### Legend:

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

## International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## Europe

### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### Directive 2011/65/EU (EU RoHS 2), as amended by the Delegated Directive (EU) 2015/863 (EU RoHS 3)

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

## Section 16: Any other relevant information

Revision date 29-Jan-2025

# SAFETY DATA SHEET

DAMPFIX BOND BREAKER  
Revision Number 2.01

Revision date 29-Jan-2025  
Supersedes date 03-Sep-2024

---

## Revision Note

\*\*\*Indicates updated data since last publication.

## Key or legend to abbreviations and acronyms used in the safety data sheet

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
C	Carcinogen		

### Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

### Section 12: Ecological information

EC50 (effective concentration)

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**