



# SAFETY DATA SHEET

In accordance with OSHA 29 CFR 1910.1200

**BOSTIK SL-250 LIGHT**  
Revision Number 1

Revision date 29-Aug-2024  
Supersedes date Not applicable

## 1. Identification

### 1.1. Product identifier

**Product Name** BOSTIK SL-250 LIGHT

### Other means of identification

**Other information** Not applicable

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** No information available

**Restrictions on use** No information available

### 1.3. Details of the supplier of the safety data sheet

#### Responsible Party

Bostik Inc.  
11320 W. Watertown Plank Road  
Wauwatosa, Wisconsin 53226 USA  
Phone: +1(800) 726-7845 (Domestic Toll Free)  
Phone: +1 (414) 774-2250 (International)

**E-mail** msds@bostik.com

### 1.4. Emergency telephone number

**Emergency Telephone** CHEMTREC (Chemical Transportation Emergency Center)  
Chemtrec: 1-800-424-9300 (US) , 1-703-527-3887 (Outside U.S.)  
**Rocky Mountain Poison Center:** 1-866-767-5089

## 2. Hazard(s) identification

### 2.1. Classification of the substance or mixture

|                                   |             |
|-----------------------------------|-------------|
| Skin corrosion/irritation         | Category 2  |
| Serious eye damage/eye irritation | Category 1  |
| Skin sensitization                | Category 1  |
| Carcinogenicity                   | Category 1A |

### Hazards not otherwise classified (HNOC)

Not applicable

### 2.2. Label elements

#### EMERGENCY OVERVIEW

#### Danger

#### Hazard statements

Causes skin irritation  
Causes serious eye damage  
May cause an allergic skin reaction  
May cause cancer

# SAFETY DATA SHEET

BOSTIK SL-250 LIGHT  
Revision Number 1

Revision date 29-Aug-2024  
Supersedes date 29-Aug-2024



**Appearance** Powder

**Physical state** Solid

**Odor** No information available

## Precautionary Statements - Prevention

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Wear protective gloves/protective clothing/eye protection/face protection  
Wash face, hands and any exposed skin thoroughly after handling  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Contaminated work clothing must not be allowed out of the workplace

## Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER or doctor  
IF ON SKIN: Wash with plenty of water and soap  
Take off contaminated clothing and wash it before reuse  
If skin irritation or rash occurs: Get medical advice/attention

## Precautionary Statements - Storage

Store locked up

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

24 % of the mixture consists of ingredient(s) of unknown toxicity

## 2.3. Other Information

When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. Product dust may be irritating to eyes, skin and respiratory system. Repeated exposure may cause skin dryness or cracking.

## 3. Composition/information on ingredients

### 3.1. Substances

Not applicable.

### Mixture

| Chemical name              | CAS No.    | Weight-% |
|----------------------------|------------|----------|
| Cement, alumina, chemicals | 65997-16-2 | 10 - 30  |
| Ashes, residues            | 68131-74-8 | 10 - 30  |
| Limestone                  | 1317-65-3  | 10 - 30  |

# SAFETY DATA SHEET

BOSTIK SL-250 LIGHT  
Revision Number 1

Revision date 29-Aug-2024  
Supersedes date 29-Aug-2024

|                             |            |         |
|-----------------------------|------------|---------|
| Cement, portland, chemicals | 65997-15-1 | 7 - <13 |
| Calcium sulfate             | 7778-18-9  | 5 - <10 |
| Calcium sulfate dihydrate   | 10101-41-4 | 1 - <5  |

*\*The exact percentage (concentration) of composition has been withheld as a trade secret*

## 4. First-aid measures

### 4.1. Description of first aid measures

|                                    |  |
|------------------------------------|--|
| General advice                     | If medical advice is needed, have product container or label at hand.  |
| Inhalation                         | Remove to fresh air. If symptoms persist, call a physician.  |
| Eye contact                        | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. If symptoms persist, call a physician.  |
| Skin contact                       | May cause an allergic skin reaction. Brush off loose particles from skin. Remove material from skin immediately. Wash off immediately with plenty of water for at least 15 minutes. In the case of skin irritation or allergic reactions see a physician. May cause sensitization by skin contact. |
| Ingestion                          | Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If symptoms persist, call a physician.   |
| Self-protection of the first aider | Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).  |

### 4.2. Most important symptoms and effects, both acute and delayed

|                     |  |
|---------------------|--|
| Symptoms            | Burning sensation. Itching. Rashes. Hives. Causes serious eye damage. Irritating to skin. Inhalation of dust in high concentration may cause irritation of respiratory system. |
| Effects of Exposure | No information available.  |

### 4.3. Indication of any immediate medical attention and special treatment needed

|                    |  |
|--------------------|--|
| Note to physicians | May cause sensitization in susceptible persons. May cause sensitization by inhalation and skin contact. Treat symptomatically. |
|--------------------|--|

## 5. Fire-Fighting Measures

### 5.1. Extinguishing media

|                                |   |
|--------------------------------|---|
| Suitable Extinguishing Media   | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Large Fire                     | CAUTION: Use of water spray when fighting fire may be inefficient.                                      |
| Unsuitable extinguishing media | Do not scatter spilled material with high pressure water streams.                                       |

### 5.2. Special hazards arising from the substance or mixture

|  |   |
|--|---|
| Specific hazards arising from the chemical | Product is or contains a sensitizer. May cause sensitization by skin contact. |
|--|---|

|                               |  |
|-------------------------------|--|
| Hazardous combustion products | Carbon oxides. Carbon dioxide (CO <sub>2</sub> ). Sulfur oxides. |
|-------------------------------|--|

# SAFETY DATA SHEET

BOSTIK SL-250 LIGHT  
Revision Number 1

Revision date 29-Aug-2024  
Supersedes date 29-Aug-2024

## Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

## 5.3. Advice for firefighters

**Special protective equipment and precautions for fire-fighters** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. Accidental Release Measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Use personal protective equipment as required. Avoid generation of dust. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Sweep up to prevent slipping hazard.

### 6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Prevent dust cloud.

**Methods for cleaning up** Use personal protective equipment as required. Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Sweep up and shovel into suitable containers for disposal. Avoid generation of dust. Avoid breathing dust or spray mist. Clean contaminated surface thoroughly.

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## 7. Handling and storage

### 7.1. Precautions for safe handling

**Advice on safe handling** Use personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. Avoid generation of dust. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

# SAFETY DATA SHEET

**BOSTIK SL-250 LIGHT**  
Revision Number 1

Revision date 29-Aug-2024  
Supersedes date 29-Aug-2024

## 7.3 References to other sections

Reference to other sections      Section 10: STABILITY AND REACTIVITY  
Section 13: DISPOSAL CONSIDERATIONS

## 8. Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

| Chemical name                             | ACGIH TLV  | OSHA PEL   | NIOSH  |
|---|--|--|--|
| Cement, alumina, chemicals<br>65997-16-2  | 10 mg/m <sup>3</sup> (total; 5 mg/m <sup>3</sup> (resp)  | -  | -  |
| Ashes, residues<br>68131-74-8             | TWA: 1 mg/m <sup>3</sup> Cu dust and mist  | -  | IDLH: 100 mg/m <sup>3</sup> Cu dust and mist<br>IDLH: 10 mg/m <sup>3</sup> Ni<br>Ceiling: 0.05 mg/m <sup>3</sup> V dust and fume 15 min<br>TWA: 1 mg/m <sup>3</sup> Cu dust and mist<br>TWA: 0.015 mg/m <sup>3</sup> except Nickel carbonyl Ni |
| Limestone<br>1317-65-3                    | -  | TWA: 15 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable fraction<br>(vacated) TWA: 15 mg/m <sup>3</sup> total dust<br>(vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction   | TWA: 10 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable dust   |
| Cement, portland, chemicals<br>65997-15-1 | TWA: 1 mg/m <sup>3</sup> particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter | TWA: 15 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable fraction<br>(vacated) TWA: 10 mg/m <sup>3</sup> total dust<br>(vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction<br>TWA: 50 mppcf <1% Crystalline silica | IDLH: 5000 mg/m <sup>3</sup><br>TWA: 10 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable dust   |
| Calcium sulfate<br>7778-18-9              | TWA: 10 mg/m <sup>3</sup> inhalable particulate matter   | TWA: 15 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable fraction<br>(vacated) TWA: 15 mg/m <sup>3</sup><br>(vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction  | TWA: 10 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable dust   |
| Calcium sulfate dihydrate<br>10101-41-4   | TWA: 10 mg/m <sup>3</sup> inhalable particulate matter   | -  | -  |

| Chemical name                             | Argentina                 | Brazil                   | S.D. 594/1999  | Colombia                |
|---|---------------------------|--------------------------|--|-------------------------|
| Ashes, residues<br>68131-74-8             | -                         | TWA: 1 mg/m <sup>3</sup> | -  | TWA: 1mg/m <sup>3</sup> |
| Limestone<br>1317-65-3                    | TWA: 10 mg/m <sup>3</sup> | -                        | LPP: 7 mg/m <sup>3</sup><br>LPP: 5 mg/m <sup>3</sup> | -                       |
| Cement, portland, chemicals<br>65997-15-1 | TWA: 10 mg/m <sup>3</sup> | TWA: 1 mg/m <sup>3</sup> | LPP: 8.8 mg/m <sup>3</sup>                           | TWA: 1mg/m <sup>3</sup> |

# SAFETY DATA SHEET

**BOSTIK SL-250 LIGHT**  
Revision Number 1

Revision date 29-Aug-2024  
Supersedes date 29-Aug-2024

|   |                           |                           |   |                          |
|---|---------------------------|---------------------------|---|--------------------------|
| Calcium sulfate<br>7778-18-9            | TWA: 10 mg/m <sup>3</sup> | TWA: 10 mg/m <sup>3</sup> | - | TWA: 10mg/m <sup>3</sup> |
| Calcium sulfate dihydrate<br>10101-41-4 | -                         | TWA: 10 mg/m <sup>3</sup> | - | TWA: 10mg/m <sup>3</sup> |

| Chemical name                             | Costa Rica               | Peru                     | Uruguay   | Venezuela                 |
|---|--------------------------|--------------------------|---|---------------------------|
| Ashes, residues<br>68131-74-8             | -                        | -                        | 1 mg/m <sup>3</sup> TWA (dust and mist, as Cu)  | -                         |
| Cement, portland, chemicals<br>65997-15-1 | TWA: 1mg/m <sup>3</sup>  | TWA: 10mg/m <sup>3</sup> | 1 mg/m <sup>3</sup> TWA (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter) | TWA: 10 mg/m <sup>3</sup> |
| Calcium sulfate<br>7778-18-9              | TWA: 10mg/m <sup>3</sup> | TWA: 10mg/m <sup>3</sup> | 10 mg/m <sup>3</sup> TWA (inhalable particulate matter)   | TWA: 10 mg/m <sup>3</sup> |
| Calcium sulfate dihydrate<br>10101-41-4   | TWA: 10mg/m <sup>3</sup> | -                        | 10 mg/m <sup>3</sup> TWA (inhalable particulate matter, listed under Calcium sulfate)   | -                         |

## 8.2. Exposure controls

### Appropriate engineering controls

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Avoid contact with eyes.

**Hand protection** Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.

**Skin and body protection** Wear suitable protective clothing.

**Respiratory protection** Use appropriate respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**General hygiene considerations** Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and clothing is recommended.

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

# SAFETY DATA SHEET

BOSTIK SL-250 LIGHT  
Revision Number 1

Revision date 29-Aug-2024  
Supersedes date 29-Aug-2024

|                |                          |
|----------------|--------------------------|
| Physical state | Solid                    |
| Appearance     | Powder                   |
| Color          | No information available |
| Odor           | No information available |
| Odor threshold | No information available |

| Property                                | Values   | Remarks • Method |
|---|--|------------------|
| pH                                      | .  |                  |
| pH (as aqueous solution)                | No data available  | None known       |
| Melting point / freezing point          | Not applicable .   |                  |
| Initial boiling point and boiling range | Not applicable .   |                  |
| Flash point                             | Not applicable .   |                  |
| Evaporation rate                        | Not applicable .   |                  |
| Flammability                            | No data available  | None known       |
| Flammability Limit in Air               |  | None known       |
| Upper flammability or explosive limits  | No data available  |                  |
| Lower flammability or explosive limits  | No data available  |                  |
| Vapor pressure                          | No data available  | None known       |
| Relative vapor density                  | No data available  | None known       |
| Relative density                        | No data available  | None known       |
| Water solubility                        | No data available Cement based products react and solidify in contact with water |                  |
| Solubility(ies)                         | No data available  | None known       |
| Partition coefficient                   | No data available  | None known       |
| Autoignition temperature                | No data available  | None known       |
| Decomposition temperature               | No data available  | None known       |
| Kinematic viscosity                     | Not applicable . mm <sup>2</sup> /s  |                  |
| Dynamic viscosity                       | .  | None known       |

## 9.2. Other information

|                      |                          |                          |
|----------------------|--------------------------|--------------------------|
| Explosive properties | No information available |                          |
| Oxidizing properties | No information available |                          |
| Solvent content (%)  | No information available |                          |
| Solid content (%)    | 100                      |                          |
| Softening point      | Not relevant             |                          |
| Molecular weight     | No information available |                          |
| VOC content          |                          | No information available |
| Density              | No information available |                          |
| Bulk density         | No information available |                          |

## 10. Stability and reactivity

### 10.1. Reactivity

|            |                              |
|------------|------------------------------|
| Reactivity | Product cures with moisture. |
|------------|------------------------------|

### 10.2. Chemical stability

|                    |  |
|--------------------|--|
| Chemical stability | Stable under recommended storage conditions. |
|--------------------|--|

### 10.3. Possibility of hazardous reactions

|                                    |                               |
|------------------------------------|-------------------------------|
| Possibility of hazardous reactions | None under normal processing. |
|------------------------------------|-------------------------------|

# SAFETY DATA SHEET

BOSTIK SL-250 LIGHT  
Revision Number 1

Revision date 29-Aug-2024  
Supersedes date 29-Aug-2024

## 10.4. Conditions to avoid

Conditions to avoid Product cures with moisture.

## 10.5. Incompatible materials

Incompatible materials None known based on information supplied.

## 10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied

## 11. Toxicological information

### 11.1. Information on toxicological effects

#### Product Information

**Inhalation** May cause irritation of respiratory tract.

**Eye contact** Causes serious eye damage. May cause irreversible damage to eyes.

**Skin contact** May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Causes skin irritation.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and tearing of the eyes.

#### Acute toxicity

#### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 7,740.30 mg/kg  
ATEmix (dermal) >5000 mg/kg  
ATEmix (inhalation-gas) >20000 ppm  
ATEmix (inhalation-dust/mist) 27.60 mg/l  
ATEmix (inhalation-vapor) >20 mg/l

#### Component Information

| Chemical name                             | Oral LD50                 | Dermal LD50             | Inhalation LC50          |
|---|---------------------------|-------------------------|--------------------------|
| Cement, alumina, chemicals<br>65997-16-2  | LD50 >2000 mg/Kg Rat      | LD50 >2000 mg/Kg Rattus | -                        |
| Ashes, residues<br>68131-74-8             | >2000 mg/kg (Rattus)      | -                       | -                        |
| Limestone<br>1317-65-3                    | >5000 mg/kg (Rattus)      | -                       | -                        |
| Cement, portland, chemicals<br>65997-15-1 | LD50 >2000 mg/Kg (Rattus) | LD50 >2000 mg/Kg        | -                        |
| Calcium sulfate<br>7778-18-9              | >3000 mg/kg (Rattus)      | -                       | CL50 >2.61 mg/L (4h) Rat |

# SAFETY DATA SHEET

BOSTIK SL-250 LIGHT  
Revision Number 1

Revision date 29-Aug-2024  
Supersedes date 29-Aug-2024

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

|  |   |
|--|---|
| <b>Skin corrosion/irritation</b>         | Classification based on data available for ingredients. Causes skin irritation.                                     |
| <b>Serious eye damage/eye irritation</b> | Classification based on data available for ingredients. Causes burns. Causes serious eye damage.                    |
| <b>Respiratory or skin sensitization</b> | May cause an allergic skin reaction.  |
| <b>Germ cell mutagenicity</b>            | Based on available data, the classification criteria are not met.   |
| <b>Carcinogenicity</b>                   | Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer. |

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name                 | ACGIH | IARC    | NTP   | OSHA |
|-------------------------------|-------|---------|-------|------|
| Ashes, residues<br>68131-74-8 | -     | Group 1 | Known | X    |

### Legend

**IARC (International Agency for Research on Cancer)**

*Group 1 - Carcinogenic to Humans*

**NTP (National Toxicology Program)**

*Known - Known Carcinogen*

**Occupational Safety and Health Administration of the US Department of Labor**

*X - Present*

|                                 |   |
|---------------------------------|---|
| <b>Reproductive toxicity</b>    | Based on available data, the classification criteria are not met.     |
| <b>STOT - single exposure</b>   | Based on available data, the classification criteria are not met.     |
| <b>STOT - repeated exposure</b> | Based on available data, the classification criteria are not met.     |
| <b>Target organ effects</b>     | Liver, Kidney, Respiratory system, Eyes, Skin, Lungs, Nasal Cavities. |
| <b>Aspiration hazard</b>        | Based on available data, the classification criteria are not met.     |
| <b>Other adverse effects</b>    | No information available.   |
| <b>Interactive effects</b>      | No information available.   |

## 12. Ecological information

### 12.1. Toxicity

#### Ecotoxicity

| Chemical name    | Algae/aquatic plants | Fish       | Toxicity to microorganisms | Crustacea          |
|------------------|----------------------|------------|----------------------------|--------------------|
| Cement, alumina, | EC50 (72h)Algae      | LC50 (96h) | -                          | EC50 (48h) Daphnia |

# SAFETY DATA SHEET

**BOSTIK SL-250 LIGHT**  
Revision Number 1

Revision date 29-Aug-2024  
Supersedes date 29-Aug-2024

|                               |   |  |   |  |
|-------------------------------|---|--|---|--|
| chemicals<br>65997-16-2       | (Pseudokirchneriella<br>subcapitata) >5.6mg/L             | (Onchorhynchus mykiss)<br>>100 mg/L (OECD 203)   |   | magna =6.6mg/L (OECD<br>202)                 |
| Ashes, residues<br>68131-74-8 | -   | -  | - | EC50: 140 - 2000mg/L<br>(24h, Daphnia magna) |
| Limestone<br>1317-65-3        | CE50 (72h) >200mg/L<br>Algae (Desmodesmus<br>subspicatus) | CL50 (96h)>10000mg/L<br>(Oncorhynchus mykiss)  | - | CE50 (48h) >1000 mg/L<br>Daphnia Magna       |
| Calcium sulfate<br>7778-18-9  | CL50 (72h) >100 mg/L<br>Algae                             | LC50: =2980mg/L (96h,<br>Lepomis macrochirus)<br>LC50: >1970mg/L (96h,<br>Pimephales promelas) | - | CE50 (48h) >100 mg/L<br>(Daphnia magna)      |

## 12.2. Persistence and degradability

**Persistence and degradability** No information available.

## 12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

### **Component Information**

| Chemical name          | Partition coefficient |
|------------------------|-----------------------|
| Limestone<br>1317-65-3 | 0.9                   |

## 12.4. Mobility in soil

**Mobility** No information available.

## Other adverse effects

**Other adverse effects** No information available.

## **13. Disposal considerations**

### 13.1. Waste treatment methods

**Waste from residues/unused products** It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

**Contaminated packaging** Dispose of in accordance with federal, state and local regulations.

## **14. Transport information**

**DOT** Not regulated

**IATA** Not regulated

**IMDG** Not regulated

# SAFETY DATA SHEET

BOSTIK SL-250 LIGHT  
Revision Number 1

Revision date 29-Aug-2024  
Supersedes date 29-Aug-2024

## 15. Regulatory information

### International Inventories

|      |            |
|------|------------|
| TSCA | Complies   |
| DSL  | Not Listed |

#### **Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

**Complies** - The components of this product are either listed or exempt from listing on inventory. Active

**Not Listed** - One or more components of this product are not listed on inventory.

### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical name   | CAS No.    | SARA 313 - Threshold Values % |
|-----------------|------------|-------------------------------|
| Ashes, residues | 68131-74-8 | 1.0<br>0.1                    |

#### **SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

## 16. Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### **Legend**

SVHC: Substances of Very High Concern for Authorization:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate

LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

#### **Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

Sk\*

Skin designation

**Prepared By** Product Stewardship and Regulatory Affairs.

**Revision date** 29-Aug-2024

**Revision Note** No information available.

#### **Disclaimer**

All information contained herein is believed to be accurate as of the date of publication, is provided "as-is" and is subject to change without notice. This is not a warranty, an agreement, or substitute for expert or professional advice. Bostik Inc. ("Company") expressly disclaims and assumes no liability for the use of the products or reliance on this information. It is the sole responsibility of the user to determine the suitability of any products for user's application(s). NO

# SAFETY DATA SHEET

BOSTIK SL-250 LIGHT  
Revision Number 1

Revision date 29-Aug-2024  
Supersedes date 29-Aug-2024

---

WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING SUITABILITY FOR USE IN ANY MEDICAL DEVICE OR MEDICAL APPLICATION), IS MADE CONCERNING THE PRODUCTS OR THE INFORMATION PROVIDED HEREIN. The information provided relates only to the specific products designated herein and may not be valid where such products are used in combination with other materials or in any process. The performance of the product, its shelf life, and application characteristics depends on many variables, and changes in these variables can impact product performance. You are responsible to test the suitability of any product in advance for any intended use or application and before commercialization. Nothing herein shall be construed as a license for the use of any product in a manner that might infringe any patent and it should not be construed as an inducement to infringe any patent. Please carefully review the Safety Data Sheet for the product.

The Company adheres to a strict policy that applies to the use of any of its products in medical device applications. This policy can be found at <https://www.arkema.com/global/en/social-responsibility/innovation-and-sustainable-solutions/responsible-product-management/medical-device-policy/> which is incorporated herein by reference and made a part hereof. Except as expressly authorized, the Company (i) has designated specific medical grade compositions for products used in medical device applications and Company products not so designated are not authorized for use in medical device applications and (ii) strictly prohibits the use of any of its products in medical device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Company does not design, manufacture and/or directly sell any medical devices. The Company does not co-design, or offer assistance to any purchaser of its products, in their design, manufacture and/or sale of products for medical devices. It is the sole responsibility of the manufacturer of medical devices to determine the suitability of all raw material, products and components, including any medical grade products, in order to ensure that the medical device is safe for end-use and complies with all applicable legal and regulatory requirements and to conduct all necessary tests and inspections.

**End of Safety Data Sheet**