



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Preparation of safety data sheets for hazardous chemicals Code of Practice June 2023

ROOF & GUTTER PREMIUM SILICONE TRANSLUCENT
Revision Number 1.01

Revision date 25-Feb-2025
Supersedes date 09-Nov-2023

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name ROOF & GUTTER PREMIUM SILICONE TRANSLUCENT

Product Code(s)

30800828

30800828

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Sealant

Uses advised against No information available.

Details of manufacturer or importer

Supplier

Bostik Australia Pty Ltd
51-71 High Street,
Thomastown Victoria
Australia
Tel: 613 9279-9333
Fax: 613 9279-9342

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

| | |
|------------------------|---------------------|
| Carcinogenicity | Category 2 - (H351) |
|------------------------|---------------------|

Label elements

Health hazard



Signal word

SAFETY DATA SHEET

ROOF & GUTTER PREMIUM SILICONE TRANSLUCENT
Revision Number 1.01

Revision date 25-Feb-2025
Supersedes date 09-Nov-2023

WARNING

Hazard statements

H351 - Suspected of causing cancer

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves, protective clothing, eye protection and face protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Get emergency medical help immediately

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF SWALLOWED: Get emergency medical help immediately

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Small amounts of 2-butanone, oxime (CAS 96-29-7) are formed by hydrolysis and released upon curing.

Causes mild skin irritation.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

| Chemical name | CAS No. | Weight-% |
|---------------------------|-------------|----------|
| 2-Butanone, oxime | 96-29-7 | 1 - 5 |
| Non-hazardous ingredients | Proprietary | Balance |

Section 4: First aid measures

Emergency telephone number

Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.

Skin contact

Wash off immediately with soap and plenty of water for at least 15 minutes. If skin

SAFETY DATA SHEET

ROOF & GUTTER PREMIUM SILICONE TRANSLUCENT
Revision Number 1.01

Revision date 25-Feb-2025
Supersedes date 09-Nov-2023

irritation or rash occurs: Get medical advice/attention.

Ingestion Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

Note to physicians Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the chemical

Specific hazards arising from the chemical Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous combustion products Carbon dioxide (CO₂). Nitrogen oxides (NO_x). Silicon oxides.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters Wear self contained breathing apparatus for fire fighting if necessary.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required. Ensure adequate ventilation.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

SAFETY DATA SHEET

ROOF & GUTTER PREMIUM SILICONE TRANSLUCENT
Revision Number 1.01

Revision date 25-Feb-2025
Supersedes date 09-Nov-2023

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.

General hygiene considerations Take off contaminated clothing and wash it before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Keep away from food, drink and animal feeding stuffs. Protect from moisture.

Recommended storage temperature Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

Incompatible materials Strong oxidizing agents.

Section 8: Exposure controls and personal protection

Working area parameters, subject to mandatory control (MAC or TSEL)

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

| Chemical name | Australia |
|---------------------------|--|
| Methyl alcohol 67-56-1 | TWA: 200 ppm TWA: 262 mg/m ³ STEL: 250 ppm STEL: 328 mg/m ³ |

Appropriate engineering controls

Engineering controls Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear suitable protective clothing.

Hand protection For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Wear suitable gloves.

Respiratory protection Organic gases and vapors filter conforming to EN 14387. White. Brown.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid
Appearance Viscous
Color Clear

SAFETY DATA SHEET

ROOF & GUTTER PREMIUM SILICONE TRANSLUCENT
Revision Number 1.01

Revision date 25-Feb-2025
Supersedes date 09-Nov-2023

| | | |
|---|----------------------------------|-----------------------------------|
| Odor | Organic | |
| Odor threshold | No information available | |
| Property | Values | Remarks • Method |
| pH | No data available | Not applicable Insoluble in water |
| pH (as aqueous solution) | No data available | |
| Melting point / freezing point | No data available | |
| Initial boiling point and boiling range | No data available | |
| Flash point | Not applicable No data available | |
| Evaporation rate | No data available | |
| Flammability | No data available | |
| Flammability Limit in Air | | |
| Upper flammability or explosive limits | No data available | |
| Lower flammability or explosive limits | No data available | |
| Vapor pressure | No data available | |
| Relative vapor density | No data available | |
| Relative density | 1.01 | |
| Water solubility | Insoluble in water | |
| Solubility(ies) | No data available | |
| Partition coefficient | No data available | |
| Autoignition temperature | No data available | |
| Decomposition temperature | No data available | |
| Kinematic viscosity | No data available | |
| Dynamic viscosity | 150000 250000 mPa s | |
| Explosive properties | No information available | |
| Oxidizing properties | No information available | |
| Other information | | |
| Solid content (%) | No information available | |
| Liquid Density | No information available | |
| VOC content | | 10 g/L |

Section 10: Stability and reactivity

Reactivity

Reactivity Product cures with moisture.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

SAFETY DATA SHEET

ROOF & GUTTER PREMIUM SILICONE TRANSLUCENT
Revision Number 1.01

Revision date 25-Feb-2025
Supersedes date 09-Nov-2023

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides. 2-Butanone, oxime. Methyl alcohol. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Specific test data for the substance or mixture is not available. Causes mild skin irritation.

Ingestion Based on available data, the classification criteria are not met.

Symptoms Prolonged contact may cause redness and irritation.

Numerical measures of toxicity - Product Information

The following ATE values have been calculated for the mixture mg/kg

ATEmix (inhalation-gas) >20000
ATEmix (inhalation-vapor) >20 mg/l

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------|------------------|--|-------------------------|
| 2-Butanone, oxime | =100 mg/kg (ATE) | 1000 - 1800 mg/kg (Oryctolagus cuniculus) | >4.83 mg/L (Rattus) 4 h |

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met. Classification based on data available for ingredients. Causes mild skin irritation.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | Australia | European Union | IARC |
|---------------|-----------|----------------|------|
|---------------|-----------|----------------|------|

SAFETY DATA SHEET

ROOF & GUTTER PREMIUM SILICONE TRANSLUCENT
Revision Number 1.01

Revision date 25-Feb-2025
Supersedes date 09-Nov-2023

| | | | |
|--|----------------|----------------|--|
| 2-Butanone, oxime 96-29-7 | Carc. 2 | Carc. 1B | |
| Component Information | | | |
| 2-Butanone, oxime (96-29-7) | | | |
| Method | Species | Results | |
| OECD Test No. 453: Combined Chronic Toxicity/Carcinogenicity Studies | Rat | Carcinogenic | |

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|------------------------------|--|---|---|---|
| 2-Butanone, oxime 96-29-7 | EC50: =83mg/L (72h, <i>Desmodesmus subspicatus</i>) | LC50: =760mg/L (96h, <i>Poecilia reticulata</i>) LC50: 777 - 914mg/L (96h, <i>Pimephales promelas</i>) LC50: 320 - 1000mg/L (96h, <i>Leuciscus idus</i>) | EC50 = 281 mg/L 17 h EC50 = 950 mg/L 5 min | EC50: =750mg/L (48h, <i>Daphnia magna</i>) |

Persistence and degradability

Persistence and degradability Not readily biodegradable. Product cures with moisture.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

| Chemical name | Partition coefficient |
|------------------------------|-----------------------|
| 2-Butanone, oxime 96-29-7 | 0.65 |

Mobility

Mobility in soil No information available.

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

SAFETY DATA SHEET

ROOF & GUTTER PREMIUM SILICONE TRANSLUCENT
Revision Number 1.01

Revision date 25-Feb-2025
Supersedes date 09-Nov-2023

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused products Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

Section 14: Transport information

ADG Not regulated

IATA Not regulated

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

International Inventories

| | |
|--------------|------------|
| AIIC | Complies |
| NZIoC | Complies |
| ENCS | Not Listed |
| IECSC | Not Listed |
| KECL | Complies |
| PICCS | Complies |

Legend:

AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing Chemicals Inventory
PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

SAFETY DATA SHEET

ROOF & GUTTER PREMIUM SILICONE TRANSLUCENT
Revision Number 1.01

Revision date 25-Feb-2025
Supersedes date 09-Nov-2023

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Directive 2011/65/EU (EU RoHS 2), as amended by the Delegated Directive (EU) 2015/863 (EU RoHS 3)

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 25-Feb-2025

Revision Note

***Indicates updated data since last publication.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| | | | |
|---------|-----------------------------|------|----------------------------------|
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value | SK* | Skin designation |
| C | Carcinogen | | |

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information

EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet