



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Preparation of safety data sheets for hazardous chemicals Code of Practice June 2023

BOSTIK 5615 EASY CLEAN
Revision Number 2

Revision date 29-Sep-2025
Supersedes date 29-Mar-2023

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name BOSTIK 5615 EASY CLEAN

Product Code(s)

30804610
30804610

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Sealant

Uses advised against No information available.

Details of manufacturer or importer

Supplier

Bostik Australia Pty Ltd
51-71 High Street,
Thomastown Victoria
Australia
Tel: 613 9279-9333
Fax: 613 9279-9342

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS) Not classified

Label elements

Hazard statements

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS) Not classified

Other hazards which do not result in classification

Causes mild skin irritation.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

SAFETY DATA SHEET

BOSTIK 5615 EASY CLEAN
Revision Number 2

Revision date 29-Sep-2025
Supersedes date 29-Mar-2023

No poisons schedule number allocated

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

| Chemical name | CAS No. | Weight-% |
|----------------------------|-------------|----------|
| Heptane | 142-82-5 | 1 - 5 |
| Carbon black | 1333-86-4 | 0.1 - 1 |
| Quartz (SiO ₂) | 14808-60-7 | 0.1 - 1 |
| Non-hazardous ingredients | Proprietary | Balance |

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26
Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes.

Ingestion Drink 1 or 2 glasses of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Symptoms Prolonged contact may cause redness and irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical No information available.

Hazardous combustion products Carbon oxides.

Special protective actions for fire-fighters

SAFETY DATA SHEET

BOSTIK 5615 EASY CLEAN
Revision Number 2

Revision date 29-Sep-2025
Supersedes date 29-Mar-2023

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

Section 8: Exposure controls and personal protection

Control Parameters

Exposure Limits This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

| Chemical name | Australia |
|--|--|
| Heptane 142-82-5 | TWA: 400 ppm; TWA: 1640 mg/m ³ ; STEL: 500 ppm; STEL: 2050 mg/m ³ ; |
| Carbon black 1333-86-4 | TWA: 3 mg/m ³ ; |
| Quartz (SiO ₂) 14808-60-7 | TWA: 0.05 mg/m ³ ; respirable dust |

OEL as published by Safe Work Australia

Appropriate engineering controls

Engineering controls Showers, eyewash stations, and ventilation systems.

SAFETY DATA SHEET

BOSTIK 5615 EASY CLEAN
Revision Number 2

Revision date 29-Sep-2025
Supersedes date 29-Mar-2023

Individual protection measures, such as personal protective equipment

| | |
|---------------------------------|--|
| Eye/face protection | Wear safety glasses with side shields (or goggles). |
| Skin and body protection | Lightweight protective clothing. Long sleeved clothing. |
| Hand protection | Nitrile rubber. |
| Respiratory protection | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. |
| Environmental exposure controls | No information available. |

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

| | |
|----------------|--------------------------|
| Physical state | Solid |
| Appearance | Very viscous Paste |
| Color | Black |
| Odor | Slight |
| Odor threshold | No information available |

| Property | Values | Remarks • Method |
|---|--------------------------|--------------------------|
| pH | No data available | |
| pH (as aqueous solution) | No data available | |
| Melting point / freezing point | No data available | |
| Initial boiling point and boiling range | No data available | |
| Flash point | No data available | |
| Evaporation rate | No data available | |
| Flammability | No data available | |
| Flammability Limit in Air | | |
| Upper flammability or explosive limits | No data available | |
| Lower flammability or explosive limits | No data available | |
| Vapor pressure | No data available | |
| Relative vapor density | No data available | |
| Relative density | 1.8 | |
| Water solubility | Negligible | |
| Solubility(ies) | No data available | |
| Partition coefficient | No data available | |
| Autoignition temperature | No data available | |
| Decomposition temperature | No data available | |
| Kinematic viscosity | No data available | |
| Dynamic viscosity | No data available | |
| Explosive properties | No information available | |
| Oxidizing properties | No information available | |
| <u>Other information</u> | | |
| Solid content (%) | No information available | |
| Liquid Density | No information available | |
| VOC content | | No information available |

Section 10: Stability and reactivity

Reactivity

| | |
|------------|---------------------------|
| Reactivity | No information available. |
|------------|---------------------------|

SAFETY DATA SHEET

BOSTIK 5615 EASY CLEAN
Revision Number 2

Revision date 29-Sep-2025
Supersedes date 29-Mar-2023

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid None known based on information supplied.

Incompatible materials

Incompatible materials None known based on information supplied.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Nitrogen oxides (NO_x). Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Specific test data for the substance or mixture is not available. Causes mild skin irritation.

Ingestion Based on available data, the classification criteria are not met.

Symptoms Prolonged contact may cause redness and irritation.

Numerical measures of toxicity - Product Information

The following ATE values have been calculated for the mixture

ATE_{mix} (oral) >5000
ATE_{mix} (dermal) >5000
ATE_{mix} (inhalation-gas) >20000
ATE_{mix} (inhalation-vapor) >20
ATE_{mix} (inhalation-dust/mist) >5 mg/l

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|-------------------------------------|--------------------------------------|--|
| Heptane | LD50 > 5000 mg/Kg (rattus) | = 3000 mg/kg (Oryctolagus cuniculus) | =103 g/m ³ (Rattus) 4 h |
| Carbon black | LD50 > 8000 mg/kg (Rattus) OECD 401 | > 3 g/kg (Oryctolagus cuniculus) | > 4.6046 mg/m ³ (Rat) 4 h |

See section 16 for terms and abbreviations

SAFETY DATA SHEET

BOSTIK 5615 EASY CLEAN
Revision Number 2

Revision date 29-Sep-2025
Supersedes date 29-Mar-2023

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes mild skin irritation.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

| Component Information | | |
|--|---------------|----------------------------|
| Heptane (142-82-5) | | |
| Method | Species | Results |
| OECD Test No. 473: In vitro Mammalian Chromosome Aberration Test | Rat, in vitro | Not mutagenic |
| OECD Test No. 471: Bacterial Reverse Mutation Test | | Not mutagenic in AMES Test |

Carcinogenicity As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses. Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | Australia | European Union | IARC |
|--|-----------|----------------|----------|
| Carbon black 1333-86-4 | | | Group 2B |
| Quartz (SiO ₂) 14808-60-7 | Carc. 1A | | Group 1 |

Legend

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to humans Group 2B - Possibly carcinogenic to humans

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity Based on available data, the classification criteria are not met.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---------------------------|---------------------------|---|----------------------------|--------------------------------------|
| Heptane 142-82-5 | - | LC50: =375.0mg/L (96h, Cichlid) | - | EC50: >10mg/L (24h, Daphnia magna) |
| Carbon black 1333-86-4 | >10000 mg/l (Desmodesmus) | >1000 mg/l (Brachydanio rerio) OCDE 203 | - | EC50: >5600mg/L (24h, Daphnia magna) |

SAFETY DATA SHEET

BOSTIK 5615 EASY CLEAN
Revision Number 2

Revision date 29-Sep-2025
Supersedes date 29-Mar-2023

| | | | | |
|--|-----------------------|--|--|--|
| | subspicatus) OECD 202 | | | |
|--|-----------------------|--|--|--|

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

| Chemical name | Partition coefficient |
|---------------------|-----------------------|
| Heptane 142-82-5 | 4.66 |

Mobility

Mobility in soil No information available.

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

Section 14: Transport information

ADG Not regulated

IATA Not regulated

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

SAFETY DATA SHEET

BOSTIK 5615 EASY CLEAN
Revision Number 2

Revision date 29-Sep-2025
Supersedes date 29-Mar-2023

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

National pollutant inventory

Subject to reporting requirement

| Chemical name | National pollutant inventory |
|---------------------|---|
| Heptane 142-82-5 | 20 MW Threshold category 2b as Total Volatile Organic Compounds: the sum, by mass, of individual VOC, including non-NPI VOC 60000 MWH Threshold category 2b as Total Volatile Organic Compounds: the sum, by mass, of individual VOC, including non-NPI VOC 1 tonne/h Threshold category 2a as Total Volatile Organic Compounds: the sum, by mass, of individual VOC, including non-NPI VOC 25 tonne/yr Threshold category 1a as Total Volatile Organic Compounds: the sum, by mass, of individual VOC, including non-NPI VOC 400 tonne/yr Threshold category 2a as Total Volatile Organic Compounds: the sum, by mass, of individual VOC, including non-NPI VOC 2000 tonne/yr Threshold category 2b as Total Volatile Organic Compounds: the sum, by mass, of individual VOC, including non-NPI VOC |

International Inventories

| | |
|--------------|------------|
| AIIC | Complies |
| NZIoC | Not Listed |
| ENCS | Not Listed |
| IECSC | Not Listed |
| KECL | Not Listed |
| PICCS | Not Listed |

Legend:

- AIIC** - Australian Inventory of Industrial Chemicals
- NZIoC** - New Zealand Inventory of Chemicals
- ENCS** - Japan Existing and New Chemical Substances
- IECSC** - China Inventory of Existing Chemical Substances
- KECL** - Korean Existing Chemicals Inventory
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SAFETY DATA SHEET

BOSTIK 5615 EASY CLEAN
Revision Number 2

Revision date 29-Sep-2025
Supersedes date 29-Mar-2023

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Directive 2011/65/EU (EU RoHS 2), as amended by the Delegated Directive (EU) 2015/863 (EU RoHS 3)

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 29-Sep-2025

Revision Note

***Indicates updated data since last publication.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| | | | |
|---------|-----------------------------|------|----------------------------------|
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value | Sk* | Skin designation |
| C | Carcinogen | | |

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information

EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet