



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

SOVEREIGN TIMBER TREATMENT STRAW
Supersedes Date: 28-Nov-2023

Revision date 28-Nov-2023
Revision Number 4.02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name SOVEREIGN TIMBER TREATMENT STRAW
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Coatings and paints, thinners, paint removers
Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited
Common Rd
ST16 3EH
Stafford UK
Tel: +44 (1785) 27 26 25
Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)
NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

Aspiration hazard	Category 1 - (H304)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements

Contains Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2% aromatics



Signal word
Danger

SAFETY DATA SHEET

SOVEREIGN TIMBER TREATMENT STRAW
Supercedes Date: 28-Nov-2023

Revision date 28-Nov-2023
Revision Number 4.02

Hazard statements

H304 - May be fatal if swallowed and enters airways.
H412 - Harmful to aquatic life with long lasting effects.

EU Specific Hazard Statements

EUH208 - Contains 3-Iodo-2-propynyl butylcarbamate [IPBC] & Propiconazole. May produce an allergic reaction
EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand
P102 - Keep out of reach of children
P280 - Wear protective gloves and eye/face protection
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor
P331 - Do NOT induce vomiting
P405 - Store locked up
P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

Toxic to aquatic life. In use, may form flammable/explosive vapour-air mixture.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2% aromatics	918-481-9	RR-113412-9	80 - 100	Asp. Tox. 1 (H304) (EUH066)	-	01-2119457273-39-XXXX
Dipropylene glycol monomethyl ether	252-104-2	34590-94-8	1 - <3	[B]	-	01-2119450011-60-XXXX
Propiconazole	262-104-4 (613-205-00-0)	60207-90-1	0.1 - <0.3	Acute Tox. 4 (H302) Skin Sens. 1 (H317) Repr. 1B (H360D) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-	-
3-Iodo-2-propynyl butylcarbamate [IPBC]	259-627-5 (616-212-00-7)	55406-53-6	0.1 - <0.3	STOT RE 1 (H372) Eye Dam. 1 (H318)	-	-

SAFETY DATA SHEET

SOVEREIGN TIMBER TREATMENT STRAW
Supersedes Date: 28-Nov-2023

Revision date 28-Nov-2023
Revision Number 4.02

				Skin Sens. 1 (H317) Acute Tox. 4 (H302) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		
--	--	--	--	--	--	--

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes
[B] - Substance with a Community workplace exposure limit

Full text of H- and EUH-phrases: see section 16

Substances identified by a number starting "RR-" in the CAS-field are substances for which the CAS# is not adopted in EU and we use an internal numbering system to track within our SDS software

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed pulmonary edema may occur.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness.
Effects of Exposure	No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Because of the danger of aspiration, emesis or gastric lavage should not be used unless
------------------------	---

SAFETY DATA SHEET

SOVEREIGN TIMBER TREATMENT STRAW
Supersedes Date: 28-Nov-2023

Revision date 28-Nov-2023
Revision Number 4.02

the risk is justified by the presence of additional toxic substances.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO₂). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray.

Hazardous combustion products Hydrocarbons.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Ensure adequate ventilation.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dyke far ahead of liquid spill for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

SAFETY DATA SHEET

SOVEREIGN TIMBER TREATMENT STRAW
Supercedes Date: 28-Nov-2023

Revision date 28-Nov-2023
Revision Number 4.02

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Store away from other materials.

Recommended storage temperature Keep at temperatures between 5 and 25 °C.

7.3. Specific end use(s)

Specific use(s)
Coatings and paints, thinners, paint removers.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom
Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2% aromatics RR-113412-9	-	Vapour RCP-TWA 1200 mg/m ³ 184 ppm Total hydrocarbons (ExxonMobil)
Dipropylene glycol monomethyl ether 34590-94-8	TWA: 50 ppm TWA: 308 mg/m ³ *	TWA: 50 ppm TWA: 308 mg/m ³ STEL: 150 ppm STEL: 924 mg/m ³ Sk*
Hydrocarbons, C10-C12, isoalkanes, < 2% aromatics RR-113386-4	-	1200 mg/m ³ 196 ppm
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) RR-91855-8	-	TWA: 350 mg/m ³

Chemical name	European Union	Ireland	United Kingdom
Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2% aromatics RR-113412-9	-	-	1200 mg/m ³ 171ppm 8h TWA

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)			
3-Iodo-2-propynyl butylcarbamate [IPBC] (55406-53-6)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	0.023 mg/m ³	
worker Short term Systemic health effects	Inhalation	1.16 mg/m ³	
worker Long term Systemic health effects	Dermal	2 mg/kg bw/d	

SAFETY DATA SHEET

SOVEREIGN TIMBER TREATMENT STRAW
Supersedes Date: 28-Nov-2023

Revision date 28-Nov-2023
Revision Number 4.02

Predicted No Effect Concentration (PNEC) No information available.

Predicted No Effect Concentration (PNEC)	
3-Iodo-2-propynyl butylcarbamate [IPBC] (55406-53-6)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.001 mg/l
Sewage treatment plant	0.44 mg/l
Freshwater sediment	0.017 mg/kg dry weight
Marine sediment	0.002 mg/kg dry weight
Soil	0.005 mg/kg dry weight

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be exhausted directly at the point of origin.

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature.

Skin and body protection Suitable protective clothing.

Respiratory protection In case of inadequate ventilation wear respiratory protection. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Recommended filter type: Organic gases and vapours filter conforming to EN 14387.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

Appearance Liquid

Colour Light yellow or brown

Odour Petroleum distillates.

Property	Values	Remarks • Method
Melting point / freezing point	< -50 °C	
Initial boiling point and boiling range	170 - 225 °C	
Flammability	Not applicable for liquids .	
Flammability Limit in Air		None known
Upper flammability or explosive limits	7.0%	
Lower flammability or explosive limits	06.0%	
Flash point	> 61 °C	
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	Not applicable. Insoluble in water.
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	
Water solubility	No data available.	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	<110 kPa	None known
Relative density	0.825	
Bulk Density	No data available	
Density	No data available	

SAFETY DATA SHEET

SOVEREIGN TIMBER TREATMENT STRAW
Supersedes Date: 28-Nov-2023

Revision date 28-Nov-2023
Revision Number 4.02

Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

Solid content (%)	No information available	
VOC content		No data available

9.2.1. Information with regards to physical hazard classes
Not applicable

9.2.2. Other safety characteristics
No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation.

SAFETY DATA SHEET

SOVEREIGN TIMBER TREATMENT STRAW
Supersedes Date: 28-Nov-2023

Revision date 28-Nov-2023
Revision Number 4.02

Skin contact Repeated exposure may cause skin dryness or cracking.

Ingestion Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg
ATEmix (dermal) >5000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) 234.15 mg/l
ATEmix (inhalation-vapour) >20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2% aromatics	DL50 >5000 mg/kg (Rattus)	DL50 >2000 mg/kg (Oryctolagus cuniculus)	LC50 (8h) >5000 mg/m ³ Rat - Vapours
Dipropylene glycol monomethyl ether	=5.35 g/kg (Rattus)	= 9500 mg/kg (Oryctolagus cuniculus)	-
Propiconazole	=1517 mg/kg (Rattus)	> 4 g/kg (Rattus) > 4000 mg/kg (Oryctolagus cuniculus)	=1264 mg/m ³ (Rattus) 4 h > 5800 mg/m ³ (Rattus) 4 h
3-Iodo-2-propynyl butylcarbamate [IPBC]	LD50 =1056 mg/Kg (Rattus) (OECD 401)	LD50 >2000 mg/Kg (Rattus)	=0.67 mg/L (Rattus) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Propiconazole	Repr. 1B

SAFETY DATA SHEET

SOVEREIGN TIMBER TREATMENT STRAW
Supersedes Date: 28-Nov-2023

Revision date 28-Nov-2023
Revision Number 4.02

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard May be fatal if swallowed and enters airways.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2% aromatics RR-113412-9	LEO (72h) =1000 mg/L Algae (Pseudokirchneriella subcapitata)	LLO (96h) =1000 mg/L (Oncorhynchus mykiss)	-	LEO (48h) =1000 mg/L (Daphnia magna)		
Dipropylene glycol monomethyl ether 34590-94-8	-	LC50: >10000mg/L (96h, Pimephales promelas)	-	LC50: =1919mg/L (48h, Daphnia magna)		
Propiconazole 60207-90-1	-	-	-	-	1	1
3-Iodo-2-propynyl butylcarbamate [IPBC] 55406-53-6	EC50 (72 hrs) 0.022 mg/l Scenedesmus subspicatus	LC50 96 h 0.049 - 0.079 mg/L (Oncorhynchus mykiss flow-through)	-	EC50 (48hrs) 0.16 mg/l - Daphnia magna	10	1

12.2. Persistence and degradability

Persistence and degradability No information available.

Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2% aromatics (RR-113412-9)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready Biodegradability: Manometric Respirometry Test (TG 301 F)	28 days		80 % Readily biodegradable

3-Iodo-2-propynyl butylcarbamate [IPBC] (55406-53-6)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days		Not readily biodegradable

SAFETY DATA SHEET

SOVEREIGN TIMBER TREATMENT STRAW
Supersedes Date: 28-Nov-2023

Revision date 28-Nov-2023
Revision Number 4.02

Biodegradability: Manometric Respirometry Test (TG 301 F)			
--	--	--	--

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Dipropylene glycol monomethyl ether	0.35
3-Iodo-2-propynyl butylcarbamate [IPBC]	2.88

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2% aromatics	The substance is not PBT / vPvB
Dipropylene glycol monomethyl ether	The substance is not PBT / vPvB
Propiconazole	The substance is not PBT / vPvB
3-Iodo-2-propynyl butylcarbamate [IPBC]	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
European Waste Catalogue	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances 15 01 10*: Packaging containing residues of or contaminated by dangerous substances
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note: The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments made in non-bulk packages (see regulatory definition). The information shown here, may not always agree with the bill of lading shipping description for the material.

Land transport (ADR/RID)

SAFETY DATA SHEET

SOVEREIGN TIMBER TREATMENT STRAW
Supercedes Date: 28-Nov-2023

Revision date 28-Nov-2023
Revision Number 4.02

14.1 UN number or ID number UN1263
14.2 UN proper shipping name Paint
14.3 Transport hazard class(es) 3
Labels 3
14.4 Packing group II
Description UN1263, Paint, 3, II, (D/E)
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions 163, 640D, 650, 367
Classification code F1
Tunnel restriction code (D/E)
Limited quantity (LQ) 5 L
ADR Hazard Id (Kemmler Number) 33

IMDG

14.1 UN number or ID number UN1263
14.2 UN proper shipping name Paint
14.3 Transport hazard class(es) 3
14.4 Packing group I
Description UN1263, Paint, 3, I
14.5 Marine pollutant NP
14.6 Special precautions for user
Special Provisions 163, 367
Limited Quantity (LQ) 500 mL
EmS-No. F-E, S-E
14.7 Maritime transport in bulk according to IMO instruments
Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number UN1263
14.2 UN proper shipping name Paint
14.3 Transport hazard class(es) 3
14.4 Packing group I
Description UN1263, Paint, 3, I
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions A3, A72, A192
Limited quantity (LQ) Forbidden
ERG Code 3L

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SAFETY DATA SHEET

SOVEREIGN TIMBER TREATMENT STRAW
Supersedes Date: 28-Nov-2023

Revision date 28-Nov-2023
Revision Number 4.02

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Propiconazole	60207-90-1	30. 75.

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex Number
Propiconazole	I.1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

EUH066 - Repeated exposure may cause skin dryness or cracking
H302 - Harmful if swallowed
H304 - May be fatal if swallowed and enters airways
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H331 - Toxic if inhaled
H360D - May damage the unborn child
H372 - Causes damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Legend

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
Sk*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

SAFETY DATA SHEET

SOVEREIGN TIMBER TREATMENT STRAW
Supersedes Date: 28-Nov-2023

Revision date 28-Nov-2023
Revision Number 4.02

vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG	International Maritime Dangerous Goods (IMDG)
IATA	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Prepared By	Product Safety & Regulatory Affairs
Revision date	28-Nov-2023
<u>Indication of changes</u>	

Revision note	Not applicable.
Training Advice	Provide adequate information, instruction, and training for operator
Further information	No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet