

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVO-STIK TECHNIK LFT LARGE FORMAT TILE ADHESIVE WHITE Supercedes date 18-Nov-2022

Revision date 17-Dec-2024

Revision Number 1.02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name	EVO-STIK TECHNIK LFT LARGE FORMAT TILE ADHESIVE WHITE
Other means of identification	
Pure substance/mixture	Mixture
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Recommended use	Adhesives
Uses advised against	None known
1.3. Details of the supplier of th	e safety data sheet
<u>Company Name</u> Bostik Industries Limited Newtown, Swords Co. Dublin Ireland Tel: +353 (1) 8624900 Fax: +353 (1) 8402186	
E-mail address	SDS.box-EU@bostik.com
1.4. Emergency telephone num	ber
Ireland	NPIC - National Poison Information Centre Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week) Healthcare Professionals: +353 (01) 8092566 (24 hour service)
United Kingdom	Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)
Europe	112
SECTION 2: Hazards iden	tification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin irritation	Category 2 - (H315)
Serious eye damage	Category 1 - (H318)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Category 3 Target organ effects: Respiratory irritation.	

2.2. Label elements

Contains Cement Portland White

EVO-STIK TECHNIK LFT LARGE FORMAT TILE ADHESIVE WHITE Supercedes date 18-Nov-2022 Revision date 17-Dec-2024

Revision Number 1.02



Signal word Danger

Hazard statements

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H335 - May cause respiratory irritation.

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust

P280 - Wear protective gloves and protective clothing

P264 - Wash face, hands and any exposed skin thoroughly after handling

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Product dust may be irritating to eyes, skin and respiratory system. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. Repeated exposure may cause skin dryness or cracking. Material becomes extremely slippery when wet.

PBT & vPvB

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight- %	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	concentration		M-Factor (long-ter m)	Notes
Quartz 14808-60-7	40 - <80	[5]	238-878-4	[B]	-	-	-	-

EVO-STIK TECHNIK LFT LARGE FORMAT TILE ADHESIVE WHITE Supercedes date 18-Nov-2022

Revision date 17-Dec-2024

Revision Number 1.02

	40 - <80	[5]	266-043-4	STOT SE 3 (H335)	-	-	-
White 65997-15-1				Skin Irrit. 2 (H315) Eye Dam. 1 (H318)			

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes [B] - Substance with a Community workplace exposure limit

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate No information available

Chemical name	EC No (EU	CAS No.	Oral LD50	Dermal LD50	Inhalation	Inhalation	Inhalation
	Index No)		mg/kg	mg/kg	LC50 - 4 hour -	LC50 - 4 hour -	LC50 - 4 hour -
					dust/mist - mg/L	vapour - mg/L	gas - ppm
Quartz	238-878-4	14808-60-7	-	-	-	-	-
Cement Portland White	266-043-4	65997-15-1	-	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	If medical advice is needed, have product container or label at hand. Take a copy of the Safety Data Sheet when going for medical treatment.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or concerned: Get medical advice/attention.
Eye contact	Do not rub affected area. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.
Skin contact	Brush off loose particles from skin. Remove material from skin immediately. Take off contaminated clothing and wash it before reuse.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).
4.2. Most important symptoms an	d effects, both acute and delayed
Symptoms	Burning sensation. Dust irritates eyes and air passages. Causes serious eye damage. Irritating to skin. Inhalation of dust in high concentration may cause irritation of respiratory system. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. When cement reacts with

water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g.

EVO-STIK TECHNIK LFT LARGE FORMAT TILE ADHESIVE WHITE Supercedes date 18-Nov-2022

	when kneeling in wet cement even when wearing trousers.				
Effects of Exposure	No information available.				
4.3. Indication of any immediate medical attention and special treatment needed					
Note to doctors	No information available.				
SECTION 5: Firefighting mea	asures				
5.1. Extinguishing media					
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.				
Unsuitable extinguishing media	No information available.				
5.2. Special hazards arising from t	he substance or mixture				
Specific hazards arising from the chemical	No information available.				
5.3. Advice for firefighters					
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.				
SECTION 6: Accidental release measures					
6.1. Personal precautions, protecti	ve equipment and emergency procedures				
Personal precautions	Avoid generation of dust. Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required.				
Other information	Refer to protective measures listed in Sections 7 and 8.				
For emergency responders	Use personal protection recommended in Section 8.				
6.2. Environmental precautions					
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil.				
6.3. Methods and material for cont	ainment and cleaning up				
Methods for containment	Cover powder spill with plastic sheet or tarp to minimise spreading and keep powder dry. Prevent dust cloud.				
Methods for cleaning up	Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.				
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.				
6.4. Reference to other sections					
Reference to other sections	See section 8 for more information. See section 13 for more information.				

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Revision date 17-Dec-2024

Revision Number 1.02

EVO-STIK TECHNIK LFT LARGE FORMAT TILE ADHESIVE WHITE Supercedes date 18-Nov-2022 Revision date 17-Dec-2024

Revision Number 1.02

Advice on safe handling	Ensure adequate ventilation. Avoid generation of dust. Use personal protection equipment. Take off contaminated clothing and wash it before reuse.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.
7.3. Specific end use(s)	
Specific use(s) Adhesives.	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
Other information	Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Ireland	United Kingdom
Quartz 14808-60-7	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
Cement Portland White		STEL: 0.3 mg/m ³ TWA: 1 mg/m ³	STEL: 0.3 mg/m ³ TWA: 10 mg/m ³
65997-15-1		STEL: 3 mg/m ³	TWA: 4 mg/m ³
			STEL: 30 mg/m ³ STEL: 12 mg/m ³
Dust RR-12364-8	-	TWA: 10 mg/m³ TWA: 4 mg/m³	TWA: 10 mg/m³ TWA: 4 mg/m³
			STEL: 30 mg/m ³ STEL: 12 mg/m ³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) 8.2. Exposure controls Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be **Engineering controls** exhausted directly at the point of origin. Personal protective equipment Eye/face protection Tight sealing safety goggles. Face protection shield. Wear safety glasses with side shields (or goggles). For operations where prolonged or repeated skin contact may occur, impervious gloves Hand protection should be worn. Gloves made of plastic or rubber. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Suitable protective clothing. Gloves made of plastic or rubber. Avoid contact with skin, Skin and body protection eyes or clothing. Wear appropriate personal protective clothing to prevent skin contact. **Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Avoid

EVO-STIK TECHNIK LFT LARGE FORMAT TILE ADHESIVE WHITE Supercedes date 18-Nov-2022 Revision date 17-Dec-2024

Revision Number 1.02

Deserves and a different serves	generation of dust. Possible nuisance	
Recommended filter type:	black. Wear a respirator conforming t	o EN 140 with Type P2/P3 filter or better.
Environmental exposure controls	Do not allow into any sewer, on the g	round or into any body of water.
SECTION 9: Physical and ch	emical properties	
9.1. Information on basic physical	and chemical properties	
Physical state	Solid	
Appearance	Powder	
Colour	White	
Odour	Odourless.	
Odoui	Oddulless.	
Property	Values	Remarks • Method
Melting point / freezing point	Not applicable .	None known
Initial boiling point and boiling	Not applicable .	None known
range		
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive limits	No data available	
	Not appliable	None known
Flash point	Not applicable . No data available	None known
Autoignition temperature	NO UALA AVAIIADIE	None known
Decomposition temperature	No data available	
pH	No data available	None known.
pH (as aqueous solution)	11	solution (25 %)
Kinematic viscosity	Not applicable .	None known
Dynamic viscosity	Not applicable .	Nene known
Water solubility	No data available. Cement based	None known
	products react and solidify in contact	
	with water	Nene known
Solubility(ies)	No data available	None known
Partition coefficient	No data available No data available	None known None known
Vapour pressure		
Relative density	No data available	None known
Bulk density	No data available	
Density Relative veneur density	No data available	Nana known
Relative vapour density Particle characteristics	No data available	None known
	No information available	
Particle Size Particle Size Distribution	No information available No information available	
Particle Size Distribution	No information available	
9.2. Other information		
Solid content (%)	100	
Softening point	Not relevant	
VOC content	No data ava	ailable
too content		
9.2.1. Information with regards to p	hysical hazard classes	

9.2.2. Other safety characteristics No information available Not applicable .

SECTION 10: Stability and reactivity

10.1. Reactivity

Not applicable

EVO-STIK TECHNIK LFT LARGE FORMAT TILE ADHESIVE WHITE Supercedes date 18-Nov-2022

Revision Number 1.02

Reactivity	Product cures with moisture.
10.2. Chemical stability	
Stability	Keep away from Incompatible materials. Stable under recommended storage conditions.
Explosion data	
Sensitivity to mechanical	None.
impact Sensitivity to static discharge	None.
10.3. Possibility of hazardous react	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	Product cures with moisture.
10.5. Incompatible materials	
Incompatible materials	Strong acids. Strong bases. Strong oxidising agents. Acids. Aluminium.
10.6. Hazardous decomposition pre	oducts
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.
SECTION 11: Toxicological i	nformation

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Symptoms related to the physical	, chemical and toxicological characteristics

Sy

Symptoms Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document >2000 mg/kg ATEmix (oral) ATEmix (dermal) >2000 mg/kg

EVO-STIK TECHNIK LFT LARGE FORMAT TILE ADHESIVE WHITE Supercedes date 18-Nov-2022

Revision date 17-Dec-2024

Revision Number 1.02

ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapour)	>20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz	>2000 mg/kg (Rattus)	-	-
Cement Portland White	Cement Portland White >2000 mg/Kg >2000 mg/Kg -		
Delayed and immediate effects	as well as chronic effects fr	om short and long-term expo	sure
kin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.			
Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Causes serious			uses burns. Causes serious eye
	damage.		
Respiratory or skin sensitisation	on Based on available data,	the classification criteria are no	t met.
Germ cell mutagenicity	Basad an available data	the classification criteria are no	tmot
Germ cen mutagementy	Daseu un avaliable uala,		t met.
Carcinogenicity	Based on available data,	the classification criteria are no	t met.
	,		
Reproductive toxicity	Based on available data.	the classification criteria are no	t met.
STOT - single exposure	May cause respiratory irr	itation	
STOT - single exposure May cause respiratory irritation.			
TOT - repeated exposure Based on available data, the classification criteria are not met.			
Aspiration hazard	Based on available data,	the classification criteria are no	t met.
11.2. Information on other ha	zards		
11.2.1. Endocrine disrupting properties			
Endocrine disrupting propertie	ng properties No information available.		
11.2.2. Other information			
Other adverse effects	No information available.		
SECTION 12: Ecological information			
12.1. Toxicity			

Ecotoxicity

EVO-STIK TECHNIK LFT LARGE FORMAT TILE ADHESIVE WHITE Supercedes date 18-Nov-2022 Revision date 17-Dec-2024

Revision Number 1.02

12.2. Persistence and degradability		
Persistence and degradability	No information available.	
12.3. Bioaccumulative potential		
Bioaccumulation	There is no data for this product.	
12.4. Mobility in soil		
Mobility in soil 12.5. Results of PBT and vPvB ass	No information available.	
PBT and vPvB assessment	The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.	
12.6. Endocrine disrupting prope	rties	
Endocrine disrupting properties	No information available.	

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
European Waste Catalogue	17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03 10 13 06 particulates and dust (except 10 13 12 and 10 13 13) Cured product can be treated as construction waste. In the management of larger quantities consult with local authorities and local waste disposal company 10 13 14 waste concrete and concrete sludge
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	
Special Provisions		None

EVO-STIK TECHNIK LFT LARGE FORMAT TILE ADHESIVE WHITE

Supercedes date 18-Nov-2022

Revision date 17-Dec-2024

Revision Number 1.02

- 14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Marine pollutant NP 14.6 Special precautions for user **Special Provisions** None 14.7 Maritime transport in bulk according to IMO instruments Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable Air transport (ICAO-TI / IATA-DGR) 14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated
- 14.4 Packing group Not regulated Not applicable 14.5 Environmental hazards 14.6 Special precautions for user **Special Provisions** None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable

EVO-STIK TECHNIK LFT LARGE FORMAT TILE ADHESIVE WHITE Supercedes date 18-Nov-2022 Revision date 17-Dec-2024

Revision Number 1.02

Persistent Organic Pollutants Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Legend SECTION 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
AGW	Occupational exposure limit value	BGW	Biological limit value
Ceiling	Maximum limit value	Sk*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method

EVO-STIK TECHNIK LFT LARGE FORMAT TILE ADHESIVE WHITE Supercedes date 18-Nov-2022

Revision date 17-Dec-2024

Revision Number 1.02

Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)European Chemicals Agency (ECHA) (ECHA_API)Environmental Protection AgencyAcute Exposure Guideline Level(s) (AEGL(s))International Uniform Chemical Information Database (IUCLID)National Institute of Technology and Evaluation (NITE)NIOSH (National Institute for Occupational Safety and Health)Organisation for Economic Co-operation and Development Environment, Health, and Safety PublicationsOrganisation for Economic Co-operation and Development High Production Volume Chemicals ProgrammeOrganisation for Economic Co-operation and Development Screening Information Data SetPrepared ByProduct Safety & Regulatory Affairs

Revision date	17-Dec-2024
Revision Note	SDS sections updated 2
Training Advice	No information available
Further information	No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet