

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVO-STIK EVOMASTIC SEALANT Supercedes Date: 15-Mar-2022

Revision date 06-Jan-2023 Revision Number 2.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identifier | | | | | |
|--|--|--|--|--|--|
| Product Name | ICT Name EVO-STIK EVOMASTIC SEALANT | | | | |
| Other means of identification | | | | | |
| Pure substance/mixture | Mixture | | | | |
| 1.2. Relevant identified uses of th | e substance or mixture and uses advised against | | | | |
| Recommended use | Sealant | | | | |
| Uses advised against | None known | | | | |
| 1.3. Details of the supplier of the | safety data sheet | | | | |
| Company Name Bostik Industries Limited Newtown, Swords Co. Dublin Ireland Tel: +353 (1) 8624900 Fax: +353 (1) 8402186 | | | | | |
| E-mail address | SDS.box-EU@bostik.com | | | | |
| 1.4. Emergency telephone numbe | <u>r</u> | | | | |
| Ireland United Kingdom Europe | NPIC - National Poison Information Centre Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week) Healthcare Professionals: +353 (01) 8092566 (24 hour service) Bostik: +44 (1785) 272650 112 | | | | |
| SECTION 2: Hazards identi | fication | | | | |
| 2.1. Classification of the substant | ce or mixture | | | | |
| Regulation (EC) No 1272/2008 | | | | | |
| This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP] | | | | | |
| 2.2. Label elements | | | | | |
| This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP] | | | | | |

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains Cobalt bis(2-ethylhexanoate). May produce an allergic reaction EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children

EVO-STIK EVOMASTIC SEALANT

Supercedes Date: 15-Mar-2022

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical name | EC No (EU Index No). | CAS No. | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | M-Factor | M-Factor (long-ter m) | REACH registration number |
|--|---------------------------------|----------|---|--|----------|-----------------------------|---------------------------------|
| Cobalt bis(2-ethylhexanoate) 0.01 - <0.1 % | (607-230-00- 6) 205-250-6 | 136-52-7 | Eye Irrit. 2 (H319) Resp. Sens. 1 (H334) Skin Sens. 1A (H317) Repr. 1B (H360f) STOT SE 3 (H336) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412) | - | 1 | - | 01-2119524678- 29-XXXX |

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

| C | Chemical name | EC No (EU | CAS No | Oral LD50 | Dermal LD50 | | Inhalation | Inhalation |
|-----|--------------------|----------------|----------|-----------|-------------|-----------------|-----------------|-----------------|
| | | Index No) | | mg/kg | mg/kg | LC50 - 4 hour - | LC50 - 4 hour - | LC50 - 4 hour - |
| | | | | | | dust/mist - | vapour - mg/L | gas - ppm |
| | | | | | | mg/L | | - |
| | Cobalt | (607-230-00-6) | 136-52-7 | - | - | - | - | - |
| bis | (2-ethylhexanoate) | 205-250-6 | | | | | | |

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

| EVO-STIK EVOMA | STIC SEALANT |
|------------------|--------------|
| Supercedes Date: | 15-Mar-2022 |

| General advice | Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand. | | | | |
|--|---|--|--|--|--|
| Inhalation | IF exposed or concerned: Get medical advice/attention. Remove to fresh air. | | | | |
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor. | | | | |
| Skin contact | In the case of skin irritation or allergic reactions see a doctor. Wash skin with soap and water. | | | | |
| Ingestion | Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. | | | | |
| 4.2. Most important symptoms and | effects, both acute and delayed | | | | |
| Symptoms | No information available. | | | | |
| 4.3. Indication of any immediate me | edical attention and special treatment needed | | | | |
| Note to doctors | No information available. | | | | |
| SECTION 5: Firefighting mea | asures | | | | |
| 5.1. Extinguishing media | | | | | |
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical, CO2 or water spray. | | | | |
| Unsuitable extinguishing media | No information available. | | | | |
| 5.2. Special hazards arising from the | ne substance or mixture | | | | |
| Specific hazards arising from the chemical | No information available. | | | | |
| Hazardous combustion products | Carbon oxides. | | | | |
| 5.3. Advice for firefighters | | | | | |
| Special protective equipment and precautions for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. | | | | |
| SECTION 6: Accidental relea | ase measures | | | | |
| 6.1. Personal precautions, protecti | ve equipment and emergency procedures | | | | |
| Personal precautions | Ensure adequate ventilation. | | | | |
| For emergency responders | Use personal protection recommended in Section 8. | | | | |
| 6.2. Environmental precautions | | | | | |
| Environmental precautions | See Section 12 for additional Ecological Information. | | | | |
| 6.3. Methods and material for containment and cleaning up | | | | | |
| Methods for containment | Do not scatter spilled material with high pressure water streams. | | | | |
| Methods for cleaning up | Take up mechanically, placing in appropriate containers for disposal. | | | | |

EVO-STIK EVOMASTIC SEALANT

Supercedes Date: 15-Mar-2022

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| Advice on safe handling | Ensure adequate ventilation. |
|--------------------------------------|--|
| General hygiene considerations | Handle in accordance with good industrial hygiene and safety practice. |
| 7.2. Conditions for safe storage, in | cluding any incompatibilities |
| Storage Conditions | Keep container tightly closed in a dry and well-ventilated place. |
| 7.3. Specific end use(s) | |
| Specific use(s) Sealant. | |
| Risk Management Methods (RMM) | The information required is contained in this Safety Data Sheet. |
| Other information | Observe technical data sheet. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Derived No Effect Level (DNEL) No information available

| Derived No Effect Level (DNEL) | | | | |
|---|----------------|-----------------------------------|---------------|--|
| Cobalt bis(2-ethylhexanoate) (136-52-7) | | | | |
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor | |
| worker Long term Local health effects | Inhalation | 235.1 μg/cm² | | |

| Derived No Effect Level (DNEL) | | | | |
|--|----------------|-----------------------------------|---------------|--|
| Cobalt bis(2-ethylhexanoate | e) (136-52-7) | | | |
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor | |
| Consumer Long term Local health effects | Inhalation | 37 μg/cm² | | |
| Consumer Long term Systemic health effects | Oral | 55.8 μg/Kg bw/day | | |

Predicted No Effect Concentration No information available. **(PNEC)**

EVO-STIK EVOMASTIC SEALANT

Supercedes Date: 15-Mar-2022

| Predicted No Effect Concentration (PNEC) | |
|--|--|
| Cobalt bis(2-ethylhexanoate) (136-52-7) | |
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 3 µg/l |
| Marine water | 2.36 μg/l |
| Sewage treatment plant | 0.37 μg/l |
| Freshwater sediment | 9.5 mg/kg dry weight |
| Marine sediment | 9.5 µg/l |
| Soil | 10.9 mg/kg dry weight |

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas. Ensure that enough fresh air is supplied to dilute and remove dusts, fumes or vapours. Between 5 and 15 air changes per hour are recommended, with a through draught.

| Personal protective equipment | |
|-------------------------------|-------------------------------|
| Eye/face protection | Tight sealing safety goggles. |
| Skin and body protection | Suitable protective clothing. |
| | |

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties **Physical state** Liquid Appearance Paste Colour No information available No information available. Odour **Odour threshold** No information available Values Remarks • Method Property No data available Melting point / freezing point None known Initial boiling point and boiling No data available None known range Flammability Not applicable for liquids . None known Flammability Limit in Air None known Upper flammability or explosive No data available limits Lower flammability or explosive No data available limits Flash point No data available None known None known Autoignition temperature No data available **Decomposition temperature** None known 6 - 8 pH No data available pH (as aqueous solution) None known **Kinematic viscosity** No data available None known **Dynamic viscosity** No data available Water solubility Insoluble in water. Solubility(ies) 0 g/L (Water) **Partition coefficient** No data available None known Vapour pressure No data available None known **Relative density** 1.6 Bulk Density No data available Liquid Density No data available **Relative vapour density** No data available None known **Particle characteristics** No information available **Particle Size Particle Size Distribution** No information available

No information available

9.2. Other information Solid content (%)

EVO-STIK EVOMASTIC SEALANT

Supercedes Date: 15-Mar-2022

Revision date 06-Jan-2023 Revision Number 2.01

VOC content

No data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability

Stable under normal conditions.

Explosion data

Sensitivity to mechanicalNone.impactSensitivity to static dischargeNone.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition None under normal use conditions. Stable under recommended storage conditions. products

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

| Inhalation | Based on available data, the classification criteria are not met. | | | |
|--|---|--|--|--|
| Eye contact | Based on available data, the classification criteria are not met. | | | |
| Skin contact | Based on available data, the classification criteria are not met. | | | |
| Ingestion | Based on available data, the classification criteria are not met. | | | |
| Symptoms related to the physical, chemical and toxicological characteristics | | | | |

Symptoms

No information available.

EVO-STIK EVOMASTIC SEALANT

Supercedes Date: 15-Mar-2022

Acute toxicity

Numerical measures of toxicity

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 | | |
|--|--|---|---------------------------------|--|--|
| Cobalt bis(2-ethylhexanoate) | =3129 mg/Kg (Rattus) (OECD 425) | > 5000 mg/kg (Oryctolagus cuniculus) | >10 mg/L (Rattus) 1 h | | |
| Delayed and immediate effects as well as chronic effects from short and long-term exposure | | | | | |
| Skin corrosion/irritation | Based on available data, | the classification criteria are not | met. | | |
| Serious eye damage/eye irritat | ion Based on available data, | Based on available data, the classification criteria are not met. | | | |
| Respiratory or skin sensitisation | DN Based on available data, susceptible persons. | the classification criteria are not | met. May cause sensitisation in | | |

Cobalt bis(2-ethylhexanoate) (136-52-7)

| Method | Species | Exposure route | Results | |
|---|------------------------------|---------------------------------|-------------|--|
| OECD Test No. 429: Skin Sensitisation: Local Lymph Node Assay | Mouse | Dermal | sensitising | |
| Germ cell mutagenicity | Based on available data, the | e classification criteria are n | ot met. | |
| Carcinogenicity | Based on available data, the | e classification criteria are n | ot met. | |
| Reproductive toxicity | Based on available data, the | e classification criteria are n | ot met. | |
| STOT - single exposure | Based on available data, the | e classification criteria are n | ot met. | |
| STOT - repeated exposure | Based on available data, the | e classification criteria are n | ot met. | |
| Aspiration hazard | Based on available data, the | e classification criteria are n | ot met. | |
| 11.2. Information on other hazards | | | | |
| 11.2.1. Endocrine disrupting properties | | | | |
| Endocrine disrupting properties | No information available. | | | |
| 11.2.2. Other information | | | | |
| Other adverse effects | No information available. | | | |

EVO-STIK EVOMASTIC SEALANT

Supercedes Date: 15-Mar-2022

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

| Chemical name | Algae/aquatic | Fish | Toxicity to | Crustacea | M-Factor | M-Factor |
|-----------------------|---------------|------------------|----------------|-----------|----------|-------------|
| | plants | | microorganisms | | | (long-term) |
| Cobalt | - | EC50 1.5 mg/L | - | - | 1 | |
| bis(2-ethylhexanoate) | | dissolved cobalt | | | | |
| 136-52-7 | | - read-across | | | | |

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

| Chemical name | PBT and vPvB assessment | |
|------------------------------|---|--|
| Cobalt bis(2-ethylhexanoate) | The substance is not PBT / vPvB PBT assessment does | |
| | not apply | |

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| Waste from residues/unused products | Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations. |
|--|---|
| Contaminated packaging | Do not reuse empty containers. |
| Other information | Waste codes should be assigned by the user based on the application for which the product was used. |

SECTION 14: Transport information

Land transport (ADR/RID)14.1 UN number or ID number14.2 Proper Shipping NameNot regulated

EVO-STIK EVOMASTIC SEALANT Supercedes Date: 15-Mar-2022 Revision date 06-Jan-2023 Revision Number 2.01

| 14.3 Transport hazard class(es)14.4 Packing group14.5 Environmental hazards14.6 Special Provisions | Not regulated Not regulated Not applicable None | | |
|---|--|--|--|
| IMDG | | | |
| 14.1 UN number or ID number | Not regulated | | |
| 14.2 Proper Shipping Name | Not regulated | | |
| 14.3 Transport hazard class(es) | Not regulated | | |
| 14.4 Packing group | Not regulated | | |
| 14.5 Marine pollutant | NP | | |
| 14.6 Special Provisions | None | | |
| 14.7 Maritime transport in bulk | Not applicable | | |
| according to IMO instruments | | | |
| Air transport (ICAO-TI / IATA-DGR) | | | |
| 14.1 UN number or ID number | Not regulated | | |
| 14.2 Proper Shipping Name | Not regulated | | |
| 14.3 Transport hazard class(es) | Not regulated | | |
| 14.4 Packing group | Not regulated | | |

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

None

European Union

14.5 Environmental hazards

14.6 Special Provisions

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants Not applicable

National regulations

15.2. Chemical safety assessment

EVO-STIK EVOMASTIC SEALANT

Supercedes Date: 15-Mar-2022

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H336 - May cause drowsiness or dizziness

H360F - May damage fertility

H400 - Very toxic to aquatic life

H412 - Harmful to aquatic life with long lasting effects

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Legend SECTION 8: Exposure controls/personal protection

| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
|---------|-----------------------------------|------|----------------------------------|
| AGW | Occupational exposure limit value | BGW | Biological limit value |
| Ceiling | Maximum limit value | * | Skin designation |

| Classification procedure | |
|---|--------------------|
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | Method Used |
| Acute oral toxicity | Calculation method |
| Acute dermal toxicity | Calculation method |
| Acute inhalation toxicity - gas | Calculation method |
| Acute inhalation toxicity - Vapour | Calculation method |
| Acute inhalation toxicity - dust/mist | Calculation method |
| Skin corrosion/irritation | Calculation method |
| Serious eye damage/eye irritation | Calculation method |
| Respiratory sensitisation | Calculation method |
| Skin sensitisation | Calculation method |
| mutagenicity | Calculation method |
| Carcinogenicity | Calculation method |
| Reproductive toxicity | Calculation method |
| STOT - single exposure | Calculation method |
| STOT - repeated exposure | Calculation method |
| Acute aquatic toxicity | Calculation method |
| Chronic aquatic toxicity | Calculation method |
| Aspiration hazard | Calculation method |
| Ozone | Calculation method |

Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA) European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC) European Chemicals Agency (ECHA) (ECHA_API) EPA (Environmental Protection Agency)

EVO-STIK EVOMASTIC SEALANT Supercedes Date: 15-Mar-2022 Revision date 06-Jan-2023 Revision Number 2.01

Acute Exposure Guideline Level(s) (AEGL(s)) International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) NIOSH (National Institute for Occupational Safety and Health) Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set Prepared By Product Safety & Regulatory Affairs

| Revision date | 06-Jan-2023 |
|---------------------|--------------------------|
| Revision note | SDS sections updated 3 |
| Training Advice | No information available |
| Further information | No information available |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet