

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVO-STIK TECHNIK OPF ONE PART FLEXIBLE TILE ADHESIVE WHITE Supercedes Date: 18-Nov-2022 Revision date 29-May-2024

Revision Number 1.03

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name	EVO-STIK TECHNIK OPF ONE PART FLEXIBLE TILE ADHESIVE WHITE
Other means of identification	
Pure substance/mixture	Mixture
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended use	Adhesives and/or sealants Building and construction work
Uses advised against	None known
1.3. Details of the supplier of the same	afety data sheet
<u>Company Name</u> Bostik Industries Limited Newtown, Swords Co. Dublin Ireland Tel: +353 (1) 8624900 Fax: +353 (1) 8402186	
E-mail address	SDS.box-EU@bostik.com
1.4. Emergency telephone number	_
Ireland United Kingdom Europe	NPIC - National Poison Information Centre Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week) Healthcare Professionals: +353 (01) 8092566 (24 hour service) Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) 112
SECTION 2: Hazards identifi	cation
2.1. Classification of the substance	e or mixture
Classification according to Regulation (EC) No. 1272/2008 [CLP]	

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Category 3 Respiratory irritation	

#### 2.2. Label elements

Contains Cement Portland White

EVO-STIK TECHNIK OPF ONE PART FLEXIBLE TILE ADHESIVE WHITE

Supercedes Date: 18-Nov-2022

Revision date 29-May-2024

Revision Number 1.03



Signal word Danger

#### **Hazard statements**

H315 - Causes skin irritation H318 - Causes serious eye damage H335 - May cause respiratory irritation

### Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children

P260 - Do not breathe dust

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P271 - Use only outdoors or in a well-ventilated area

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P315 - Get immediate medical advice/attention

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P361 + P364 - Take off immediately all contaminated clothing and wash it before reuse

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P340 - Remove person to fresh air and keep comfortable for breathing

P501 - Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other hazards

When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. Product dust may be irritating to eves, skin and respiratory system. Repeated exposure may cause skin dryness or cracking.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No (EU	CAS No	Classification	Specific	M-Factor	M-Factor	REACH
	Index No).		according to	concentration limit		(long-ter	registration
			Regulation (EC) No.	(SCL)		m)	number
			1272/2008 [CLP]				
Cement Portland White	266-043-4	65997-15-1	STOT SE 3 (H335)	-	-	-	[5]

## EVO-STIK TECHNIK OPF ONE PART FLEXIBLE TILE ADHESIVE WHITE

Supercedes Date: 18-Nov-2022

Revision Number 1.03

20 - <25 %	Skin Irrit. 2 (H315)		
	Eye Dam. 1 (H318)		

#### Full text of H- and EUH-phrases: see section 16

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH

#### Acute Toxicity Estimate No information available

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Cement Portland White	266-043-4	65997-15-1	-	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures			
4.1. Description of first aid measu	res		
General advice	If medical advice is needed, have product container or label at hand.		
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or concerned: Get medical advice/attention.		
Eye contact	Do not rub affected area. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.		
Skin contact	Brush off loose particles from skin. Remove material from skin immediately. Take off contaminated clothing and wash it before reuse.		
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.		
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).		
4.2. Most important symptoms an	d effects, both acute and delayed		
Symptoms	Burning sensation. Causes serious eye damage. Irritating to skin. Inhalation of dust in high concentration may cause irritation of respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease.		

#### Effects of Exposure No information available.

EVO-STIK TECHNIK OPF ONE PART FLEXIBLE TILE ADHESIVE WHITE Supercedes Date: 18-Nov-2022 Revision date 29-May-2024

Revision Number 1.03

4.3. Indication of any immediate m	edical attention and special treatment needed			
Note to doctors	No information available.			
SECTION 5: Firefighting me	asures			
5.1. Extinguishing media				
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
Unsuitable extinguishing media	No information available.			
5.2. Special hazards arising from t	he substance or mixture			
Specific hazards arising from the chemical	No information available.			
Hazardous combustion products	Silicon dioxide.			
5.3. Advice for firefighters				
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.			
SECTION 6: Accidental release measures				
6.1. Personal precautions, protect	ive equipment and emergency procedures			
Personal precautions	Avoid generation of dust. Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required.			
Other information	Refer to protective measures listed in Sections 7 and 8.			
For emergency responders	Use personal protection recommended in Section 8.			
6.2. Environmental precautions				
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil.			
6.3. Methods and material for cont	ainment and cleaning up			
Methods for containment	Cover powder spill with plastic sheet or tarp to minimise spreading and keep powder dry. Prevent dust cloud.			
Methods for cleaning up	Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.			
6.4. Reference to other sections				
Reference to other sections	See section 8 for more information. See section 13 for more information.			
SECTION 7: Handling and st	torage			

### 7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation. Avoid generation of dust. Avoid contact with skin, eyes or

### EVO-STIK TECHNIK OPF ONE PART FLEXIBLE TILE ADHESIVE WHITE

Supercedes Date: 18-Nov-2022

Revision date 29-May-2024

Revision Number 1.03

	clothing. Use personal protection equipment. Take off contaminated clothing and wash it before reuse.			
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.			
7.2. Conditions for safe storage, including any incompatibilities				
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.			
7.3. Specific end use(s)				
<b>Specific use(s)</b> Adhesives and/or sealants. Building and construction work.				

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observ

Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

### **Exposure Limits**

Chemical name	European Union	Ireland	United Kingdom
Silica, amorphous	-	TWA: 6 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>
7631-86-9		TWA: 2.4 mg/m <sup>3</sup>	TWA: 2.4 mg/m <sup>3</sup>
		STEL: 18 mg/m <sup>3</sup>	STEL: 18 mg/m <sup>3</sup>
		STEL: 7.2 mg/m <sup>3</sup>	STEL: 7.2 mg/m <sup>3</sup>
Cement Portland White	-	TWA: 1 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
65997-15-1		STEL: 3 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
		_	STEL: 30 mg/m <sup>3</sup>
			STEL: 12 mg/m <sup>3</sup>
Dust	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
RR-12364-8		TWA: 4 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
		-	STEL: 30 mg/m <sup>3</sup>
			STEL: 12 mg/m <sup>3</sup>

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be exhausted directly at the point of origin. Personal protective equipment Eye/face protection Wear safety glasses with side shields (or goggles). For operations where prolonged or repeated skin contact may occur, impervious gloves Hand protection should be worn. Gloves made of plastic or rubber. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Skin and body protection Avoid contact with skin, eyes or clothing. Wear appropriate personal protective clothing to prevent skin contact. No protective equipment is needed under normal use conditions. If exposure limits are **Respiratory protection** exceeded or irritation is experienced, ventilation and evacuation may be required. Avoid

EVO-STIK TECHNIK OPF ONE PART FLEXIBLE TILE ADHESIVE WHITE Supercedes Date: 18-Nov-2022 Revision date 29-May-2024

Revision Number 1.03

Recommended filter type:	generation of dust. Possible nuisance Wear a respirator conforming to EN 1	
Environmental exposure controls	No information available.	
SECTION 9: Physical and ch	emical properties	
9.1. Information on basic physical	and chemical properties	
Physical state	Solid	
Appearance	Powder granules	
Colour	White	
Odour	Odourless.	
Property	Values	Remarks • Method
Melting point / freezing point	Not applicable	None known
Initial boiling point and boiling	Not applicable .	None known
range Floremobility	No data available	None known
Flammability Flammability Limit in Air	No data avaliable	None known None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits	Not applicable .	None known
Flash point Autoignition temperature	No data available	None known
Decomposition temperature	NO data avaliable	None known
pH	No data available	None known.
pH (as aqueous solution)	> 11	solution (25 %)
Kinematic viscosity	Not applicable .	None known
Dynamic viscosity	Not applicable .	
Water solubility	Reacts with water. Cement based	None known
	products react and solidify in contact with water	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk Density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size Particle Size Distribution	No information available No information available	
Particle Size Distribution	No information available	
9.2. Other information		
Solid content (%)	100	
Softening point	Not relevant	
VOC content	No data ava	ilable
9.2.1. Information with regards to p Not applicable	physical hazard classes	

9.2.2. Other safety characteristics No information available Not applicable .

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

EVO-STIK TECHNIK OPF ONE PART FLEXIBLE TILE ADHESIVE WHITE Supercedes Date: 18-Nov-2022 Revision date 29-May-2024

Revision Number 1.03

Reactivity	Product cures with moisture.
10.2. Chemical stability	
Stability	Keep away from Incompatible materials. Stable under recommended storage conditions.
Explosion data	
Sensitivity to mechanical	None.
impact Sensitivity to static discharge	None.
10.3. Possibility of hazardous react	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	Product cures with moisture.
10.5. Incompatible materials	
Incompatible materials	Strong acids. Strong bases. Strong oxidising agents. Acids. Aluminium.
10.6. Hazardous decomposition pro	oducts_
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.
SECTION 11: Toxicological i	nformation
11.1. Information on hazard classe	es as defined in Regulation (EC) No 1272/2008_
Information on likely routes of exp	osure
Product Information	
lub eletter	Chapitia toot data for the substance or mixture is not sucilable. May source irritation of

	Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
	Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.
	Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
	Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
51	mptoms related to the physical.	chemical and toxicological characteristics

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

Acute toxicity

### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)>2000mg/kgATEmix (dermal)>2000mg/kg

## EVO-STIK TECHNIK OPF ONE PART FLEXIBLE TILE ADHESIVE WHITE

Supercedes Date: 18-Nov-2022

Revision Number 1.03

ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapour)	>20 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Cement Portland White	>2000 mg/Kg	>2000 mg/Kg	-
Delayed and immediate effects a	s well as chronic effects fr	om short and long-term expos	sure
Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.		
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Causes serious eye damage.		
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
Reproductive toxicity	Based on available data,	the classification criteria are not	: met.
STOT - single exposure	May cause respiratory irritation.		
STOT - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.		
11.2. Information on other hazards			
11.2.1. Endocrine disrupting properties			
Endocrine disrupting properties	No information available.		
11.2.2. Other information			
Other adverse effects	No information available.		
SECTION 12: Ecological information			

12.1. Toxicity

Ecotoxicity

EVO-STIK TECHNIK OPF ONE PART FLEXIBLE TILE ADHESIVE WHITE

## Supercedes Date: 18-Nov-2022

Revision date 29-May-2024

Revision Number 1.03

12.2. Persistence and degradability		
Persistence and degradability	No information available.	
12.3. Bioaccumulative potential		
Bioaccumulation	There is no data for this product.	
12.4. Mobility in soil		
Mobility in soil 12.5. Results of PBT and vPvB ass	No information available.	
PBT and vPvB assessment	UN.	
12.6. Endocrine disrupting proper	ties	
Endocrine disrupting properties	No information available.	
<u>12.7. Other adverse effects</u> No information available.		

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
European Waste Catalogue	<ul> <li>17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03</li> <li>10 13 06 particulates and dust (except 10 13 12 and 10 13 13)</li> <li>Cured product can be treated as construction waste. In the management of larger quantities consult with local authorities and local waste disposal company</li> <li>10 13 14 waste concrete and concrete sludge</li> </ul>
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

Land transport (ADR/RID)	
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	-
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
IMDG	
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated

EVO-STIK TECHNIK OPF ONE PART FLEXIBLE TILE ADHESIVE WHITE Supercedes Date: 18-Nov-2022 Revision date 29-May-2024

Revision Number 1.03

 14.3 Transport hazard class(es)
 Not regulated

 14.4 Packing group
 Not regulated

 14.5 Marine pollutant
 NP

 14.6 Special precautions for user
 Special Provisions

 Special Provisions
 None

 14.7 Maritime transport in bulk
 according to IMO instruments

 Transport in bulk according to Annex II of MARPOL and the IBC Code
 Not applicable

Air transport (ICAO-TI / IATA-DGR)14.1UN number or ID numberNot regulated14.2UN proper shipping nameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot regulated14.5Environmental hazardsNot applicable14.6Special precautions for user<br/>Special ProvisionsNone

### Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

#### Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

## Persistent Organic Pollutants

Not applicable

## REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors Not applicable

#### National regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No

EVO-STIK TECHNIK OPF ONE PART FLEXIBLE TILE **ADHESIVE WHITE** Supercedes Date: 18-Nov-2022

Revision Number 1.03

Chemical Safety Assessment has been carried out for this mixture

### **SECTION 16: Other information**

Key or legend to abbreviations and acronyms used in the safety data sheet

### Full text of H-Statements referred to under section 3

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT RE: Specific target organ toxicity - Repeated exposure STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

#### Legend SECTION 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
AGW	Occupational exposure limit value	BGW	Biological limit value
Ceiling	Maximum limit value	Sk*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

### Kev literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

- European Chemicals Agency (ECHA) (ECHA\_API)
- **Environmental Protection Agency**

Acute Exposure Guideline Level(s) (AEGL(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

EVO-STIK TECHNIK OPF ONE PART FLEXIBLE TILE ADHESIVE WHITE Supercedes Date: 18-Nov-2022 Revision date 29-May-2024

Revision Number 1.03

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set

Prepared By	Product Safety & Regulatory Affairs
Revision date	29-May-2024
Training Advice	No information available
Further information	No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**