

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

EVO-STIK WATERPROOF WALL TILE ADHESIVE Supercedes date 14-Nov-2022 Revision date 20-Aug-2024 Revision Number 2.03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name	EVO-STIK WATERPROOF WALL TILE ADHESIVE
Pure substance/mixture	Mixture
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended use	Adhesives
Uses advised against	None known
1.3. Details of the supplier of the s	afety data sheet
<u>Company Name</u> Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36	
E-mail address	SDS.box-EU@bostik.com
1.4. Emergency telephone number	_
United Kingdom	Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111
SECTION 2: Hazards identifi	cation
2.1. Classification of the substance	e or mixture
GB CLP (SI 2020/1567 as amended)
This mixture is classified as not haza	rdous according to regulation (EC) 1272/2008 [CLP]
2.2. Label elements	
This mixture is classified as not haza	rdous according to regulation (EC) 1272/2008 [CLP]
Signal word None	
Hazard statements This mixture is classified as not haza	rdous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains 1,2-benzisothiazol-3(2H)-one [BIT] & 2-methyl-2H-isothiazol-3-one [MIT] & reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]. May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

EVO-STIK WATERPROOF WALL TILE ADHESIVE

Supercedes date 14-Nov-2022

P102 - Keep out of reach of children

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU	CAS No	Classification	Specific	M-Factor	M-Factor	REACH
	Index No).		according to	concentration limit		(long-ter	registration
	,		Regulation (EC) No.	(SCL)		(`m)	number
			1272/2008 [CLP]	()		,	
1,2-benzisothiazol-3(2H)	220-120-9	2634-33-5	Acute Tox. 4 (H302)	Skin Sens, 1A ::	1	1	01-2120761540-
-one [BIT]	(613-088-00-		Acute Tox. 2 (H330)	C>=0.036%			60-XXXX
0.01 < 0.036 %	` 6)		Skin Irrit. 2 (H315)				
	,		Eye Dam. 1 (H318)				
			Skin Sens. 1A (H317)				
			Aquatic Acute 1 (H400)				
			Aquatic Chronic 1 (H410)				
reaction mass of	611-341-5	55965-84-9	Acute Tox. 3 (H301)	Eye Dam. 1 ::	100	100	-
5-chloro-2-methyl-2H-iso			Acute Tox. 2 (H310)	C>=0.6%			
thiazol-3-one and			Acute Tox. 2 (H330)	Eye Irrit. 2 ::			
2-methyl-2H-isothiazol-3-			Skin Corr. 1C (H314)	0.06%<=C<0.6%			
one (3:1) [C(M)IT/MIT]			Eye Dam. 1 (H318)	Skin Corr. 1C ::			
<0.0015 %			Skin Sens. 1A (H317)	C>=0.6%			
			Aquatic Acute 1 (H400)	Skin Irrit. 2 ::			
			Aquatic Chronic 1	0.06%<=C<0.6%			
			(H410)	Skin Sens. 1A ::			
			(EUH071)	C>=0.0015%			
2-methyl-2H-isothiazol-3-		2682-20-4	Skin Corr. 1B (H314)	Skin Sens. 1A ::	10	1	01-2120764690-
one [MIT]	(613-326-00-		Eye Dam. 1 (H318)	C>=0.0015%			50-xxxx
<0.0015 %	9)		Skin Sens. 1A (H317)				
			Acute Tox. 3 (H301)				
			Acute Tox. 3 (H311)				
			Acute Tox. 2 (H330)				
			Aquatic Acute 1 (H400) Aquatic Chronic 1				
			(H410) (EUH071)				

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

	Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
1,	2-benzisothiazol-3(2	220-120-9	2634-33-5	450	-	=0.21 mg/L (ATE	0.21 +	0.21 +

EVO-STIK WATERPROOF WALL TILE ADHESIVE Supercedes date 14-Nov-2022

Revision date 20-Aug-2024 Revision Number 2.03

Chemical name	EC No (EU	CAS No.	Oral LD50	Dermal LD50	Inhalation	Inhalation	Inhalation
	Index No)		mg/kg	mg/kg	LC50 - 4 hour -	LC50 - 4 hour -	LC50 - 4 hour -
	,				dust/mist -	vapour - mg/L	gas - ppm
					mg/L	1 0	5 11
H)-one [BIT]	(613-088-00-6)				dust/mist)		
reaction mass of	611-341-5	55965-84-9	66	141	0.17	-	-
5-chloro-2-methyl-2H-is							
othiazol-3-one and							
2-methyl-2H-isothiazol-							
3-one (3:1) [C(M)IT/MIT]							
2-methyl-2H-isothiazol-	220-239-6	2682-20-4	285	243	0.11	-	-
3-one [MIT]	(613-326-00-9)						

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Notes

See section 16 for more information

Chemical name	Notes
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	В
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] - 55965-84-9	

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	If medical advice is needed, have product container or label at hand. Show this safety data sheet to the doctor in attendance.			
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.			
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.			
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.			
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.			
4.2. Most important symptoms and	d effects, both acute and delayed			
Symptoms	No information available.			
Effects of Exposure	No information available.			
4.3. Indication of any immediate m	nedical attention and special treatment needed			
Note to doctors	No information available.			
SECTION 5: Firefighting measures				
5.1. Extinguishing media				

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

EVO-STIK WATERPROOF WALL TILE ADHESIVE Supercedes date 14-Nov-2022

Unsuitable extinguishing media	No information available.			
5.2. Special hazards arising from the	ne substance or mixture			
Specific hazards arising from the chemical	No information available.			
Hazardous combustion products	Carbon oxides.			
5.3. Advice for firefighters				
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.			
SECTION 6: Accidental relea	ise measures			
6.1. Personal precautions, protecti	ve equipment and emergency procedures			
Personal precautions	Ensure adequate ventilation.			
For emergency responders	Use personal protection recommended in Section 8.			
6.2. Environmental precautions				
Environmental precautions	See Section 12 for additional Ecological Information.			
6.3. Methods and material for conta	ainment and cleaning up			
Methods for containment	Do not scatter spilled material with high pressure water streams.			
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.			
6.4. Reference to other sections				
Reference to other sections	See section 8 for more information. See section 13 for more information.			
SECTION 7: Handling and st	orage			
7.1. Precautions for safe handling	_			
Advice on safe handling	Ensure adequate ventilation.			
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.			
7.2. Conditions for safe storage, in	cluding any incompatibilities			
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place.			
7.3. Specific end use(s)				
Specific use(s) Adhesives.				
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.			
Other information	Observe technical data sheet.			

SECTION 8: Exposure controls/personal protection

EVO-STIK WATERPROOF WALL TILE ADHESIVE Supercedes date 14-Nov-2022

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom
Limestone	-	TWA: 10 mg/m ³
1317-65-3		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)					
1,2-benzisothiazol-3(2H)-one [B	1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Inhalation	6.81 mg/m³			
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d			

Derived No Effect Level (DNEL)					
1,2-benzisothiazol-3(2H)-one	e [BIT] (2634-33-5)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m ³			
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d			

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)			
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-	5)		
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	4.03 μg/l		
Marine water	0.403 µg/l		
Sewage treatment plant	1.03 mg/l		
Freshwater sediment	49.9 µg/l		
Marine sediment	4.99 µg/l		
Soil	3 mg/kg dry weight		

8.2. Exposure controls

Engineering controls

Hand protection

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment Eye/face protection

Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166. Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the

breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature.

EVO-STIK WATERPROOF WALL TILE ADHESIVE

Supercedes date 14-Nov-2022

Revision date 20-Aug-2024 Revision Number 2.03

Skin and body protection Wear suitable protective clothing.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical	and chemical properties	
Physical state	Liquid	<u> </u>
Appearance	Paste	
Colour	Off-white	
Odour	Characteristic.	
Property_	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling	No data available	None known
range		
Flammability	No data available	
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
рН	7.5 - 9	None known.
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	
Water solubility	No data available.	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	1.61	
Bulk density	No data available	
Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information		
Solid content (%)	No information available	
VOC content		No data available
9.2.1 Information with regards to r	hysical hazard classes	

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity

No information available.

10.2. Chemical stability Stability

Stable under normal conditions.

EVO-STIK WATERPROOF WALL TILE ADHESIVE Supercedes date 14-Nov-2022

Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
10.3. Possibility of hazardous read	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	None known based on information supplied.
10.5. Incompatible materials	
Incompatible materials	None known based on information supplied.
10.6. Hazardous decomposition pr	oducts
Hazardous decomposition products	Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.
SECTION 11: Toxicological	information
11.1. Information on hazard class	es as defined in Regulation (EC) No 1272/2008
Information on likely routes of exp	osure
Product Information	
Inhalation	Based on available data, the classification criteria are not met.
Eye contact	
,	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
-	
Skin contact Ingestion	Based on available data, the classification criteria are not met.
Skin contact Ingestion	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
Skin contact Ingestion Symptoms related to the physical,	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. chemical and toxicological characteristics
Skin contact Ingestion Symptoms related to the physical, Symptoms	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. chemical and toxicological characteristics

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1,2-benzisothiazol-3(2H)-one	=450 mg/kg (ATE)	LD50 > 2000 mg/kg (Rattus)	-
[BIT]			

EVO-STIK WATERPROOF WALL TILE ADHESIVE Supercedes date 14-Nov-2022

reaction mass of 5-chloro-2-methyl-2H-isothiazo I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	66 mg/kg (Rat)	LD50 = 8141 mg/kg (Rat) OECD 402	= 0.33 mg/L (Rat) 4h		
2-methyl-2H-isothiazol-3-one [MIT]	LD50 =285 mg/Kg (Rattus)	LD50 >242 mg/Kg (Rattus)	=0.11 mg/L (Rattus) 4 h		
Delayed and immediate effects	s as well as chronic effects fr	om short and long-term expos	ure		
Skin corrosion/irritation	Based on available data,	the classification criteria are not	met.		
Serious eye damage/eye irritat	ion Based on available data,	the classification criteria are not	met.		
Respiratory or skin sensitisati	on Based on available data,	the classification criteria are not	met.		
Germ cell mutagenicity	Based on available data,	the classification criteria are not	met.		
Carcinogenicity	Based on available data,	the classification criteria are not	met.		
Reproductive toxicity	Based on available data,	the classification criteria are not	met.		
STOT - single exposure	Based on available data,	the classification criteria are not	met.		
STOT - repeated exposure	Based on available data,	the classification criteria are not	met.		
Aspiration hazard	Based on available data,	the classification criteria are not	met.		
11.2. Information on other ha	zards				
11.2.1. Endocrine disrupting properties					
Endocrine disrupting propertie	No information available.				
11.2.2. Other information					
Other adverse effects	Other adverse effects No information available.				
SECTION 12: Ecological information					

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
1,2-benzisothiazol-3(2	EC50 3Hr	LC50 (96hr) 2.15	-	EC50(48hr) 2.94	1	1
H)-one [BIT]	13mg/l (activated	mg/I Cyprinodon		mg/l (Daphnia		
2634-33-5	sludge) (OECD	variegatus EPA		Magna) OECD		

EVO-STIK WATERPROOF WALL TILE ADHESIVE Supercedes date 14-Nov-2022

Revision date 20-Aug-2024 Revision Number 2.03

	209)	540/9-85-006		202		
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT] 55965-84-9	(Pseudokirchner		-	EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202)	100	100
2-methyl-2H-isothiazol- 3-one [MIT] 2682-20-4	0.157 mg/l	EC50 (96hr) 5.71 mg/l (Oncorhynchus mykiss) OECD 203	-	EC50 (48hr) 1.68 mg/l (Daphnia) (OECD 202)	10	1

12.2. Persistence and degradability

Persistence and degradability No information available.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable
Biodegradability: CO2 Evolution Test	-	-	
(TG 301 B)			

2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)

Method	Exposure time	Value	Results
OECD Test No. 308: Aerobic and		Half-life	1.28-2.1 days
Anaerobic Transformation in Aquatic			
Sediment Systems			
OECD Test No. 309: Aerobic		biodegradation Half-life	Readily biodegradable 4.1
Mineralization in Surface Water -		-	days
Simulation Biodegradation Test			-

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
1,2-benzisothiazol-3(2H)-one [BIT]	0.7
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	
2-methyl-2H-isothiazol-3-one [MIT]	-0.32

12.4. Mobility in soil

Mobility in soilNo information available.12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	
2-methyl-2H-isothiazol-3-one [MIT]	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

EVO-STIK WATERPROOF WALL TILE ADHESIVE Supercedes date 14-Nov-2022

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID)		
14.1 UN number or ID number	Not regulated	
14.2 UN proper shipping name	.	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	
14.5 Environmental hazards	Not applicable	
14.6 Special precautions for user		
Special Provisions	None	
IMDG		
14.1 UN number or ID number	Not regulated	
14.2 UN proper shipping name	Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	
14.5 Marine pollutant	NP	
14.6 Special precautions for user		
Special Provisions	None	
14.7 Maritime transport in bulk		
according to IMO instruments		
Transport in bulk according to	Annex II of MARPOL and the IBC Code	Not applicable
Air transport (ICAO-TI / IATA-DGR)		
14.1 UN number or ID number	Not regulated	
14.2 UN proper shipping name	Not regulated	

14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	
S	pecial Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

EVO-STIK WATERPROOF WALL TILE ADHESIVE Supercedes date 14-Nov-2022

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

EVO-STIK WATERPROOF WALL TILE ADHESIVE

Supercedes date 14-Nov-2022

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'.

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Legend	
TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
Sk*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by
	Road
IMDG	International Maritime Dangerous Goods (IMDG)
ΙΑΤΑ	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data No information available			
Prepared By	Product Safety & Regulatory Affairs		
Revision date	20-Aug-2024		
Indication of changes	-		
Revision note	SDS sections updated, 8, 9.		
Training Advice	No information available		
Further information	No information available		

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet