



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**EVO-STIK TRADE ROOF AND GUTTER SEALANT BLACK**  
Supercedes date 13-Oct-2025

Revision date 18-Dec-2024  
Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Name** EVO-STIK TRADE ROOF AND GUTTER SEALANT BLACK

**Form** This substance/ mixture contains nanoforms

### Other means of identification

**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Sealant

**Uses advised against** None known

### 1.3. Details of the supplier of the safety data sheet

#### **Company Name**

Bostik SA  
51 Esplanade du Général de Gaulle  
92800 Puteaux – La Défense  
FRANCE  
Tel: +33 (0)1 49 00 90 00

**E-mail address** SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

**Ireland**

#### **NPIC - National Poison Information Centre**

Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)  
Healthcare Professionals: +353 (01) 8092566 (24 hour service)

**United Kingdom**  
**Europe**

Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)  
112

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

<b>Specific target organ toxicity (repeated exposure)</b>	Category 2 - (H373)
<b>Hazardous to the aquatic environment - chronic</b>	Category 3 - (H412)

### 2.2. Label elements

Contains Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

# SAFETY DATA SHEET

EVO-STIK TRADE ROOF AND GUTTER SEALANT BLACK  
Supercedes date 13-Oct-2025

Revision date 18-Dec-2024  
Revision Number 1



**Signal word**  
Warning

## Hazard statements

H373 - May cause damage to organs through prolonged or repeated exposure.  
H412 - Harmful to aquatic life with long lasting effects.

## Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand  
P102 - Keep out of reach of children  
P260 - Do not breathe vapour  
P273 - Avoid release to the environment  
P314 - Get medical advice/attention if you feel unwell  
P501 - Dispose of contents/ container to an approved waste disposal plant

## Additional information

This product requires tactile warnings if supplied to the general public.

### 2.3. Other hazards

No information available.

## PBT & vPvB

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

## Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No. (Index No.)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) RR-91855-8	1 - <2.5	01-2119458049-33-XXXX	919-446-0	STOT SE 3 (H336) STOT RE 1 (H372) Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411) Flam. Liq. 3 (H226) (EUH066)	-	-	-	-
Cellulose 9004-34-6	0.1- <1	[5]	232-674-9	No data available	-	-	-	-
Quartz 14808-60-7	0.1- <1	[5]	238-878-4	[B]	-	-	-	-

Substances identified by a number starting "RR-" in the CAS-field are substances for which the CAS# is not adopted in EU and

# SAFETY DATA SHEET

**EVO-STIK TRADE ROOF AND GUTTER SEALANT BLACK**  
Supersedes date 13-Oct-2025

Revision date 18-Dec-2024  
Revision Number 1

we use an internal numbering system to track within our SDS software

*NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(b) and Annex V of REACH Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes*  
[B] - Substance with a Community workplace exposure limit

## Full text of H- and EUH-phrases: see section 16

### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No. (Index No.)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	919-446-0	RR-91855-8	-	3400	-	-	-
Cellulose	232-674-9	9004-34-6	-	-	-	-	-
Quartz	238-878-4	14808-60-7	-	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

**General advice** If medical advice is needed, have product container or label at hand. Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.

**Skin contact** Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.

**Ingestion** Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

**Effects of Exposure** May cause damage to organs through prolonged or repeated exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors** No information available.

# SAFETY DATA SHEET

EVO-STIK TRADE ROOF AND GUTTER SEALANT BLACK  
Supercedes date 13-Oct-2025

Revision date 18-Dec-2024  
Revision Number 1

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** Full water jet.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards arising from the chemical** No information available.

**Hazardous combustion products** Carbon oxides. Hydrocarbons. Aldehydes.

### 5.3. Advice for firefighters

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation.

**For emergency responders** Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Advice on safe handling** Ensure adequate ventilation.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep container tightly closed in a dry and well-ventilated place.

### 7.3. Specific end use(s)

**Specific use(s)**  
Sealant.

# SAFETY DATA SHEET

EVO-STIK TRADE ROOF AND GUTTER SEALANT BLACK  
Supercedes date 13-Oct-2025

Revision date 18-Dec-2024  
Revision Number 1

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

**Other information** Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

Chemical name	European Union	Ireland	United Kingdom
Limestone 1317-65-3	-	TWA: 10 mg/m <sup>3</sup> ; respirable dust TWA: 4 mg/m <sup>3</sup> ; STEL: 30 mg/m <sup>3</sup> (calculated); STEL: 12 mg/m <sup>3</sup> (calculated); total inhalable dust	TWA: 10 mg/m <sup>3</sup> ; inhalable dust TWA: 4 mg/m <sup>3</sup> ; respirable dust STEL: 30 mg/m <sup>3</sup> ; inhalable dust STEL: 12 mg/m <sup>3</sup> ; respirable dust
Carbonic acid, calcium salt (1:1) 471-34-1	-	TWA: 10 mg/m <sup>3</sup> ; respirable dust TWA: 4 mg/m <sup>3</sup> ; STEL: 30 mg/m <sup>3</sup> (calculated); STEL: 12 mg/m <sup>3</sup> (calculated); total inhalable dust	TWA: 10 mg/m <sup>3</sup> ; inhalable dust TWA: 4 mg/m <sup>3</sup> ; respirable dust STEL: 30 mg/m <sup>3</sup> ; inhalable dust STEL: 12 mg/m <sup>3</sup> ; respirable dust
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) RR-91855-8	-	-	TWA: 350 mg/m <sup>3</sup>
Cellulose 9004-34-6	-	TWA: 10 mg/m <sup>3</sup> ; STEL: 30 mg/m <sup>3</sup> ;	TWA: 10 mg/m <sup>3</sup> ; inhalable dust TWA: 4 mg/m <sup>3</sup> ; respirable dust STEL: 20 mg/m <sup>3</sup> ; inhalable dust STEL: 12 mg/m <sup>3</sup> ; respirable dust
Quartz 14808-60-7	TWA: 0.1 mg/m <sup>3</sup> ;	TWA: 0.1 mg/m <sup>3</sup> ; respirable dust STEL: 0.3 mg/m <sup>3</sup> ;	TWA: 0.1 mg/m <sup>3</sup> ; respirable fraction STEL: 0.3 mg/m <sup>3</sup> ; respirable
Calcium distearate 1592-23-0	-	TWA: 10 mg/m <sup>3</sup> ; STEL: 30 mg/m <sup>3</sup> (calculated; except Lead stearate);	
Carbon black 1333-86-4	-	TWA: 3 mg/m <sup>3</sup> ; inhalable fraction STEL: 15 mg/m <sup>3</sup> (calculated); inhalable fraction	TWA: 3.5 mg/m <sup>3</sup> ; STEL: 7 mg/m <sup>3</sup> ;

**Derived No Effect Level (DNEL)** No information available

Derived No Effect Level (DNEL)			
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) (RR-91855-8)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	330 mg/m <sup>3</sup>	
worker Long term Systemic health effects	Dermal	44 mg/kg bw/d	

# SAFETY DATA SHEET

EVO-STIK TRADE ROOF AND GUTTER SEALANT BLACK  
Supercedes date 13-Oct-2025

Revision date 18-Dec-2024  
Revision Number 1

## Quartz (14808-60-7)

### Derived No Effect Level (DNEL)

#### Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) (RR-91855-8)

Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	71 mg/m <sup>3</sup>	
Consumer Long term Systemic health effects	Dermal	26 mg/kg bw/d	
Consumer Long term Systemic health effects	Oral	26 mg/kg bw/d	

### Predicted No Effect Concentration (PNEC)

#### 8.2. Exposure controls

##### Engineering controls

Ensure adequate ventilation, especially in confined areas.

##### Personal protective equipment

###### Eye/face protection

Tight sealing safety goggles. Eye protection must conform to standard EN 166

###### Hand protection

Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be replaced regularly and if there is any sign of damage to the glove material.

###### Skin and body protection

Wear appropriate personal protective clothing to prevent skin contact.

##### Environmental exposure controls

Do not allow into any sewer, on the ground or into any body of water.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Paste
Colour	Black
Odour	Characteristic.

Property	Values	Remarks • Method
Melting point / freezing point	No data available	
Initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air	No data available	None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
pH	No data available	None known.
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	
Dynamic viscosity	No data available	
Water solubility	Immiscible in water.	

# SAFETY DATA SHEET

EVO-STIK TRADE ROOF AND GUTTER SEALANT BLACK  
Supercedes date 13-Oct-2025

Revision date 18-Dec-2024  
Revision Number 1

<b>Solubility(ies)</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Vapour pressure</b>	No data available	None known
<b>Relative density</b>	1.3	
<b>Bulk density</b>	No data available	
<b>Density</b>	No data available	
<b>Relative vapour density</b>	No data available	None known
<b>Particle characteristics</b>		
<b>Particle Size</b>	No information available	
<b>Particle Size Distribution</b>	No information available	

## 9.2. Other information

<b>Solid content (%)</b>	No information available
<b>VOC content</b>	No data available

9.2.1. Information with regards to physical hazard classes  
Not applicable

9.2.2. Other safety characteristics  
No information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

**Reactivity** No information available.

### 10.2. Chemical stability

**Stability** Stable under normal conditions.

### **Explosion data**

**Sensitivity to mechanical impact** None.  
**Sensitivity to static discharge** None.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** None under normal processing.

### 10.4. Conditions to avoid

**Conditions to avoid** None known based on information supplied.

### 10.5. Incompatible materials

**Incompatible materials** None known based on information supplied.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** None under normal use conditions. Stable under recommended storage conditions.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

# SAFETY DATA SHEET

**EVO-STIK TRADE ROOF AND GUTTER SEALANT BLACK**  
Supercedes date 13-Oct-2025

Revision date 18-Dec-2024  
Revision Number 1

---

<b>Inhalation</b>	Based on available data, the classification criteria are not met.
<b>Eye contact</b>	Based on available data, the classification criteria are not met.
<b>Skin contact</b>	Based on available data, the classification criteria are not met.
<b>Ingestion</b>	Based on available data, the classification criteria are not met.

## Symptoms related to the physical, chemical and toxicological characteristics

<b>Symptoms</b>	No information available.
-----------------	---------------------------

## Acute toxicity

### Numerical measures of toxicity

**The following ATE values have been calculated for the mixture**

ATEmix (oral)	57,536.40 mg/kg
ATEmix (dermal)	>2000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/L
ATEmix (inhalation-vapour)	>20 mg/L

### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	LD50 >15000 mg/Kg (Rattus) OECD 401	LD50 > 3400 mg/kg (Rattus) OECD 402	LC50 (4hrs) >13.1 mg/l (Rattus)
Cellulose	>5 g/kg (Rattus)	> 2 g/kg (Oryctolagus cuniculus) > 2000 mg/kg (Oryctolagus cuniculus)	>5800 mg/m <sup>3</sup> (Rattus) 4 h
Quartz	>2000 mg/kg (Rattus)	-	-

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	Based on available data, the classification criteria are not met.
----------------------------------	---

<b>Serious eye damage/eye irritation</b>	Based on available data, the classification criteria are not met.
--	---

<b>Respiratory or skin sensitisation</b>	Based on available data, the classification criteria are not met.
--	---

<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
-------------------------------	---

<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
------------------------	---

<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met.
------------------------------	---

<b>STOT - single exposure</b>	Based on available data, the classification criteria are not met.
-------------------------------	---

# SAFETY DATA SHEET

EVO-STIK TRADE ROOF AND GUTTER SEALANT BLACK  
Supercedes date 13-Oct-2025

Revision date 18-Dec-2024  
Revision Number 1

**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Based on available data, the classification criteria are not met.

## **11.2. Information on other hazards**

### **11.2.1. Endocrine disrupting properties**

**Endocrine disrupting properties** Based on available data, the classification criteria are not met.

### **11.2.2. Other information**

**Other adverse effects** No information available.

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) RR-91855-8	EL50 (72h) = 4.1 mg/l (Pseudokirchneriella subcapitata) OECD 401	LL50 96hr 10-30 mg/l (Oncorhynchus mykiss)	-	EL50 48hr 10-30mg/l (daphnia magna)		

### **12.2. Persistence and degradability**

**Persistence and degradability** No information available.

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) (RR-91855-8)

Method	Exposure time	Value	Results
	28 days	biodegradation	74.7 % Readily biodegradable

Quartz (14808-60-7)

### **12.3. Bioaccumulative potential**

**Bioaccumulation** There is no data for this product.

### **12.4. Mobility in soil**

**Mobility in soil** No information available.

### **12.5. Results of PBT and vPvB assessment**

**PBT and vPvB assessment** Based on available data, the classification criteria are not met.

### **12.6. Endocrine disrupting properties**

**Endocrine disruption for the environment** Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

EVO-STIK TRADE ROOF AND GUTTER SEALANT BLACK  
Supercedes date 13-Oct-2025

Revision date 18-Dec-2024  
Revision Number 1

## 12.7. Other adverse effects Other adverse effects

**Other adverse effects** No information available.  
**PMT or vPvM properties** Based on available data, the classification criteria are not met.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Handle contaminated packages in the same way as the product itself.

**Other information** Waste codes should be assigned by the user based on the application for which the product was used.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1 UN number or ID number Not regulated  
14.2 UN proper shipping name Not regulated  
14.3 Transport hazard class(es) Not regulated  
14.4 Packing group Not regulated  
14.5 Environmental hazards Not applicable  
14.6 Special precautions for user  
    Special Provisions None

### IMDG

14.1 UN number or ID number Not regulated  
14.2 UN proper shipping name Not regulated  
14.3 Transport hazard class(es) Not regulated  
14.4 Packing group Not regulated  
14.5 Marine pollutant NP  
14.6 Special precautions for user  
    Special Provisions None  
14.7 Maritime transport in bulk  
    according to IMO instruments  
    Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

### Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated  
14.2 UN proper shipping name Not regulated  
14.3 Transport hazard class(es) Not regulated  
14.4 Packing group Not regulated  
14.5 Environmental hazards Not applicable  
14.6 Special precautions for user  
    Special Provisions None

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents

# SAFETY DATA SHEET

**EVO-STIK TRADE ROOF AND GUTTER SEALANT BLACK**  
Supercedes date 13-Oct-2025

Revision date 18-Dec-2024  
Revision Number 1

at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

## **Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)**

### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### **EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction**

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

### **Substance subject to authorisation per REACH Annex XIV**

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

### **Export Notification requirements**

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

### **Ozone-depleting substances (ODS) regulation (EC) 2024/590**

Not applicable

### **Persistent Organic Pollutants**

Not applicable

### **REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors**

Not applicable

### **Regulations on drug precursors (EC) No 111/2005 (export) and 273/2004 (internal trade)**

This product does not contain any substance(s) on the Drug Precursors list.

## **National regulations**

### **15.2. Chemical safety assessment**

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## **SECTION 16: Other information**

### **Key or legend to abbreviations and acronyms used in the safety data sheet**

### **Full text of any hazard and/or precautionary statements referred to under Sections 2-15**

EUH066 - Repeated exposure may cause skin dryness or cracking

H226 - Flammable liquid and vapour

# SAFETY DATA SHEET

**EVO-STIK TRADE ROOF AND GUTTER SEALANT BLACK**  
Supercedes date 13-Oct-2025

Revision date 18-Dec-2024  
Revision Number 1

H304 - May be fatal if swallowed and enters airways  
H336 - May cause drowsiness or dizziness  
H372 - Causes damage to organs through prolonged or repeated exposure  
H411 - Toxic to aquatic life with long lasting effects

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances  
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

## Legend SECTION 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
AGW	Occupational exposure limit value	BGW	Biological limit value
Ceiling	Maximum limit value	Sk*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Chronic aquatic toxicity	On basis of test data
Aspiration hazard	Calculation method
Ozone	Calculation method

## Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

European Chemicals Agency (ECHA) (ECHA\_API)

U.S. Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

International Uniform Chemical Information Database (IUCLID)

Japan National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications

International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program

International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set

Prepared By

Product Safety & Regulatory Affairs

Revision date

18-Dec-2024

# SAFETY DATA SHEET

EVO-STIK TRADE ROOF AND GUTTER SEALANT BLACK  
Supercedes date 13-Oct-2025

Revision date 18-Dec-2024  
Revision Number 1

**Revision Note** SDS sections updated 3.8

**Training Advice** No information available

**Further information** No information available

## Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**