



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

**EVO-STIK ADHESIVE CLEANER**  
Supersedes date 23-Mar-2026

Revision date 22-Jun-2026  
Revision Number 3.05

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Name** EVO-STIK ADHESIVE CLEANER  
**Substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Cleaning agent  
**Uses advised against** None known

### 1.3. Details of the supplier of the safety data sheet

#### Company Name

Bostik Limited  
Common Rd  
ST16 3EH  
Stafford UK  
Tel: +44 (1785) 27 26 25  
Fax: +44 (1785) 25 72 36

**E-mail address** SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

**United Kingdom** Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)  
NHS: 111

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**GB CLP (SI 2020/1567 as amended)**

|   |                     |
|---|---------------------|
| <b>Flammable liquids</b>                                  | Category 2 - (H225) |
| <b>Skin irritation</b>                                    | Category 2 - (H315) |
| <b>Eye irritation</b>                                     | Category 2 - (H319) |
| <b>Specific target organ toxicity (single exposure)</b>   | Category 3 - (H336) |
| Category 3 Target organ effects: Narcotic effects.        |                     |
| <b>Specific target organ toxicity (repeated exposure)</b> | Category 2 - (H373) |
| <b>Aspiration hazard</b>                                  | Category 1 - (H304) |
| <b>Hazardous to the aquatic environment - chronic</b>     | Category 2 - (H411) |

### 2.2. Label elements

Contains Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane; Ethyl acetate; Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics; Acetone

# SAFETY DATA SHEET

EVO-STIK ADHESIVE CLEANER  
Supersedes date 23-Mar-2026

Revision date 22-Jun-2026  
Revision Number 3.05



**Signal word**  
Danger

## Hazard statements

H225 - Highly flammable liquid and vapour.  
H304 - May be fatal if swallowed and enters airways.  
H315 - Causes skin irritation.  
H319 - Causes serious eye irritation.  
H336 - May cause drowsiness or dizziness.  
H373 - May cause damage to organs through prolonged or repeated exposure.  
H411 - Toxic to aquatic life with long lasting effects.

## Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand  
P102 - Keep out of reach of children  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P271 - Use only outdoors or in a well-ventilated area  
P273 - Avoid release to the environment  
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P331 - Do NOT induce vomiting  
P391 - Collect spillage  
P405 - Store locked up  
P501 - Dispose of contents/ container to an approved waste disposal plant

## Additional information

This product requires child resistant fastenings when supplied to the general public unless the product is placed on the market in the form of aerosols or in a container with a sealed spray attachment. This product requires tactile warnings if supplied to the general public.

## 2.3. Other hazards

In use, may form flammable/explosive vapour-air mixture.

## PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

| Chemical name | Weight-%  | REACH registration number | EC No. (Index No.) | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | M-Factor | M-Factor (long-term) | Notes |
|---------------|-----------|---------------------------|--------------------|---|------------------------------------|----------|----------------------|-------|
| Hydrocarbons, | >25 - <40 | 01-2119486291             | 926-605-8          | STOT SE 3 (H336)  | -                                  | -        | -                    | -     |

# SAFETY DATA SHEET

**EVO-STIK ADHESIVE CLEANER**  
**Supersedes date** 23-Mar-2026

**Revision date** 22-Jun-2026  
**Revision Number** 3.05

|   |           |                           |                             |  |   |   |   |   |
|---|-----------|---------------------------|-----------------------------|--|---|---|---|---|
| C6-C7, isoalkanes, cyclics, <5% n-hexane<br>RR-100223-9         |           | -36-xxxx                  |                             | Asp. Tox. 1 (H304)<br>Aquatic Chronic 2 (H411)<br>Flam. Liq. 2 (H225) (EUH066)<br>[E]  |   |   |   |   |
| Ethyl acetate<br>141-78-6                                       | >25 - <40 | 01-2119475103<br>-46-XXXX | 205-500-4<br>(607-022-00-5) | Eye Irrit. 2 (H319)<br>STOT SE 3 (H336)<br>Flam. Liq. 2 (H225) (EUH066)  | - | - | - | - |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics<br>RR-100219-3 | 10 - <20  | 01-2119475515<br>-33-xxxx | 927-510-4                   | STOT SE 3 (H336)<br>Asp. Tox. 1 (H304)<br>Skin Irrit. 2 (H315)<br>Aquatic Chronic 2 (H411)<br>Flam. Liq. 2 (H225)  | - | - | - | - |
| Acetone<br>67-64-1  | 10 - <20  | 01-2119471330<br>-49-XXXX | 200-662-2<br>(606-001-00-8) | Eye Irrit. 2 (H319)<br>STOT SE 3 (H336)<br>Flam. Liq. 2 (H225) (EUH066)  | - | - | - | - |
| Hydrocarbons, C6, isoalkanes, <5% n-hexane<br>64742-49-0        | 10 - <20  | 01-2119484651<br>-34-XXXX | 931-254-9                   | STOT SE 3 (H336)<br>Asp. Tox. 1 (H304)<br>Skin Irrit. 2 (H315)<br>Aquatic Chronic 2 (H411)<br>Flam Liq. 2 (H225) (EUH066)<br>[E]                           | - | - | - | P |
| n-Hexane contained in UVCB<br>110-54-3                          | 1 - <2.5  | -                         | 203-777-6<br>(601-037-00-0) | Skin Irrit. 2 (H315)<br>Repr. 2 (H361 f)<br>STOT SE 3 (H 336)<br>STOT RE 1 (H372)<br>Asp. Tox. 1 (H304)<br>Aquatic Chronic 2 (H411)<br>Flam. Liq. 2 (H225) | - | - | - | - |

Substances identified by a number starting "RR-" in the CAS-field are substances for which the CAS# is not adopted in EU and we use an internal numbering system to track within our SDS software

Note P - The harmonized classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0.1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply.

**Full text of H- and EUH-phrases: see section 16**

**Substance of unknown or variable composition, complex reaction products or biological material (UVCB)**

### **Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE<sub>mix</sub>) for classifying a mixture based on its components

| Chemical name                                 | EC No. (Index No.) | CAS No.     | Oral LD50 mg/kg | Dermal LD50 mg/kg | Inhalation LC50 - 4 hour - dust/mist - mg/L | Inhalation LC50 - 4 hour - vapour - mg/L | Inhalation LC50 - 4 hour - gas - ppm |
|---|--------------------|-------------|-----------------|-------------------|---|--|--------------------------------------|
| Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% | 926-605-8          | RR-100223-9 | -               | 3400              | -   | -  | -                                    |

# SAFETY DATA SHEET

EVO-STIK ADHESIVE CLEANER  
Supersedes date 23-Mar-2026

Revision date 22-Jun-2026  
Revision Number 3.05

| Chemical name                                    | EC No. (Index No.)          | CAS No.     | Oral LD50 mg/kg | Dermal LD50 mg/kg | Inhalation LC50 - 4 hour - dust/mist - mg/L | Inhalation LC50 - 4 hour - vapour - mg/L | Inhalation LC50 - 4 hour - gas - ppm |
|--|-----------------------------|-------------|-----------------|-------------------|---|--|--------------------------------------|
| n-hexane   |                             |             |                 |                   |   |  |                                      |
| Ethyl acetate                                    | 205-500-4<br>(607-022-00-5) | 141-78-6    | -               | -                 | -   | 22.5                                     | -                                    |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics | 927-510-4                   | RR-100219-3 | -               | -                 | -   | -  | -                                    |
| Acetone  | 200-662-2<br>(606-001-00-8) | 67-64-1     | 5800            | -                 | -   | -  | -                                    |
| Hydrocarbons, C6, isoalkanes, <5% n-hexane       | 931-254-9                   | 64742-49-0  | 16750           | 3350              | -   | -  | -                                    |
| n-Hexane contained in UVCB                       | 203-777-6<br>(601-037-00-0) | 110-54-3    | -               | -                 | -   | -  | -                                    |

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

| Chemical name              | CAS No.  | SVHC candidates |
|----------------------------|----------|-----------------|
| n-Hexane contained in UVCB | 110-54-3 | X               |

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|   |  |
|---|--|
| <b>General advice</b>                     | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.  |
| <b>Inhalation</b>                         | Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur.                                     |
| <b>Eye contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.  |
| <b>Skin contact</b>                       | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.   |
| <b>Ingestion</b>                          | Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention.  |
| <b>Self-protection of the first aider</b> | Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing. |

### 4.2. Most important symptoms and effects, both acute and delayed

|                 |   |
|-----------------|---|
| <b>Symptoms</b> | Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Erythema (skin redness). May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapour |
|-----------------|---|

# SAFETY DATA SHEET

EVO-STIK ADHESIVE CLEANER  
Supersedes date 23-Mar-2026

Revision date 22-Jun-2026  
Revision Number 3.05

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

**Effects of Exposure** May cause damage to organs through prolonged or repeated exposure.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

**Note to doctors** Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

**Suitable Extinguishing Media** Dry chemical. Carbon dioxide (CO<sub>2</sub>). Water spray. Alcohol resistant foam.

**Unsuitable extinguishing media** No information available.

#### **5.2. Special hazards arising from the substance or mixture**

**Specific hazards arising from the chemical** Risk of ignition. Vapours may form explosive mixture with air. Most vapours are heavier than air. Vapours may spread along ground and collect in low or confined areas (sewers, basements, tanks).

**Hazardous combustion products** Carbon oxides. Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

#### **5.3. Advice for firefighters**

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protective equipment.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

**Other information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

#### **6.2. Environmental precautions**

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

#### **6.3. Methods and material for containment and cleaning up**

**Methods for containment** Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up** Take precautionary measures against static discharges. Dam up. Soak up with inert

# SAFETY DATA SHEET

EVO-STIK ADHESIVE CLEANER  
Supersedes date 23-Mar-2026

Revision date 22-Jun-2026  
Revision Number 3.05

absorbent material. Pick up and transfer to properly labelled containers.

**Prevention of secondary hazards** Eliminate all ignition sources if safe to do so. Residues which cannot be recycled are disposed of as chemical waste. Equipment cleaned with organic solvent, washings are collected and disposed of as solvent waste.

## 6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Advice on safe handling** Use personal protective equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

**Recommended storage temperature** Keep at temperatures between 5 and 25 °C.

### 7.3. Specific end use(s)

**Specific use(s)**  
Cleaning agent.

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

**Other information** Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

| Chemical name  | European Union               | United Kingdom                        |
|--|------------------------------|---------------------------------------|
| Hydrocarbons, C6-C7, isoalkanes, cyclics, <5%<br>n-hexane<br>RR-100223-9 | -                            | VME= 400 mg/m <sup>3</sup> (supplier) |
| Ethyl acetate  | TWA: 734 mg/m <sup>3</sup> ; | TWA: 734 mg/m <sup>3</sup> ;          |

# SAFETY DATA SHEET

**EVO-STIK ADHESIVE CLEANER**  
**Supersedes date** 23-Mar-2026

**Revision date** 22-Jun-2026  
**Revision Number** 3.05

|  |   |   |
|--|---|---|
| 141-78-6                               | TWA: 200 ppm;<br>STEL: 1468 mg/m <sup>3</sup> ;<br>STEL: 400 ppm; | TWA: 200 ppm;<br>STEL: 1468 mg/m <sup>3</sup> ;<br>STEL: 400 ppm;                                   |
| Acetone<br>67-64-1                     | TWA: 500 ppm;<br>TWA: 1210 mg/m <sup>3</sup> ;                    | TWA: 500 ppm;<br>TWA: 1210 mg/m <sup>3</sup> ;<br>STEL: 1500 ppm;<br>STEL: 3620 mg/m <sup>3</sup> ; |
| n-Hexane contained in UVCB<br>110-54-3 | TWA: 20 ppm;<br>TWA: 72 mg/m <sup>3</sup> ;                       | TWA: 20 ppm;<br>TWA: 72 mg/m <sup>3</sup> ;<br>STEL: 60 ppm;<br>STEL: 216 mg/m <sup>3</sup> ;       |

| Chemical name                          | European Union | Ireland  | United Kingdom |
|--|----------------|--|----------------|
| Acetone<br>67-64-1                     | -              | 50 mg/L (urine - Acetone end of shift)                             | -              |
| n-Hexane contained in UVCB<br>110-54-3 | -              | 0.4 mg/L (urine - 2,5-Hexanedione end of shift at end of workweek) | -              |

**Derived No Effect Level (DNEL)** No information available

| <b>Derived No Effect Level (DNEL)</b>  |                |                                |               |
|--|----------------|--------------------------------|---------------|
| <b>Hydrocarbons, C6-C7, isoalkanes, cyclics, &lt;5% n-hexane (RR-100223-9)</b> |                |                                |               |
| Type   | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker<br>Long term<br>Systemic health effects                                 | Dermal         | 13 964 mg/kg bw/d              |               |
| worker<br>Long term<br>Systemic health effects                                 | Inhalation     | 5 306 mg/m <sup>3</sup>        |               |

| <b>Ethyl acetate (141-78-6)</b>                 |                |                                |               |
|---|----------------|--------------------------------|---------------|
| Type  | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker<br>Long term<br>Systemic health effects  | Dermal         | 63 mg/kg bw/d                  |               |
| worker<br>Short term<br>Systemic health effects | Inhalation     | 1468 mg/m <sup>3</sup>         |               |
| worker<br>Long term<br>Local health effects     | Inhalation     | 734 mg/m <sup>3</sup>          |               |
| worker<br>Short term<br>Local health effects    | Inhalation     | 1468 mg/m <sup>3</sup>         |               |
| worker<br>Long term<br>Systemic health effects  | Inhalation     | 734 mg/m <sup>3</sup>          |               |

| <b>Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (RR-100219-3)</b> |                |                                |               |
|---|----------------|--------------------------------|---------------|
| Type  | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker<br>Long term<br>Systemic health effects                        | Inhalation     | 2085 mg/m <sup>3</sup>         |               |
| worker<br>Long term<br>Systemic health effects                        | Dermal         | 300 mg/kg bw/d                 |               |

| <b>Acetone (67-64-1)</b> |                |                         |               |
|--------------------------|----------------|-------------------------|---------------|
| Type                     | Exposure route | Derived No Effect Level | Safety factor |
|                          |                |                         |               |

# SAFETY DATA SHEET

EVO-STIK ADHESIVE CLEANER  
 Supersedes date 23-Mar-2026

Revision date 22-Jun-2026  
 Revision Number 3.05

|  |            |                        |  |
|--|------------|------------------------|--|
|  |            | (DNEL)                 |  |
| Long term<br>Systemic health effects<br>worker | Dermal     | 186 mg/kg bw/d         |  |
| Short term<br>Local health effects<br>worker   | Inhalation | 2420 mg/m <sup>3</sup> |  |
| Long term<br>Systemic health effects<br>worker | Inhalation | 1210 mg/m <sup>3</sup> |  |

## Hydrocarbons, C6, isoalkanes, <5% n-hexane (64742-49-0)

| Type   | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
|--|----------------|--------------------------------|---------------|
| worker<br>Systemic health effects<br>Long term | Dermal         | 13964 mg/kg bw/d               |               |
| worker<br>Long term<br>Systemic health effects | Inhalation     | 2085 mg/m <sup>3</sup>         |               |

## Derived No Effect Level (DNEL)

### Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane (RR-100223-9)

| Type   | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
|--|----------------|--------------------------------|---------------|
| Consumer<br>Long term<br>Systemic health effects | Dermal         | 1 377 mg/kg bw/d               |               |
| Consumer<br>Long term<br>Systemic health effects | Inhalation     | 1 131 mg/m <sup>3</sup>        |               |
| Consumer<br>Long term<br>Systemic health effects | Oral           | 1 301 mg/kg bw/d               |               |

### Ethyl acetate (141-78-6)

| Type  | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
|---|----------------|--------------------------------|---------------|
| Consumer<br>Long term<br>Systemic health effects  | Oral           | 4.5 mg/kg bw/d                 |               |
| Consumer<br>Long term<br>Systemic health effects  | Dermal         | 37 mg/kg bw/d                  |               |
| Consumer<br>Short term<br>Systemic health effects | Inhalation     | 734 mg/m <sup>3</sup>          |               |
| Consumer<br>Long term<br>Local health effects     | Inhalation     | 367 mg/m <sup>3</sup>          |               |
| Consumer<br>Short term<br>Local health effects    | Inhalation     | 734 mg/m <sup>3</sup>          |               |
| Consumer<br>Long term<br>Systemic health effects  | Inhalation     | 367 mg/m <sup>3</sup>          |               |

### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (RR-100219-3)

| Type | Exposure route | Derived No Effect Level | Safety factor |
|------|----------------|-------------------------|---------------|
|------|----------------|-------------------------|---------------|

# SAFETY DATA SHEET

**EVO-STIK ADHESIVE CLEANER**  
**Supersedes date** 23-Mar-2026

**Revision date** 22-Jun-2026  
**Revision Number** 3.05

|  |            |                       |  |
|--|------------|-----------------------|--|
|  |            | (DNEL)                |  |
| Consumer<br>Long term<br>Systemic health effects | Inhalation | 447 mg/m <sup>3</sup> |  |
| Consumer<br>Long term<br>Systemic health effects | Dermal     | 149 mg/kg bw/d        |  |
| Consumer<br>Long term<br>Systemic health effects | Oral       | 149 mg/kg bw/d        |  |

| <b>Acetone (67-64-1)</b>                         |                |                                |               |
|--|----------------|--------------------------------|---------------|
| Type   | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| Consumer<br>Long term<br>Systemic health effects | Inhalation     | 200 mg/m <sup>3</sup>          |               |
| Consumer<br>Long term<br>Systemic health effects | Dermal         | 62 mg/kg bw/d                  |               |
| Consumer<br>Long term<br>Systemic health effects | Oral           | 62 mg/kg bw/d                  |               |

**Predicted No Effect Concentration (PNEC)** No information available.

| <b>Predicted No Effect Concentration (PNEC)</b> |  |
|---|--|
| <b>Ethyl acetate (141-78-6)</b>                 |  |
| Environmental compartment                       | Predicted No Effect Concentration (PNEC) |
| Freshwater                                      | 0.24 mg/l                                |
| Marine water                                    | 0.024 mg/l                               |
| Freshwater sediment                             | 1.15 mg/kg                               |
| Marine sediment                                 | 0.115 mg/kg                              |
| Soil  | 0.148 mg/kg                              |
| Microorganisms in sewage treatment              | 650 mg/l                                 |

| <b>Acetone (67-64-1)</b>           |  |
|------------------------------------|--|
| Environmental compartment          | Predicted No Effect Concentration (PNEC) |
| Freshwater                         | 10.6 mg/l                                |
| Freshwater - intermittent          | 21 mg/l                                  |
| Marine water                       | 1.06 mg/l                                |
| Microorganisms in sewage treatment | 100 mg/l                                 |
| Freshwater sediment                | 30.4 mg/kg dry weight                    |
| Marine water                       | 3.04 mg/kg dry weight                    |
| Soil                               | 29.5 mg/kg dry weight                    |

## 8.2. Exposure controls

### Engineering controls

Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be exhausted directly at the point of origin.

### Personal protective equipment

#### Eye/face protection

Tight sealing safety goggles. Face protection shield.

#### Hand protection

Wear protective gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature.

#### Skin and body protection

Antistatic footwear. Wear fire/flame resistant/retardant clothing. Suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

# SAFETY DATA SHEET

EVO-STIK ADHESIVE CLEANER  
Supersedes date 23-Mar-2026

Revision date 22-Jun-2026  
Revision Number 3.05

**Recommended filter type:** Organic gases and vapours filter conforming to EN 14387.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Physical state** Liquid  
**Appearance** Liquid  
**Colour** Colourless  
**Odour** Solvent.

| <u>Property</u>                                | <u>Values</u>            | <u>Remarks • Method</u> |
|--|--------------------------|-------------------------|
| <b>Melting point / freezing point</b>          | No data available        |                         |
| <b>Initial boiling point and boiling range</b> | >= 48 °C                 |                         |
| <b>Flammability</b>                            | No data available        | None known              |
| <b>Flammability Limit in Air</b>               |                          | None known              |
| <b>Upper flammability or explosive limits</b>  | No data available        |                         |
| <b>Lower flammability or explosive limits</b>  | No data available        |                         |
| <b>Flash point</b>                             | >= -20 °C                |                         |
| <b>Autoignition temperature</b>                | No data available        | None known              |
| <b>Decomposition temperature</b>               |                          | None known              |
| <b>pH</b>                                      | No data available        | Not applicable.         |
| <b>pH (as aqueous solution)</b>                | No data available        | None known              |
| <b>Kinematic viscosity</b>                     | No data available        | None known              |
| <b>Dynamic viscosity</b>                       | >= 0.4 mPa s             |                         |
| <b>Water solubility</b>                        | Insoluble in water.      | None known              |
| <b>Solubility(ies)</b>                         | No data available        | None known              |
| <b>Partition coefficient</b>                   | No data available        | None known              |
| <b>Vapour pressure</b>                         | <110 kPa                 | None known              |
| <b>Relative density</b>                        | No data available        | None known              |
| <b>Bulk density</b>                            | No data available        |                         |
| <b>Density</b>                                 | 0.78                     |                         |
| <b>Relative vapour density</b>                 | No data available        | None known              |
| <b>Particle characteristics</b>                |                          |                         |
| <b>Particle Size</b>                           | No information available |                         |
| <b>Particle Size Distribution</b>              | No information available |                         |

### 9.2. Other information

**Solid content (%)** No information available  
**VOC content** No data available

#### 9.2.1. Information with regards to physical hazard classes

Not applicable

#### 9.2.2. Other safety characteristics

No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** No information available.

### 10.2. Chemical stability

**Stability** Stable under normal conditions.

# SAFETY DATA SHEET

EVO-STIK ADHESIVE CLEANER  
Supersedes date 23-Mar-2026

Revision date 22-Jun-2026  
Revision Number 3.05

## Explosion data

Sensitivity to mechanical impact None.  
Sensitivity to static discharge Yes.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

## 10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

## 10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

## 10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions. Stable under recommended storage conditions.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

##### Product Information

|                     |   |
|---------------------|---|
| <b>Inhalation</b>   | Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.  |
| <b>Eye contact</b>  | Specific test data for the substance or mixture is not available. May cause irritation. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.   |
| <b>Skin contact</b> | Repeated exposure may cause skin dryness or cracking. Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).  |
| <b>Ingestion</b>    | Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. |

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

#### Acute toxicity

##### Numerical measures of toxicity

The following ATE values have been calculated for the mixture

|                 |             |
|-----------------|-------------|
| ATEmix (oral)   | >2000 mg/kg |
| ATEmix (dermal) | >2000 mg/kg |

# SAFETY DATA SHEET

EVO-STIK ADHESIVE CLEANER  
Supersedes date 23-Mar-2026

Revision date 22-Jun-2026  
Revision Number 3.05

ATEmix (inhalation-gas) >20000 ppm  
ATEmix (inhalation-dust/mist) >5 mg/L  
ATEmix (inhalation-vapour) >20 mg/L

## Component Information

| Chemical name  | Oral LD50                                     | Dermal LD50  | Inhalation LC50                                  |
|--|---|--|--|
| Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane | LD50 >16.5 g/Kg (Rattus) (OECD Guideline 201) | LD50 >3.35 g/Kg (Oryctolagus cuniculus) (OECD 402)                       | LC50 (4h) =73680 ppm (Vapour - Rat)              |
| Ethyl acetate  | =5620 mg/kg (Rattus)                          | > 18000 mg/kg (Oryctolagus cuniculus) > 20 mL/kg (Oryctolagus cuniculus) | LC0 22.5 mg/l air (4h, Rattus)                   |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics       | LD50 >5840 mg/kg Rat                          | LD50 >2920 mg/kg (Rattus)  | LC50 >23.3 mg/L (4h)(Rat, vapour) (OECD 403)     |
| Acetone  | =5800 mg/kg (Rattus)<br>3000 mg/Kg (mouse)    | >15800 mg/Kg (Rattus)  | =79 mg/l(Rattus) 4 h                             |
| Hydrocarbons, C6, isoalkanes, <5% n-hexane             | >16750 mg/Kg (Rattus)                         | >3350 mg/Kg (Oryctolagus cuniculus) OECD 402                             | 259354 mg/m <sup>3</sup> (vapour) (rat OECD 403) |
| n-Hexane contained in UVCB                             | = 25 g/kg ( Rat )                             | = 3000 mg/kg ( Rabbit )  | = 48000 ppm ( Rat ) 4 h                          |

Substance of unknown or variable composition, complex reaction products or biological material (UVCB)

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes skin irritation.

**Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes serious eye irritation.

| Acetone (67-64-1)                                 |         |                |                |               |          |
|---|---------|----------------|----------------|---------------|----------|
| Method  | Species | Exposure route | Effective dose | Exposure time | Results  |
| OECD Test No. 405: Acute Eye Irritation/Corrosion | Rabbit  | eye            |                |               | irritant |

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

| Ethyl acetate (141-78-6)            |            |                |                       |
|-------------------------------------|------------|----------------|-----------------------|
| Acetone (67-64-1)                   |            |                |                       |
| Method                              | Species    | Exposure route | Results               |
| GPMT - Guinea pig maximisation test | Guinea pig | Dermal         | Not a skin sensitiser |

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

| Component Information  |                                 |          |
|--|---------------------------------|----------|
| Ethyl acetate (141-78-6)   |                                 |          |
| Method   | Species                         | Results  |
| OECD Test No. 474: Mammalian Erythrocyte Micronucleus Test       | in vivo Hamster                 | Negative |
| OECD Test No. 471: Bacterial Reverse Mutation Test               | in vitro Salmonella typhimurium | Negative |
| OECD Test No. 473: In vitro Mammalian Chromosome Aberration Test | in vitro Hamster Ovary          | Negative |

# SAFETY DATA SHEET

EVO-STIK ADHESIVE CLEANER  
Supersedes date 23-Mar-2026

Revision date 22-Jun-2026  
Revision Number 3.05

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

| Chemical name              | European Union |
|----------------------------|----------------|
| n-Hexane contained in UVCB | Repr. 2        |

**STOT - single exposure** May cause drowsiness or dizziness.

| Acetone (67-64-1)            |         |                |                |               |                  |
|------------------------------|---------|----------------|----------------|---------------|------------------|
| Method                       | Species | Exposure route | Effective dose | Exposure time | Results          |
| Experiences made in practice |         |                |                |               | Narcotic effects |

**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

H373 - May cause damage to the following organs through prolonged or repeated exposure: nervous system.

| Acetone (67-64-1)  |         |                |                     |                 |  |
|--|---------|----------------|---------------------|-----------------|--|
| Method   | Species | Exposure route | Effective dose      | Exposure time   | Results  |
| OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents | Rat     | Oral           | 200-3400 mg/kg bw/d | 91 days         | No Observed Adverse Effect Level LOAEL 1700 mg/kg bw/d |
| Not specified  | Rat     | Inhalation     | 19000 ppm           | 14, 28, 56 days | NOAEC 19000 ppm<br>No Observed Adverse Effect Level    |

**Aspiration hazard** May be fatal if swallowed and enters airways.

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** Based on available data, the classification criteria are not met.

### 11.2.2. Other information

**Other adverse effects** No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

| Chemical name        | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea      | M-Factor | M-Factor (long-term) |
|----------------------|----------------------|------|----------------------------|----------------|----------|----------------------|
| Hydrocarbons, C6-C7, | EL50 (72h) = 55      | LL50 | -                          | EL50 (48h) = 3 |          |                      |

# SAFETY DATA SHEET

**EVO-STIK ADHESIVE CLEANER**  
**Supersedes date** 23-Mar-2026

**Revision date** 22-Jun-2026  
**Revision Number** 3.05

|  |  |   |  |   |  |  |
|--|--|---|--|---|--|--|
| isoalkanes, cyclics, <5% n-hexane RR-100223-9                | mg/l (Pseudokirchneriella subcapitata)                     | (96h)=12mg/L (Oncorhynchus mykiss)Semi-static OECD 203  |  | mg/l (Daphnia magna)                                |  |  |
| Ethyl acetate 141-78-6                                       | EC50: =3300mg/L (48h, Desmodesmus subspicatus)             | LC50: =484mg/L (96h, Oncorhynchus mykiss) LC50: 352 - 500mg/L (96h, Oncorhynchus mykiss) LC50: 220 - 250mg/L (96h, Pimephales promelas) | EC50 = 1180 mg/L 5 min<br>EC50 = 1500 mg/L 15 min<br>EC50 = 5870 mg/L 15 min<br>EC50 = 7400 mg/L 2 h | EC50: =560mg/L (48h, Daphnia magna)                 |  |  |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics RR-100219-3 | ErL50 (72h) = 10-30 mg/L (Pseudokirchneriella subcapitata) | LL50 (96h) >13.4 mg/L (Oncorhynchus mykiss) OECD 203  | -  | EL50 (48h) = 3.0 mg/L (Daphnia magna)               |  |  |
| Acetone 67-64-1  | -  | LC50 96 h 4.74 - 6.33 mL/L (Oncorhynchus mykiss )   | EC50 = 14500 mg/L 15 min   | EC50 48 h 10294 - 17704 mg/L (Daphnia magna Static) |  |  |
| Hydrocarbons, C6, isoalkanes, <5% n-hexane 64742-49-0        | EL50 (72h) = 13.6 mg/l (Pseudokirchneriella subcapitata)   | LL50 (96h) = 18.27 mg/l (Oncorhynchus mykiss)   | -  | EL50 (48h)= 31.9 mg/l (Daphnia magna)               |  |  |
| n-Hexane contained in UVCB 110-54-3                          | -  | LC50: 2.1 - 2.98mg/L (96h, Pimephales promelas)   | -  | -   |  |  |

**Substance of unknown or variable composition, complex reaction products or biological material (UVCB)**

## 12.2. Persistence and degradability

**Persistence and degradability** No information available.

| Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane (RR-100223-9) |               |                |                            |
|--|---------------|----------------|----------------------------|
| Method   | Exposure time | Value          | Results                    |
|  | 28 days       | biodegradation | 98 % Readily biodegradable |

| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (RR-100219-3)                      |               |       |                       |
|---|---------------|-------|-----------------------|
| Method  | Exposure time | Value | Results               |
| OECD Test No. 301F: Ready Biodegradability: Manometric Respirometry Test (TG 301 F) | 28 days       | 98%   | Readily biodegradable |

| Acetone (67-64-1)   |               |                |                            |
|---|---------------|----------------|----------------------------|
| Method  | Exposure time | Value          | Results                    |
| OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test (TG 301 B) | 28 days       | biodegradation | 91 % Readily biodegradable |

## 12.3. Bioaccumulative potential

### Bioaccumulation

#### Component Information

|               |                       |
|---------------|-----------------------|
| Chemical name | Partition coefficient |
|---------------|-----------------------|

# SAFETY DATA SHEET

EVO-STIK ADHESIVE CLEANER  
Supersedes date 23-Mar-2026

Revision date 22-Jun-2026  
Revision Number 3.05

|  |       |
|--|-------|
| Ethyl acetate                              | 0.73  |
| Acetone                                    | -0.24 |
| Hydrocarbons, C6, isoalkanes, <5% n-hexane | 3.6   |
| n-Hexane contained in UVCB                 | 4     |

## 12.4. Mobility in soil

Mobility in soil No information available.

## 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

| Chemical name                                    | PBT and vPvB assessment |
|--|-------------------------|
| Ethyl acetate                                    | Not PBT/vPvB            |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics | Not PBT/vPvB            |
| Acetone  | Not PBT/vPvB            |
| Hydrocarbons, C6, isoalkanes, <5% n-hexane       | Not PBT/vPvB            |
| n-Hexane contained in UVCB                       | Not PBT/vPvB            |

## 12.6. Endocrine disrupting properties Endocrine disrupting properties

Endocrine disruption for the environment Based on available data, the classification criteria are not met.

## 12.7. Other adverse effects Other adverse effects

Other adverse effects No information available.  
PMT or vPvM properties Based on available data, the classification criteria are not met.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Waste from residues/unused products** Should not be released into the environment. Uncured product should be disposed of as hazardous waste. Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Handle contaminated packages in the same way as the product itself.

**European Waste Catalogue** 08 04 09\* waste adhesives and sealants containing organic solvents or other dangerous substances  
15 01 10\*: Packaging containing residues of or contaminated by dangerous substances

**Other information** Waste codes should be assigned by the user based on the application for which the product was used.

## SECTION 14: Transport information

**Note:** The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments made in non-bulk packages (see regulatory definition). The information shown here, may not always agree with the bill of lading shipping description for the material.

### Land transport (ADR/RID)

14.1 UN number or ID number UN1263  
14.2 UN proper shipping name Paint  
14.3 Transport hazard class(es) 3

# SAFETY DATA SHEET

EVO-STIK ADHESIVE CLEANER  
Supersedes date 23-Mar-2026

Revision date 22-Jun-2026  
Revision Number 3.05

Labels 3  
14.4 Packing group II  
Description UN1263, Paint, 3, II, (D/E), Environmentally Hazardous  
14.5 Environmental hazards Yes  
14.6 Special precautions for user  
Special Provisions 163, 640D, 650, 367  
Classification code F1  
Tunnel restriction code (D/E)  
Limited quantity (LQ) 5 L  
ADR Hazard Id (Kemmler Number) 33

## IMDG

14.1 UN number or ID number UN1263  
14.2 UN proper shipping name Paint  
14.3 Transport hazard class(es) 3  
14.4 Packing group I  
Description UN1263, Paint, 3, I, (-20°C c.c.), Marine pollutant  
14.5 Marine pollutant P  
14.6 Special precautions for user  
Special Provisions 163, 367  
Limited Quantity (LQ) 500 mL  
EmS-No. F-E, S-E  
14.7 Maritime transport in bulk according to IMO instruments  
Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

## Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number UN1263  
14.2 UN proper shipping name Paint  
14.3 Transport hazard class(es) 3  
14.4 Packing group I  
Description UN1263, Paint, 3, I  
14.5 Environmental hazards Yes  
14.6 Special precautions for user  
Special Provisions A3, A72, A192  
Limited quantity (LQ) Forbidden  
ERG Code 3L

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)  $\geq 0.1\%$

| Chemical name              | CAS No.  |
|----------------------------|----------|
| n-Hexane contained in UVCB | 110-54-3 |

# SAFETY DATA SHEET

EVO-STIK ADHESIVE CLEANER  
Supersedes date 23-Mar-2026

Revision date 22-Jun-2026  
Revision Number 3.05

## EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

## Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

## Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

## Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS

P5b - FLAMMABLE LIQUIDS

P5c - FLAMMABLE LIQUIDS

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

## Named dangerous substances per Seveso Directive (2012/18/EU)

| Chemical name  | Lower-tier requirements (tons) | Upper-tier requirements (tons) |
|--|--------------------------------|--------------------------------|
| Hydrocarbons, C6, isoalkanes, <5% n-hexane -<br>64742-49-0 |                                | 25000                          |

## Ozone-depleting substances (ODS) regulation (EC) 2024/590

Not applicable

## Persistent Organic Pollutants

Not applicable

## REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point. This product contains:

| Chemical name     | Reporting of suspicious transactions, disappearances and thefts | Restricted | Registration |
|-------------------|---|------------|--------------|
| Acetone - 67-64-1 | Regulated   |            |              |

## Regulations on drug precursors (EC) No 111/2005 (export) and 273/2004 (internal trade)

This product does not contain any substance(s) which are regulated pursuant to the EU regulations on drug precursors [(EC) No. 111/2005 and (EC) No. 273/2004] above levels that can be easily used or extracted by readily applicable or economically viable means.

## Regulation (EC) No. 648/2004 (Detergents regulation)

Labelling for contents according to regulation (EC) No. 648/2004

|                        |        |
|------------------------|--------|
| aliphatic hydrocarbons | >= 30% |
|------------------------|--------|

## National regulations

# SAFETY DATA SHEET

EVO-STIK ADHESIVE CLEANER  
Supercedes date 23-Mar-2026

Revision date 22-Jun-2026  
Revision Number 3.05

## 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## **SECTION 16: Other information**

### **Key or legend to abbreviations and acronyms used in the safety data sheet**

#### **Full text of any hazard and/or precautionary statements referred to under Sections 2-15**

EUH066 - Repeated exposure may cause skin dryness or cracking  
H225 - Highly flammable liquid and vapour  
H304 - May be fatal if swallowed and enters airways  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness  
H361f - Suspected of damaging fertility  
H372 - Causes damage to organs through prolonged or repeated exposure  
H411 - Toxic to aquatic life with long lasting effects

#### **Notes relating to the identification, classification and labelling of substances**

Note P - The harmonized classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0.1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply

#### **Legend**

|         |   |
|---------|---|
| TWA     | TWA (time-weighted average)   |
| STEL    | STEL (Short Term Exposure Limit)  |
| Ceiling | Ceiling Limit Value   |
| Sk*     | Skin designation  |
| SVHC    | Substance(s) of Very High Concern   |
| PBT     | Persistent, Bioaccumulative, and Toxic (PBT) Chemicals                              |
| vPvB    | Very Persistent and very Bioaccumulative (vPvB) Chemicals                           |
| STOT RE | Specific target organ toxicity - Repeated exposure                                  |
| STOT SE | Specific target organ toxicity - Single exposure                                    |
| EWC     | European Waste Catalogue  |
| ADR     | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| IMDG    | International Maritime Dangerous Goods (IMDG)                                       |
| IATA    | International Air Transport Association (IATA)                                      |
| RID     | Regulations concerning the International Transport of Dangerous Goods by Rail       |

#### **Key literature references and sources for data**

No information available

**Prepared By** Product Safety & Regulatory Affairs  
**Revision date** 22-Jun-2026

#### **Indication of changes**

**Revision Note** SDS sections updated, 2, 3, 5, 6, 7, 8, 15.  
**Training Advice** No information available  
**Further information** No information available

**This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)**

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# SAFETY DATA SHEET

**EVO-STIK ADHESIVE CLEANER**  
**Supersedes date** 23-Mar-2026

**Revision date** 22-Jun-2026  
**Revision Number** 3.05

---

**End of Safety Data Sheet**